

[R.O.]
10

10,000-24-10-12.

MADRAS RECORD OFFICE.

Block No. III

Paper taken out of the Records from the charge of the Referencer,

Dept. P.W.D.

Press
Mis.
Rout.

No. 1328

Dated 7-6

191

Rank No.
Range.

Date taken out.	FOR WHAT PURPOSE.			Initials of Referencer.	Date returned.	Initials of attender.
	Department.	C. No.	Year.			
<u>W/P/12 memo no 1098803</u>					<u>27-11-12</u>	
<u>MR. 4621/12</u>						

KEEP-WITH

CURRENT No.

dated

189

GOVT.
OF MADRAS. }

1895.

EXAMINER, P. W. ACCOUNTS.

Madras,

10 May

1895

OFFICE NOTE No. 179

To

W.

In G.O.No.925 W.dated 2 April 1895 the use of form(VI)ment ed in para 26 of the inspection not on the Tanjore Division is ordered be discontinued. Is not this uninte tional ?

2. In para 34 of my report on t Tanjore Division I stated that some r cord of this kind was necessary in every divisional office, and asked that the Executive Engineer might be re- quested to furnish me, at the end of six months, with a special report on the suitability or otherwise of the form used in his office; and I can only add that without such a record in every divisional office it will be impossible for an Executive Engineer to ascertain at a glance what revenue is due from year to year, and the date on which it falls due, and see that realizations are promptly effected.

Sh/s
C.

R.O.
10
10,000

Dept.

Dt

P. W. CURLE

no 518w of 6.3.95
925w of 22.4.95

Dec 20.5.95

No 1333 W d/ 7 June 1895

3

Form (D) will be
omitted from para 1 of
G.O. No 925w of 22 April
1895.


2. The use of the form
will be continued in the
Tanjore division for the
present, and as soon as
possible after the end of
October 1895, the Ex.
will furnish the Ex.
with a report as to
after which the question
advancing it for general
use will be considered.

L 21.5

Despatched
Exr. P.W.D. - 21.5.95

1895
230/5

21.5.95



"Sylvabelle,"

Lansdowne Road,

Bournemouth.

1st May 1895.

To

The Secretary to Government,
Public Works Department, Madras.

Sir,

I have the honour to request permission of Government
to retire from the service on the 15th July 1895.
on the Pension to which I am entitled under the regulations
of the service.

I have put in sufficient qualifying service for a pen-
sion of Rupees 5000 per annum, and also to an additional
pension of Rupees 1000 per annum, if sanctioned by the
Government of India.

I have the honour to be, Sir,

Your most obedient servant,

F. D. D. Brown.
Superintending Engineer. P.W.D.
[on full length.]

10,0

No. 1344 Cd/26-3-94

P. W. CURRENT No. 3874

4086/55

De

29/ Dec. 20.5.95

No. 1887 Cd/24-May/95

To C

For favour
of remarks.

S
22.5
W

Cd/88

22/50-

O.R.S. 94

22/5

WITH

CURRENT No.

dated

189

E. No. 27.
200-2-11-94.

GOVT.
OF MADRAS. }

1895.

P. W.
DEPT.

EXAMINER, P. W. ACCOUNTS.

Madras, 27 May 1895.

OFFICE NOTE No. 1883 A.

To

W.

Your office note No. 1887 C. dated
24th. May 1895.

Mr. G. D. Wybrow is at present on 13
months' furlough, with effect from 15th.
June 1894 which will expire on 14th.
July 1895.

2. On the 15th. July 1895, Mr. Wybrow
will have a qualifying superior service
of 25 years 3 months and 2 days, as not-
ed below; and under C. S. R. article 712 C.,
he may be granted a retiring pension
not exceeding Rs. 5,000 per annum:-

Total service from 12th. Y. M. D
October 1867 to 14th.
July 1895..... 27 9 3

Less periods on furlough

Ist. June 1876 to Y M D
20th. May 1878..... I II 20

24th. July 1883 to
19th. July 1884..... 0 II 26

24th. March 1889 to
7th. September 1890 I 5 15

15th. June 1894 to
14th. July 1895... I I 0.

5 6 1
22 3 2

Add

Furlough counting for pension
C. S. R. article 711..... 3 0 0

Superintending Engineer, III Circle.

3. Mr. Wybrow having served more than three years as Superintending Engineer, it is for Government to decide whether with reference to article 714(b), he should be recommended for the additional pension of Rs. I,000 per annum for approved service.

Encl 1

Dues: 28.5.95

18/27/5
C.

2
27/5

20.6.70 28.4.93
- 1263 W 8.5.93
- 3010 13.6.93
- 3070 13.6.93
- 4650 16.6.93
- 4660 23.6.93
- 5020 1.7.93
- 5310 11.7.93
- 5790 17.7.93
- 2130 W 18.8.93
- 2913 C 22.8.93
- 2473 W 26.9.93
- 1344 C 26.3.94
- 1887 C 24.5.95