

6181

Govt. of 1891 Madras.

PUBLIC WORKS.

14/4

Dated

Recd.

Encl.

G.O. 13. August 1900. No. 20004.

Head quarters of the
Kistna Western Dⁿ

≡

Re Orders fixing the —
end of its Eastern and
Western Subdivisions
permanently at Gunthun
and directing the submission of
proposals for the utilisation of
the existing buildings at Duggurata

90
5

14/8

14/8

5800

Govt. of 1891 Madras.

PUBLIC WORKS.

14/4

Dated

Recd.

Encl.

G.O. 12 August 1900. No. 1998a

Buddalore Subdivision

≡

Orders sanctioning the
head quarters Subdivision
the South Area of Dⁿ
being constituted a
regular Subdivision
be known as the —

50
3

14/8

14/8

14/8

6181
Govt. of Madras.
PUBLIC WORKS.

GO. 13. August 1895. No. 20004.

Head quarters of the
Kistna Western Dⁿ.

Mr. Orders fixing the
end of its Eastern and
Western Subdivisions
permanently at Gunthun
and directing the submission of
proposals for the utilisation of
the existing buildings at Duggur.

90
15

RECEIVED
14/8

No. 276.22.

SUPERINTENDING ENGINEER'S OFFICE,

V CIRCLE, MADRAS,

24 July 1895.

Recd 26/7/95

From Lieut Colonel C. C. Rawson R.E.

SUPERINTENDING ENGINEER, V CIRCLE,

To The Chief Engineer
P.W. Department.

SIR,

I have the honour to enclose
the following papers -

3. Enclosures.

- Tabular Statement to accompany
proposals for changes in Establishment
- Letter from the Executive Engineer South
Arct. Division
- Description of the Head Quarter
Sub Division.

and to strongly recommend that
the Head Quarter Sub Division of
the South Arct. Division be consti-
tuted a regular Sub Division; also
that at least one of the Overseers
asked for by Mr. Wilson for duty
in the new Sub Division be posted.
2. The Head Quarter Sub Division

of South Arcot, is an important Sub-
Division and just one of those which is
a ^{suitable} ~~mistake~~ reward to men getting to
the top of the list, as it has good Head
Quarters; at present it carries no Sub-
divisional allowance, and therefore
must either be held by an Assistant
Engineer or by a Subordinate at a
loss to himself.

3. The Sub Division is too impor-
tant to be given to a bad Subordinate
& if a good man be put in, it is a
punishment to him as he loses money
by holding it.

I have the honor to be

Sir,

Your most Obedt. Servant,

W. Lawton Esq. M. R. S.
24/7/95

Suffg Engineer 5th Field

From

Lieut Col. C. C. Rowson
THE SUPERINTENDING ENGINEER,
V CIRCLE,

To

THE Chief Engineer
P. W. Depto

Dated
Recd.

24th July 1895

3 ENCLOSURES.

No. 276.W.

Tabular statements
to accompany pro-
posals for changes
in the establish-
ment.

For forwarding

on

for order

21-7-95

O.L.S. 266 R/2/8

No 1593 W d/ 24-6-91
3674 W d/ 18-9-78

Encls 3

Recd: 29-7-95

The question of the proper train-
ing of sub-divisional clerks has been
taken up in the Inspection Report of
the Coimbatore Division which will be
submitted in due course.

II. When the Executive Engineer
said that "not 50 % of sub-divisional
officers in the Department can sit down
and write up a complicated work-abstract:
how then can they instruct their clerks?"
he probably referred to the old form
of day-book which indeed was a terror
unto many; but the works-abstract (which
has taken its place), especially since
the simplification authorized in G.O.
No. 1130 W. dated 13th. May 1895, is so
simple that the meanest intellect could
have no difficulty in preparing it.

I2. I am at one with the Executive
Engineer when he remarks, "Last month
two of the sub-divisional officers writ-
ers in this division were actually sick-
What would have happened?" The remedy
for this is to give each sub-division-
al office a sufficient staff, and not
to have the works-abstracts prepared
in the divisional office; and on this
point I would invite consideration of
the strong recommendations made in my
No. 210 C. of 13th. January 1893.

I3. Para 28 of Inspection Report. Sanc-
tion of Government is awaited.

I4. Para 39 of Inspection Report. A

GOVT.
MADRAS.

1897.

P. W.
DEPT.

EXAMINER, P. W. ACCOUNTS.

Madras, 12 July 1897.

OFFICE NOTE No. 2480 B.

To

E. W.

Supg. Engineer's (3rd. Circle) endorsement No. 656 dated 1st. June 1895.

Forwarded with the following remarks:-

2. Para 5 of Inspection Report. The certificate on the fly-leaf of the cheque books should be signed by the Executive Engineer upon receipt.

3. Para II(b) of Inspection Report. This question has been referred to Government in this office No. 2216 B. of 22nd. June 1895, and orders are awaited.

4. Para 12 of Inspection Report. From an accounts point of view, I can have no possible objection to the submission of copies of measurement sheets to the Divisional office, but the practice is distinctly opposed to Code volume II. I. 361, & the preparation of copies of bills and measurements was ordered to be discontinued in G.O. No. 2726 W. dated 30th. September 1892.

5. If copies of any bills are made by the divisional office, they should be made by that office and not by the sub-divisional office (vide para I of my note published with G.O.No.272 dated 30th. September 1892). It should however be clearly understood that no time should be wasted in the divisional office in checking the calculations in a single measurement sheet.

6. Para 16 of Inspection Report. Orders have since been received in regard to this vide G.O.No.1555 W.dated 26th. June 1895.

7. Para 17 of Inspection Report. The new sub-head opened by the Executive Engineer is objectionable and it should be closed, the value of materials supplied by the Contractor being debited to the sub-heads concerned. Payment for materials was restricted in Chief Engineer's (P.W.D.) Circular No.1793 C. dated 27th. April 1894.

8. Paras 19 & 20 of Inspection Report. The Executive Engineer's proposals are incorrect. Instructions issued in Examiner's Circular No.38 of 1889 which was issued with the approval of the Chief Engineer should be attended to.

9. Para 24 of Inspection Report. Orders of Government passed in G.O.No.518 dated 6th. March 1895 regarding the preparation of works abstracts & control over them should receive attention.

12TH AUGUST 1895, No. 1998 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General,
Establishment.

READ—the following paper:—

From Lieutenant-Colonel C. C. RAWSON, R.E., Superintending Engineer, V Circle, to the Chief Engineer, Public Works Department, dated Upper Anicut, 24th July 1895, No. 276 W.

I have the honour to enclose the following papers:—

- (a) Tabular statement to accompany proposals for changes in establishment;
- (b) Letter from the Executive Engineer, South Arcot;
- (c) Description of the Head-quarter sub-division;

and to strongly recommend that the Head-quarters sub-division of the South Arcot division be constituted a regular sub-division; also that at least one of the overseers asked for by Mr. Wilson for duty in the new sub-division be posted.

2. The Head-quarter sub-division of South Arcot is an important sub-division and just one of those which is a suitable reward to men getting to the top of the list, as it has good head-quarters; at present, it carries no sub-divisional allowance and, therefore, must either be held by an Assistant Engineer or by a subordinate at a loss to himself.

3. The sub-division is too important to be given to a bad subordinate and if a good man be put in, it is a punishment to him as he loses money by holding it.

ORDER—dated 12th August 1895, No. 1998 W., Public Works.

His Excellency the Governor in Council sanctions the Head-quarters sub-division of the South Arcot division being constituted a regular sub-division. It will, in future, be known as the *Cuddalore sub-division*.

2. The Superintending Engineer will submit a map showing the territorial limits of the new charge.

3. The sanctioned strength of the Upper Subordinate establishment of the circle will be raised from 31* + 8† to 32* + 8,† and the Chief Engineer will arrange for posting an additional upper subordinate to the circle for employment in the South Arcot division as soon as one becomes available.

4. The authorized scale of office establishment for the new sub-division may be engaged by the Superintending Engineer.

(True Extract.)

Under Secy. to Govt., P.W.D.

To the Superintending Engineer, V Circle.
„ Examiner, Public Works Accounts.

Exd. T. K. Narayana Aiyangar.
Spare Copies

GENERAL.
ESTABLISHMENT.
Govt. of {1895} Madras.
PUBLIC WORKS.

Dated August, 12th.

Recd.

Encl.

G.O., 12th Aug. 1895, No. 1998 W.

AUGUST.

Cuddalore Sub-Division

Orders sanctioning the Head-quarters sub-division of the South Arcot division being constituted a regular sub-division to be known as the—.

Head Quarters Sub Division

Description of Sub Divisions	Number	Remarks
Number of Taluqs	2	
Area Square Miles	715	
Distance from East to West	55	
Distance from North to South	20	
Number of Taluqs		Number of Taluqs
Sergeant Inspectors quarters at Cuddalore	3200	Sergeant Inspectors quarters at Cuddalore
Mineral repairs to	1000	Mineral repairs to
Therukundawaram Channet	7000	Therukundawaram Channet
	44000	

NOTE

Up to end of June 1895. January to December 194
Receipts No. 731 Receipts No. 1318
Despatches No. 424 Despatches No. 1083
S. R. Venkatarang
Assistant Engineer
3rd July 1895

True copy
S. R. Venkatarang
Assistant Engineer

Copy of letter from the Executive
Engineer South West Division to the
Superintending Engineer 5th Circle
dated 9th July 1895 No 379.

In forwarding the statement
of Establishment required for the
constitution as a regular Sub Division
of the present Head Quarters Sub
Division, I have the honour to forward
a descriptive statement of the Sub
Division and to suggest that the
following additional Subordinates
be provided for the Sub Division.
Viz one Overseer for the Tiru Koilore
Taluk and one Sub Overseer for
the Buddalore Taluk - The Tiru Koilore
Taluk especially needs a Sub-
ordinate. There are at present in
Tiru Koilore itself three buildings
in progress and in the Taluk the
Tiru Koilore aicut with its branch
channels and a large number of
tanks need attention -

In the Buddalore Taluk
there

there are three ancient systems with
other irrigation works as well as all build-
ings in Buddalore and the taluq to
be seen to. The occasional disputes
with the French authorities on mat-
ters of irrigation take up time.

The Sub Divisional Officer
though energetic has no time prac-
tically for anything but the inspection
of works and for the size of his con-
siderable reference list it will be
evident that many important ques-
tions must be delayed.

I hope that it will be possi-
ble to provide the Sub Division
with the required Subordinates at
an early date.

(True copy)

CLARKE
24-7-95

Supy Engineer & Secy

24 July/95.

circle

revision of establishment.

P. W. D. Form No. 113.

Part II.

Dated the 24 July 1895.

C. L. Lawrence
24/7/95
Suptg: ~~Technical~~ Engineers
V. Circle. Bristol

P. W. D. Form No. 113.

Part II.

Statement of proposition for

Madras
r

* In the case of appointments on progressive pay, the "average" should be

Dated the 26th July 1895.

Examiner, P. W. Accounts.

Province.

NOTES.

Reference to P. W. D. Code.

Chapter I, para, 30.

P. W. D. Form No. 113.

Madras PROVINCE.

Part II.

Tabular Statement to accompany proposals for changes in establishments.

1. All proposals for changes in the scales of permanent establishments must be accompanied by a statement in Part I of this form when the changes relate to the engineer or upper subordinate establishments and in other cases by a statement in Part II of this form.

2. The column headed "present scale" should invariably show the existing sanctioned scale (not the strength of the establishment as it actually stands at the time), and should be verified by the Examiner before the statements are forwarded to the sanctioning authority.

PUBLIC WORKS DEPARTMENT.

No. 1998 W of 12 August 1895

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following

Letter from the Supt. Eng. V Circle, No. 276 W of 24 July 1895.

Sanit
Kellor
Supt. Eng. V

1998 W

His Excellency the Governor in Council sanctions the Head Quarters sub division of the South Arcot Division being constituted a regular sub division - It will in future be known as the Cuddalore Sub-division.

2. The Supt. Engineer will submit a map showing the territorial limits of the new change.
3. The sanctioned strength of the Upper Subordinate

Dated the 24 / 8 / 95

Establishment of the
Circle will be raised
from $31^x + 8^x$ to $32^x + 8^x$
and the Chief Engineer
will arrange for
posting an additional
upper subordinate to the
Circle for employment
in the South Arcot Division
as soon as one becomes
available.


4. The authorized
scale of office establish-
ment for the new sub-
division may be
engaged by the Supdy.
Engineer.

S 7.5

CH 10/8
6/8 95

✓
x Permanent
x Temporary.

Constituting a new
Subdivision in the
South Arcot Division



1. The Supdy. Engineer
Circle

in command of the Accts.
£ to Rs 50.

Despatched

Give me a copy
from the 8th copy sent
for the 12/10
comes from the
press.

T 1/2
B