

2nd July 1895.

3. This sanction has been registered as Provincial No 45 W of 1895-96 and classified as Establishment Temporary.


Additional Channel Superintendent for the Poiney Easter Channel, North Arcot Division.

L⁴²¹

No 2101 W of 22nd August 1895

17/8/95

B.C.



The Chief Engineer for Bridges
S. R. IV Circle
Eyar P. U. Accts

u. u. 8

No 856.6.

Office of Supt of Works

No 1 Periyar Division

Periyar 9th August 1895

From

G. D. Pears Esq

Superintendent of Works

No. 1 Periyar Division

To

The Chief Engineer

Public Works Department

Madras

Sir

I have the honor to request you will please obtain the sanction of Government to the payment of the wages of the watermen employed by the Post-master Periyar Post-office from 2nd April 1895 till such time as the workshop turbine begins to work which will be probably be in the next 3 or 4 days.

The amount payable is Rupees

4-8-0 per museum and will be
2 met from the provision for watermen
3 sanctioned in G.O. no. 965 W. dated
24th April 1895.

3. A similar charge was sanctioned
in G.O. no. 2804 W dated 3rd Nov^r
1894 and I would ask that in future
should the turbine again stop
which supplies the Post office with
water I may be permitted to allow
the Post-master the services - or as
in the present case, part of the
services - of one of the sanctioned
watermen, provided that the total
number of 14 sanctioned in G.O.
965 W of 24th April 1895 is not
exceeded.

I have the honor to be,

Sir,

Your most obedient servant

S. D. Evans

Superintendent of Works
No 1 Perizur Division

P. W. CURRENT No. 6169

From
The Superintendent of Works
No. 1 Perigar Division

To
The Chief Engineer
Public Works Dept.
Madras

Station Perigar
Dated 9th August 1895

No. 85-6-8.

Payment of Watermain
wages, & Post-Master.
Perigar: — Requesting
Sanction of Government
for the — under the
circumstances explained
within.

No. 965 W of 24-4-95
2804 W of 3-11-94

Recd: 12.8.95
No. 2098 W of 22 August 1895

13/1/95
cur

Both requests
are sanctioned.
are sanctioned.

D. 10/8

Chd 15/8/95

DISPATCHED
27 AUG 95

S. of W. P. P.
Exr. P. W. A.
S. of W. P. P.

0. L. S. 297 P. 19/8

11TH JULY 1895, No. 1705 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Civil Works.

READ—the following papers:—

Proceedings of the Board of Revenue (Land Revenue), dated 3rd November 1894,
Mis. No. 6055.

Read—letter from the Acting Collector of Tanjore, dated 13th October 1894,
No. 2554-Ver.

Resolution—dated 3rd November 1894, Mis. No. 6055.

The plans and estimates for constructing the Collector's office at Tanjore at an aggregate cost of Rs. 1,25,800 are submitted for the sanction of Government with reference to G.O., dated 13th September 1893, No. 2355 W., communicated with G.O., 23rd September 1893, No. 3505, Revenue.

2. With reference to paragraph 3 of the Collector's letter read above, the Board observes that the ground area of the treasury strong room (plan No. 10) cannot be increased without an alteration of the entire design. The treasure boxes in the existing treasury are only from 3 to 4 feet high. They are old and not as secure as they should be. In the new treasury, when built, space may be economised by providing iron chests 9 or 10 feet high, with two inner shelves about one yard apart, and perpendicular doors opening outwards. The upper shelves can be easily reached with a step-ladder. One row of chests may run the entire length of the room resting against the inner wall, and a double row may occupy the centre of the room along its length. The stamp almyrahs can occupy the spaces between the windows. If this be done, the Board believes that the room will be adequate.

3. It does not approve the Architect's proposal that the treasure should be kept in masonry receptacles (presumably wells sunk in the floor), as the verification of balances kept in such wells would be difficult.

(True Extract.)

(Signed) L. M. WYNCH,
Secretary.