

16-1-95 N^o 105-6. W
13-10-93 N^o 2604 W
21-2-76 N^o 468
29-1-76 N^o 263

Lithville
Deco: 11. 2. 95
No 373 W d, 13 February 1895

Communicated to
Mr Carless with reference
to his letter dated 14 Decem-
ber 1894.

Copy
12/2/95

DESPATCHED
14 FEB. 95

To
Lieut Carless Esq
Mr Carless Esq

both order

2. 11/2/95

All communications
should be addressed
to the Secretary.

No. 356 G.

GOVERNMENT OF INDIA,
PUBLIC WORKS DEPARTMENT.
GENERAL.

To

The Secretary to the Government of Madras,
Public Works Department.

Calcutta, the 4th February 1895.

Sir,

With reference to your letter No. 106 W., dated the 16th January 1895, forwarding for orders copy of a letter from Mr. G. P. Carless, Executive Engineer, regarding the date from which his services should count for promotion under the time rule laid down in Government of India, Public Works Department Resolution No. 2523 G., dated the 28th September 1893, I am directed to request that Mr. Carless may be informed that under his letter of appointment his service dates from the day he arrived in India. This regulates the date for promotion under the time rule, but it does not follow therefrom that he would be superseded by men already junior to him in grade who are qualified by time, as the rules expressly provide against such supersession.

I have the honour to be,

Sir,

Your most obedient servant,

G. H. Walker

Under Secretary to the Govt. of India.

Documents accompanying :-

Nil.

CURRENT NO. 3275

No. 4434.

Executive Engg. Office,
Coimbatore Division,
Camp only 28th Oct^r 1894.

From,

W. C. Lewis, Esq.,
Executive Engineer,
Coimbatore Div.

To

The Supd^y Engineer
4th Circle, Coimbatore.

Sir,

With reference to your No. $\frac{630}{C.V.}$ dated the 19th instant, I have the honor to report that I do not think it is possible to make a satisfactory speaking tube between the Chief Assistant's room and the office which is in a separate building.

2. There are so many unavoidable bends in any
- prae

practicable line that I
do not think it will ever
work satisfactorily.

3. I recommend that
a telephone be substituted
which will certainly
work satisfactorily.

I have &c. &c.
Sigs W. C. Lewis
Executive Engineer

N^o 463 of 1st November 1894.
C.E.

Submitted to the Chief
Engineer P. W. Department,
with reference to his memo-
-randum N^o 3133 C dated 15th
October 1894.

W. W. W. W.

005.2
107/9/95
Supd Engineer 4th Circle

From

The Superintendent
Government Telegraphs,
Madras Division.

To

The Executive Engineer
Coimbatore Division.

N^o 7167 dated 11th January 1895.

Sir,

With reference to your
letter N^o 21 dated the 1st instant,
I have the honor to inform
you that if it would suit
you to allow the covered wire
connection to follow the speak-
-ing tube alignment and thus
keep entirely under the roof
of the building the cost of the
Telephone connection you
mention would merely be
the rent of the necessary in-
-struments (including batteries)
that is Rs 120 per annum. If
the

A connection is required -
Kindly arrange that it is ap-
plied for through the Madras
Government.

I have &c. &c.

Sigs

not given

Superintendent

N^o 156

Copy. Forwarded to the
Supy. Engineer 4th Circle, with
reference to his endorsement
N^o $\frac{736}{C.D.}$ dated 26th November
1894.

Sigs H. C. Lewis

Executive Engineer

N^o $\frac{33}{W}$ of 26th January 1895.

Copy. Submitted to the
Chief Engineer P.W. Department,
with reference to his memorandum
N^o 3762 C of 23rd November 1894

W m m m

Supy. Engineer 4th C.

On 1/10/95