Public Works (1897) Department.

G.O., No. 673-4 I

DATED 22 July 97

N 4/7

100/6

50/2

[Despatch Abstract.]

Koranur tank: Sanctioning the execution by the P.W.D., of the work "Repairing and improving No. 17—, Estimate Rs. 2100" and directing that a letter be sent to the Resident in Mysore.

Koranur tank: ~~Stating~~ Observing that the sum of Rs. 1067 already intimated as the contribution of the Mysore Durbar towards the cost of repairing and improving No. 17,— Salem Dt., needs no modification.

P.W. 26.
1,500—30-12-96.

Dd 22.7.97 Indexed [illegible]

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

IRRIGATION.

Government {1897} of Madras.

PUBLIC WORKS.

Recd. } 1897. *Enclosures*

Regd. } 1897. *Spare copies*

Letter, No. 674 I., 22nd July 1897.

JULY.

Koranur Tank

Observing that the sum of Rs. 1,067 already intimated as the contribution of the Mysore Darbar towards the cost of repairing and improving No. 17, —, Salem district, needs no modification.

No. 674 I., 22nd July 1897.

PUBLIC WORKS DEPARTMENT.

Irrigation.

Letter—from

W. HUGHES, Esq., B.A.,
Joint Secretary to the Government of Madras,
Public Works Department,
Irrigation Branch,

To

The RESIDENT of MYSORE.

w. G.O. No. 1275, dated 9.2.1897

Sir,

With reference to your letters marginally noted, I am directed to forward herewith a copy of Proceedings of Madras Government, No. 673 I., dated 22nd July 1897, from which it will be seen that the sum of Rs. 1,067 already intimated as the contribution of the Mysore Darbar towards the cost of repairing and improving No. 17, Koranur tank, Hosúr taluk, Salem district, needs no modification.

(N) No. 13, dated 31st December 1896.
Lb supra — „ 2414, „ 4th June 1897.

I have the honour to be,
Sir,
Your most obedient servant,

Joint Secy. to Government,
Irrigation Branch.

Ootacamund,
22nd July 1897.

Exd. W. D'Moss.

IRRIGATION.

Government (1897) of Madras.

PUBLIC WORKS.

Recd.	1897.	*Enclosures*	
Regd.		*Spare copies*	

G.O., No. 673 I., 22nd July 1897.

JULY.

Koranur Tank

Sanctioning the execution, by the Public Works Department, of the work "Repairing and improving No. 17, —, estimate Rs. 2,100," and directing that a letter be sent to the Resident in Mysore.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.

READ—the following papers :—

From Lieutenant-Colonel D. ROBERTSON, Resident in Mysore, to the Joint Secretary to the Government of Madras, Public Works Department, Irrigation Branch, dated Bangalore, 4th June 1897, No. 2414.

I have the honour to invite a reference to the correspondence ending with my letter, No. 13, dated the 31st December 1896, and to inquire how the matter of the restoration by the Madras Government of Koranur tank, Hosúr taluk, Salem district, towards the cost of which the Darbar are prepared to contribute a proportionate share, now stands.

Memo. No. IV/21 S.L.

With reference to G.O., No. 121 I., dated 9th February 1897, the undersigned has the honour to request that the Superintending Engineer, IV Circle, will be so good as to report at an early date when the revised estimate therein called for for restoring the Koranur tank may be expected to reach this office. He is requested to be so good as to treat the matter as urgent and expedite the submission of the revised estimate, as the Resident in Mysore has written to inquire how the matter now stands.

11th June 1897.

(Signed) W. HUGHES,
Chief Engineer for Irrigation.

From the Executive Engineer, Salem Division, to the Superintending Engineer, IV Circle, dated 30th June 1897, No. 235 S.E.

With reference to your endorsement, No. 49 S. L., dated 2nd March 1897, I have the honour to forward herewith a copy of the letter, No. 538 E., of 27th instant, from the Sub-Divisional officer, Tiruppattùr, to whom the estimate of Rs. 2,100 for repairing and improving No. 17, Koranur tank, of Hosúr minor basin, was sent for revision, reporting that a revised estimate for the work is unnecessary and that it may be put in hand under the present estimate prepared by the Tank Restoration Scheme.

The plans and estimates are also returned for favour of early sanction and return so that the work may be put in hand at once.

ENCLOSURE.

From M.R.Ry. T. RAMANUJAM PILLAI, Sub-Divisional Officer, Tiruppattúr Sub-Division, to the Executive Engineer, Salem Division, dated 27th June 1897, No. 538 E.

Referring to your endorsement, No. 347 S., of 15th March 1897, directing to submit a revised estimate for restoring the Koranur tank, which is said to have breached since the submission of the estimate by Tank Restoration Scheme Party, I beg to report that the breach referred to lies at No. 2 sluice from left flank which is proposed to be replaced by a new one, the tunnel of the existing one being damaged beyond repairs.

The estimate provides Rs. 45 for earthwork, for excavating foundation, opening and closing the bund. As the bund at the sluice is already opened, the amount allowed for excavating foundation and closing will not exceed; hence a revised estimate for the work is unnecessary and the work may be put in hand under the present estimate.

The position of the breach is marked out both in the longitudinal and cross sections of the bund.

An enlarged section of the breach is also herewith sent.

No. 127/I.

Copy submitted to the Chief Engineer for Irrigation, with reference to G.O., No. 121 I., dated 9th February 1897.

(Signed) J. HANNAN,
Suptg. Engineer, IV Circle.

5th July 1897.

ORDER—No. 673 I., dated 22nd July 1897.

In the circumstances reported by the Superintending Engineer, IV Circle, the execution, by the Public Works Department, of the work "Repairing and improving No. 17, Koranur tank—estimate Rs. 2,100"—is sanctioned.

2. The following letter will be sent :—

[Here enter No. 674 I., dated 22nd July 1897.]

(True Extract.)

(Signed) W. HUGHES,
Joint Secy. to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation, with copy of letter.
" " " Tank Restoration Scheme.
" Superintending Engineer, IV Circle.
" Examiner, Public Works Accounts.

Exd. W. D'Moss.

PUBLIC WORKS DEPARTMENT,

IRRIGATION BRANCH.

No 673 I dy 22.7.97

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Estimate for repairing ~~& improving~~ No 17 - Koramer tank.

prg UNDER date the

READ the following

From Resident in Mysore, No. 2414 dy 4. 6. 97
To Supg Eng IV Circle, No. 2156 dy 11. 6. 97
From do., No 127 I dy 5. 7. 97

ASH 16.7.97

Issue

WH 17.7.97

In the circumstances reported by the Supg. Eng, IV Circle, the execution by the P. W. Dept of the work "Repairing & improving No. 17 Koramer tank - Estimate Rs 2100" is sanctioned.

2. The following letter will be sent:—

No: 674 I dy 22.7.97

Issue in M/S

To
The Resident of Mysore

Sir,

With reference to your letters marginally noted, I am directed to forward herewith

No. 13 dy 31. 12. 96 - Flag B
" 2414 dy 4. 6. 97 - - A

10

a copy of P.W.G. No. ~~X~~ I (6739)
d/ 22-7-1897. from which it will be seen that the sum of Rs 1067 already intimated as the contribution of the Mysore Durbar towards the cost of repairing & improving No. 17 Koranur tank, Hosur taluk, Salem Dt, needs no modification.

12/7
87

WH.
12.7.97

I

Blank W.Cs filled in before issue -

A.H.
16.7.97

Recd
23/7/97

To
The Chief Engr. for I with copy letter.
D.P.W.R.S
Supg Engr IV Circle
Exr. P.W.R.

D. 4/8/97

[illegible]
10/7/97

Submitted in [illegible] the Resident

[illegible] 28/7/97

11

Public Works (1897) Department.

CURRENT No. ~~482.~~
7054

Order

From The Supg. Engineer, 4th Circle.

No. 127/I

Dated 5th July 1897

Received 8-7-97

Enclosures ~~10.~~ Reports: (9-7-97) 13 (6 plans)

Spare copies ✓

SUBJECT.

Koranur tank No. 17 of Hosur Minor Basin.

Submits for sanction plans & estes. for repairing & improving the Paper

[illegible]
8/7/97

[illegible] 8-7-97

12

BACK PAPERS.

G.O.	No.	Department.	Date.
R 1168		2·3·97	
I	4 Rs	11-6-97	

FURTHER PAPERS.

G.O.	No.	Department.	Date.

No: 538 E. P.W.D 13/1180

From,

M.R.Ry T. Ramanujam Pillai
Subdivl: Officer,
Tirupatur Sub Division.

To,

The Executive Engineer
Salem Division.

Sir,

Encl: 16.

Refering to your endorsement no: 3478 of 15-3-97 directing to submit a revised estimate for restoring the Koranur tank which is said to have breached since the submission of the estimate by I.K.S Party I beg to report that the breach referred to lies at No 2 sluice from left flank which is proposed to be replaced by a new one, the tunnel of the existing one being damaged beyond repairs.

The estimate provides Rs: 45 for earth work for excavating foundation, opening and closing the

12

BACK PAPERS.

G.O.	No.	Department.	Date.
R 1169	D	2-3-97	
I	4 R.D	11-6-97	

FURTHER PAPERS.

G.O.	No.	Department.	Date.

No. 538E. P.W.D 13/1189

From,

M.R.Ry T. Ramanujam Pillai
Subdivl: Officer,
Tirupatur Sub Division.

To,

The Executive Engineer
Salem Division.

Sir,

Encl: 16.

Referring to your endorsement No. 347 S of 15-3-97 directing to submit a revised estimate for restoring the Karanur tank which is said to have breached since the submission of the estimate by T.K.S Party I beg to report that the breach referred to lies at No 2 sluice from left flank which is proposed to be replaced by a new one the tunnel of the existing one being damaged beyond repairs.

The estimate provides Rs: 45 for earth work for excavating foundation, opening and closing the

the bund. As the bund at the Sluice is already opened the amount allowed for Excavating foundation and Closing will not exceed, hence a revised estimate for the work is unnecessary and the work may be put in hand under the present Estimate.

The position of the breach is marked out both in the Longitudinal and Cross Sections of the bund.

An enlarged section of the breach is also herewith sent

CHIEF [illegible]
FOR IR[illegible]
8 JUL 1897
No 11 SK

I beg to remain
Sir,
Yours Sd.
(Sd.) T. Ramanujam Pillai
Sub Dl. Officer

(True copy)

Dis 5.1 / 7654/57

Superintg. Engineer
4th circle.

P.D.

Letter from the Executive Engineer Salem Division to the Superintending Engineer 4th circle dated 30th June 1897 No 235 S.E.

Encl: 14
6. Estimates
6. Plans
1. G.O. No: 542 / 26-6-96
1. Copy of letter No: 538 E / 27-6-97.

With reference to your Endorsement No: 49/S.L. dated 2-3-97 I have the honor to forward herewith a copy of the letter No: 538 E. of 27th Instant from the Sub-Divisional Officer Tirupatur, to whom the estimate of Rs: 2100 for repairing and improving No 17 Koranur tank of Hosur Minor Basin, was sent for revision, reporting that a revised estimate for the work is unnecessary and that it may be put in hand under the present estimate prepared by the Tank Restoration Scheme.

The plans and estimates are also returned for favour of early Sanction and return

16

So that the work may be put in hand at once.

No. 127

Copy submitted to the Chief Engineer for Irrigation with reference to G.O. No. 121 I. dated 9th February 1897.

Encl: ~~8~~ 10
1 File of
8. Estimates
6. Plans
1. Copy of Sub-Dl. offrs report.
1 Descriptive Memoir
1 Data sheet

Superintg: Engineer
4th Circle.

8/6/

CHIEF ENGINEER
FOR IRRIGATION.
8th JUN 1897
No. 11 S-L.

To O.S. with fair
[illegible]
9/6/97

No. IV / 21. S.L.

17

Memo

With reference to G.O. No. 121 I. of 9 Feb 1897, the undersigned has the honour to request that the Supg. Eng. IV Circle, will be so good as to report at an early date when the revised estimate therein called for for restoring the Koramur tank may be expected to reach this office. He is requested to be so good as to treat the matter as urgent & expedite the submission of the revised scheme, as the Resident in Mysore has written to inquire how the matter now stands.

10/6/97

WH
11.6.97

To the Supg Eng IV
9/6/97

Public Works (1897) Department.

CURRENT No. 5543

Order

From The Resident in Mysore

No. 2414

Dated 4. 6. 97
Received 5. 6. 97
Enclosures
Spare copies

SUBJECT.

Koranur Tank, Salem Dt:

Enquiring how the matt
of the restoration by the Madra
Govt: of —— now stands

W Office to report & return with papers

Recd 5/6/97

20

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.
I. IV / 21. S.L	11-6-97

21/

No. 2414.

1P.

FROM

LIEUTENANT-COLONEL D. ROBERTSON,
RESIDENT IN MYSORE.

TO

The Secretary to the Government of Madras
Public Works Department,
Irrigation Branch

Dated Bangalore, 4th June 1897.

SIR,

I have the honor to invite a reference to the correspondence ending with my letter No. 13 dated the 31st December 1896, and to inquire how the matter of the restoration by the Madras Government of Koranur Tank, Hosur Taluk, Salem District, towards the cost of which the Darbar are prepared to contribute a proportionate share,× now stands

× G.o N. 1219 29.2.97

I have the honor to be
Sir,
your Most Obedient Servant

for Resident.

HL

94