

Public Works (1896) Department.

G.O., No. 1888 *h*

DATED 24 June 96

[Despatch Abstract.]

*Imports — The Consig Architect authorized
to restore the — of the late Governor Monk
and Physical General Anderson at
the public expense*

Exd. T. K. Narayana Aiyangar.
Spare Copies

BUILDINGS AND ROADS.
CIVIL WORKS.

Gobt. of {1896} Madras.
PUBLIC WORKS.

Dated June, 24th

Recd.

Encl.

G.O. No. 1888 W., 24th June 1896.

JUNE.

Tombs

The Consulting Architect authorized to restore the — of the late Governor Morse and Physician General Anderson, at the public expense.

~~48~~

Restoration of certain
Tombs


24
No 1888 W., 24th June 1896.

The Consulting
Architect is authorized to
restore the tombs in
question at the public
expense.

22/6/96

Sh. A. to Govt. Secy. to Govt.
Ex. P.W.D.
Sec. Dept.

L.S.



CAS

P. W. DEPARTMENT.

READ the following:—

Letter from the Consulting Architect No. 1238 of June 12/96

FOR ORDERS.

Submitted that the Consulting Architect be authorised to restore the tombs of the late Governor Morse, and Physician General ^{Anderson} Andrews, at the public expense.

18/6/96

W

A. 500-20-3-96.
1.

No. 1238

Office of the Consulting Architect to Govt.,
Chepauk, Madras,
12th June 1896.

From

Lt. Colonel C. B. Rawson M.A.

Consulting Architect
to the Government of Madras.

To

The Chief Engineer
Public Works Department

Sir,

Enclosures.

1 Drawing

With reference to your Office Note dated 19th May 1896 No. 205 D, I have the honour to enclose a drawing of the late Governor Morse's tomb. It is constructed of brickwork plastered with chunam and surmounted with a stone slab with crest and inscription of raised letters which is in good preservation - The plaster is much corroded. The cost of replastering with Portland Cement and cleaning the slab will amount to about Rs 20/-.

2. It will be seen from the notice regarding ruined tombs in page 798 of the Fort St. George of 2nd June 1896 that the tomb of the late J. Anderson M.D.

Physician General is mentioned first in the list; it consists of a black marble monument standing within an imposing structure faced with dressed stone and laterite and surrounded by a plain iron railing. The cost of demolishing this structure will be more than what will be required to repair it. I would suggest that the iron railing be removed and the tomb repaired, the cost of which will amount to about Rs 400. I may add that a full size marble statue of the late Dr. Anderson in a sitting posture occupies one side of the vestibule of St. Georges Cathedral.

I have the honour to be

Sir

Your most obedient servant

As I am

11/6/98

Lt: Colonel 128

In charge Consulting Architect D.

No. 7.

Public Works Department.

From

THE CONSULTING ARCHITECT

TO THE GOVERNMENT OF MADRAS.

To

THE

Chief Engineer
P. W. D.

No. 1238

Dated

12th

Despatched

Received

June 1896.

No. of ENCLOSURES. /

Subject.

*Reporting on putting the
tomb of late Governor
Morse in St. Marys Cemetery
in a proper state of repairs*

CURRENT No. 5344

Encl. plan.

Recd: 13.6.96

64/187 224/6