

(1896)

REVENUE DEPARTMENT

Current Number. 4359.

From

The Board of Revenue,
Taluk Cutcherry at Kandukur on the
revised standard design is approved.

Dated 13th June 1896.

Received 17th June 1896

Enclosures 5.

No. 2720 Mls.

SUBJECT.

Submitting to Government letter from the Collector of Nellore & recommending that orders may be issued in the P. W. Department for the preparation of estimates for constructing a Taluk Cutcherry at Kandukur on the revised standard design.

26. 10. 97
7-8-97
8-6-97

P. W.

6063

ABSTRACT.

(41) Enclos⁵ (11111)
Ans: 6. 7. 96

Endorsement No. 2558 Mls.

The proposal to construct a taluk cutcherry at Kandukur on the revised standard design is approved.
2. Orders will issue in the Public Works Department for the preparation of the necessary plans and estimates.

Donal Vande
Ag: Under Secy. to Govt.

Ootacamund,
1st July '96.

Sec 4/7

To

The P.W. Deptt., with encls.
The Board of Revenue, L.R.

Note

circulated
H. E. #1

No 2137 w 9-22 July 1896

Communicated to
the Secy. Genl. II and
for submission of the
required estimate.
Shroob
Cu
S.S. II and
Rev. Secy. 2/11

PROCEEDINGS OF THE BOARD OF REVENUE

(Land Revenue).

No. 2720 Mls., dated 13th June 1896.

Read letter from W. S. Meyer Esquire, AG: Collector of Nellore, to the Secretary to the Commissioners of Land Revenue, Madras, Ref. No. 2445-ver., dated 6th June 1896.

Resolution.

Submitted to Government with the recommendation that orders may be issued in the Public Works Department for the preparation of plans and estimates for constructing a Taluk Cutcherry at Kandukur on the revised standard design.

(True Extract.)

(Signed) R.C.C. Carr,
Ag: Secretary.

To

The Secretary to Government, Revenue Department,, with letter and 4 enclosures in original to be returned.

To be returned
to Revenue Board
with reply.

Stationary Sub Magistrate.

I have the honor to be,

Sir,

Your most obedient servant,

W. M. M. M.

Dy. Collector

for

Dy. Collector

no
8/6.

8/6

8- 24830

lately added to, but is very dark.

part of the cutcherry leaks during

the rains. Quarters have been pro-

vided outside for the Stationary

Sub Magistrate which give hardly

any room for his office.

3. I agree with the Executive

Engineer in holding that the present

buildings will require repairs at a

heavy cost, and that it would be better

and cheaper in the long run to construct

a new office. In these circumstances,

I request that the sanction of Government

may be obtained for the construction

of a new tahsil cutcherry at Kandukur

on the revised standard plan

which will also provide suitable

accommodation for the

PROCEEDINGS OF THE BOARD OF REVENUE

(Land Revenue).

No. 2720 Mis., dated 13th June 1896.

Read letter from W. S. Meyer Esquire, AG: Collector of Nellore, to the Secretary to the Commissioners of Land Revenue, Madras, Ref. No. 3445-ver:, dated 6th June 1896.

Resolution.

Submitted to Government with the recommendation that orders may be issued in the Public Works Department for the preparation of plans and estimates for constructing a Taluk Outcherry at Kandukur on the revised standard design.

(True Extract.)

(Signed) R.C.C. Carr,
AG: Secretary.

To

The Secretary to Government, Revenue Department,, with letter and 4 enclosures in original to be returned.

BOARD'S GEN. REG. NO 3006 OF 1896
LAND REVENUE

From

The Subcollector



To The Secretary of the Board

of Rev. Land Revenue

Madras


Dated 6 June 96

DESPD - 9 JUN. 96

2445
Vg

Subject

W.C.1
6063
Supplying, copies of the
Subcollector's letter explaining
the necessity for a new salary
authority at Kanouke for the
orders of the Board.



lately added to, but is very dark.
part of the catcherry leaks during
the rains. Quarters have been pro-
vided outside for the Stationary
Sub Magistrate which give hardly
any room for his office.

3. I agree with the Executive
Engineer in holding that the present
buildings will require repairs at a
heavy cost, and that it would be better
and cheaper in the long run to construct
a new office. In these circumstances,
I request that the sanction of Government
may be obtained for the construction
of a new tank catcherry at Kandukur
on the revised standard plan -
which will also provide suitable
accommodation for the

To be returned
to Revenue Board
with reply.

dated 6th June 1896.Ref No. 2445
VesFrom W. S. Meyer, Esquire, I.C.S.
as Collector of Nellore.To the Secretary to the
Board of Revenue,
Land Revenue
Madras.

Sir,

I have the honor to submit
for the orders of the Board, copies of
my Sub Collector's letter No. 25 of date
13th May last, and its enclosures, -
explaining the necessity for a new
tahsil Cutcherry at Kandukur.

2. I was at Kandukur on the 9th
May last and saw the present
building. It is an old one and
quite unsuitable for present pur-
poses, as shown by the Tahsildar's
report. The record room has been

present building, is quite inadequate
and the Stationary Sub Magistrate
is at present obliged to use a thatched
mud shed constructed in the compound

3. There will be no difficulty in
obtaining a good site for a new
building.

I have the

(sd) E. Scott
as Sub Collector.


(True copy)

Agreed
by collector
for as collector.

Recd
6063/56

El
8-096

4
L.N. 3006796



No. 2501
Subcollector 626

Dated 10th May 1870

From,

E. Scott, Esquire

Ag. Subcollector

Nellone Dt.

To

The Collector of Nellone.

Sir,

In forwarding herewith
a copy of letter No 1086th dated 11th
March 1876, from the Executive Engineer
Nellone Division and of order No 258
dated 4th May 76 from the Tahsildar
of Kandukur, I have the honor to
state that I concur with the Executive
Engineer in his suggestion that a
new cutcherry should be constructed.

2. The accommodation in the

which is inconvenient for any
purpose as Subjaib latrine and
Ryoto-Sheeb are situated close to
each other and also the 14 Sq. yd on
the west of the record room which
cannot be used for any purpose
as there is a well br. In front of
the Gate there is 160 Sq. yards. If a new
building like the one at Kanigiri is
to be built for all purposes in-
cluding the Stationary Sub Magistrate's
office, I think the present space
is not quite sufficient and there
will be no spacious compound.

Q. 3

6063/56

3

Enc. to Govt. N. 3006/76

(True copy)

I beg to

(sd) A. Raghava Rao

Tahsildar


(sd) E. Scott

(True copy)

Ag. Subcollector.

5/6/76

By Collector
for Ag. Collector



the structure of the building is that all the open portion is left in charge of the police, out of the office hours, to give them facility to guard the Treasury so that there is every apprehension of the unsafety of articles left by the clerks at their seats. Under these circumstances, I think the whole present building requires removal and new building on the new fashion necessary. A thatched building for the office of the Stationary Sub Magistrate, was newly built this year at a cost of Rs 114. From the plan now enclosed it can be seen that the only place available on the west of the Ryoto-shed is 670 sq yds.

towards the Treasury room where all the gunstas and the Head Accountant are seated. The records room, having been found insufficient, was extended at a cost of Rs 500 during 1894. The old roofing is leaky almost everywhere and during rain days, there will hardly be any space for the clerks to sit. In the year 1892 & 93 tiles were lifted at a cost of Rs 150 but this was of no avail, as the rafters have bent down.

The Verandah in front of the Treasury room is also leaky besides the plaster, the flooring inside is partly broken and dusty. Above all, the worst defect is

N^o 2758.

Dated 4th May 1875

To

The Sub Collector of

Nellore D.F.

Most honoured Sir,

With reference to

your honour's order No. 1708 dated 14th

April 1875, I beg to enclose a sketch

showing the present state of the Salub

office building.

The present building is of the old
fashion, the Treasury room being located
in the centre. There are 4 rooms one of
which is given for the Police Station
one is used for records. In the third,
I hold my office and 4th a small room
in which Police records are kept.

The other portion is left open

when once we remove the roof, we
do not know what extra expenditure
may have to be incurred as the
wood work is mostly rotten. Under
the above circumstances, I would
recommend that, instead of spend-
ing a large amount on the repairs
to this building which is very incom-
modious a new building may be
built here.

I however leave the matter
to be settled by you and the collector.

I have to
sign order

(Sd) *Rayappa*
Manager

Executive Engineer's Office
Nellore Division

Q.S. 4
2 6068/76
Enc. to Genl N. 3006776

REVENUE
Enclosure No. 1
Current No. 43

(True copy)

(True copy)

(Sd) E. Scott

Revenue Secretary
Collector

Sub Collector

Dated 4th May 1881

Executive Engineer's Office

11th March 1881

No. 1086

From

R. A. Srinivasa Ayyangar Esq.

Row Sahib B.A. B.E.

To

The Sub Collector of Nellore

Sir,

I have the honor to bring to
your notice that the Taluk cutcherry
at Kandukur is in sad want of repair
and as they are likely to cost over a thousand
rupees, the estimate can only be prepared
under orders of Government. My
predecessor was of opinion that a new
Taluk cutcherry was wanted here and
I concur with him. As the present building
is a very old one, and as it requires the

From

The Supg. Engineer
4th Circle

^{11.7.96}
No: 2138 W. ^{Order: 2.7.96} dated 22 July 1896

Recorded with the
remark that pending
receipt of sanction to
the estimate, work should
be confined to the
collection of materials.
Meanwhile the delay
on the part of the Revenue
authorities will be
inquired into in the Rev Sept.

Dated 30th June 1896
Sept 1st July

Rs 310
1403 W d 2.5.96 W
1288 W d 20.4.96
6000 d 17.2.96

Sub Magistrate's Office
at Namakal.

Brings to notice that the
Ex: Engr Salem D. has been
permitted to put the work of
Constructing a — in hand
in anticipation of sanction
to the Estimate.

^{11.7.96}
1/7/96
cons
u. 7. 96.
T. B. C. B.
The Secy to Govt. Rev. Secy
to Govt. of Madras
S. E. W. Circle
Rev Sept
Ats 220 6/15/96
JUL 6/7/96

No 310
W

Supg. Engineer's office, 4 Circle,
Camp Ootacamund 30th June 1896.

From,

J. C. Lammie, Esq., M. Inst. C. E.,
Supg. Engineer, 4 Circle,

To,

The Chief Engineer,
P. W. Department.

Sir,

I have the honor to bring to your notice that the estimate for constructing a Sub Magistrate's office at Nasirakal, for which there is a grant of Rs 5000 in the Current year's budget, was forwarded on the 21st April for the sanction of Government through the Collector of Salem, who has intimated that the same was submitted through the Board of Revenue on the 30th idem. The Executive Engineer has therefore been permitted to put the work in hand in anticipation of sanction to the estimate, as it is necessary that the required bricks should be made before the N.E. monsoon.

I have the honor to be,
Sir,
Your most obed^t servant,

J. C. Lammie
Supg. Engineer, 4 Circle.

Govt. of 1896 Madras.
J. C. L.

To

The Public Works
Department.

No 2139W. dated 22 July 1896

Communicated
to the Commg. Architect
for submission of the
requisite estimate.

Proceedings, No. 1114 dated 4th July 1896

Subject.

Stating that orders for the preparation of plans and estimates for the construction of a new Police Station at Ashermanpettah will be taken into consideration after the receipt of the estimates.

487W, 44-2-96.

221C, 44-15-1-96

22W, 44-5-1-96

T. K.
B. G. M.

DESPATCHED
23 JUL 96

C. C. to Govt.
C. C. to Govt.

W. H.

6.5.249 2/17/96

for Chief Secretary.

Judicial Department.



PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following papers:—

Letter from the Commissioner of Police, No 55
dated 29th May 1896:—

I have the honour to inform you that the H¹, Police
Station, Washermanpet, is a very old building and quite in-
adequate to present requirements.

2. In G.O., No 2580, Judicial dated 13th December 1895,
Government was pleased to sanction the purchase of a piece of
ground immediately behind the said station.

3. I request you will be pleased to sanction the construc-
-tion of a new station house and direct the Consulting Arch-
-itect to prepare plans and estimates for same. I will, in
communication with him, settle the details.

From the same officer No 57, dated 4th June 1896, stating
H/i Police Station
the accommodation required in the proposed to be constructed
on the site of the present old Station House.

O R D E R :-No 1114 dated 4th July 1896.

Orders for the preparation of plans and estimates for the
the new Police Station will be issued in the Public Works
Department. Upon receipt of these, through the Commissioner,
the Government will take into consideration the question of
sanctioning the construction of the station.

(True Extract)

To
The Public Works Department ✓
--- Commissioner of Police.

for Chief Secretary.

5937 Sub

In 8th & case of delay
on part of Revenue Board
this case is being
deferred.

It is almost an R. Union
one 2 months in the State
Board of Revenue is required
that it can afford me
allotment.

W

Please see 6/4/96
proposed addition to the
draft. L.S. 6 June 96