

11-6-15 ✓

9337

Public Works (1896) Department.

G.O., No. 3018 *W*
A
DATED 24 Oct. 1896

[Despatch Abstract.]

Groyne at Cocanada. The Annual Report requested to place Rs. 30,000 at the disposal of the P.W.D. from Port Quinn for extending the — and the S.E. requested to expedite the submission of an indent for a sand pump dredger.

==

T.C. 24/10 29/10

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.



Groynes at Cocanada P. W. DEPARTMENT.

No 3018 w d 24th october 1896.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following

From the Suptg. Engineer, I Circle, No 1473 L.D. 13 October 1896

*We have the Chief Secy, for
favor of counter-
initiate -*

The Financial Department will be requested to place a sum of Rs 30,000 at the disposal of the P.W. Department from Port Funds for extending the groynes at Cocanada.

2. The following telegram will be sent to the Suptg. Engineer, I Circle,

" Your 1473 L.D. thirteenth current. Please expedite indent called for in G.O. 2805 w thirtieth ultimos.

*2-5H
23/10/96
Telg. Despatch: 24-10-96*

** Note*

The charges for Reestablishment and Tools and Plant will be fixed on receipt of the estimate

Ad. 10.96. 20/10/96

To The S. I Circle

" Financial Dept.

" Marine Dept.

Public Works (1896) Department.

CURRENT No. 9337

Order

From J. C. Larmine Esq.
Supt. Engrs. I Circle
to The Chief Engineer, P.W.D.

No. 1473 G.D. argen

Dated 13.10.96

Received 17.10.96

Enclosures Rs 6 20-10-96

Spare copies

SUBJECT.

Cocanada Groyne work —
Requests to allot at a very
early date, Rs 30,000, required
for the extension of the —

B

PS

BACK PAPERS.

FURTHER PAPERS.

G.O.	No.	Department.	Date.
S.O.	2805W	P.W.	30-9-96
"	2445W	"	24-8-96

G.O.	No.	Department.	Date.

urgent

No. 1473 G.D.

FROM

J. C. Laramie Esq M.I.C.E.
SUPERINTENDING ENGINEER.

FIRST CIRCLE.

Enclosures.

TO

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

WALTAIR.
Camp Co Canada

13. Oct. 1896.

SIR,

I have the honour to request that you will be good enough to allot at a very early date Rs 30000 required for the execution of the bridge work at Cocanad sanctioned in G.O. no. 244515 of 24.8.96.

* G.O. No. 2805W 30.9.96

Arrangements have been made with a contractor for the supply of the Stone. But it will not be possible to get the River mouth into a satisfactory navigable condition, until the Port is provided with a sand pump Dredge.

Please see my letter No. ^C208 of 19.9.96 in this connection.

In Para ^{appendix B.} of his report on the Viragapataam Harbour Mr. Thoroughgood gives the cost of this at about 1 1/2 lakhs.

FROM

SUPERINTENDING ENGINEER;
FIRST CIRCLE.

TO

THE CHIEF ENGINEER

PUBLIC WORKS DEPARTMENT.

DATED

DESPATCHED

RECEIVED

189

No.

ENCLOSURES.

SUBJECT.

I would therefore urge the
urgent necessity there exists
for ordering one of these
Dredgers at once from
England. With one of these
Dredgers & the South Groyne
lengthened as proposed, nothing
more will be required.

I have the honor to be,

Sir,

Yours Most Obedt St.

J. C. Lawrence
Supg Engineer 1st Circle
13/10 —