

P. W. CURRENT No. 2872

Public Works (1896) Department.

G.O., No. 3329

DATED 6/4/96

[Despatch Abstract.]

No. 68 Sellaappa Kottai Kommai in
Madura Du. —
The Ena authorized to pass the
excess expenditure incurred in
repairing —

Exd. Md. Pabilvan.
Spare Copies

IRRIGATION.
ACCOUNT.

Gobt. of {1896} Madras.
PUBLIC WORKS.

Dated April, 6th.

Recd.

Encl.

G.O. No. 332 I., 6th April 1896.

APRIL.

Excess Expenditure

The Examiner of Public Works Accounts
authorized to pass the — incurred in repair-
ing No. 68, Sellappakottai Kommoi in
Madura division.

A
Sic

N^o 332. I of 6 April/96.

PUBLIC WORKS DEPARTMENT,
IRRIGATION BRANCH.

PROCEEDINGS OF THE MADRAS GOVERNMENT.


9th April 1896
UNDER date the
20

Read the following

From Supg Eng, Sixth Circle, N^o 292 and
of 23rd March 1896.

The Examiner
of P. W. Accounts
is authorized to
pass the excess
expenditure incurred
on the work referred
to.

2. This sanction
is registered as
N^o 6 I of 1896.97.



To the Chief Eng for I
Supg Eng VI Circle
of P.W.D.

Recd
1/4 1896

1/4

1/4

OFFICE OF THE SUPERINTENDING ENGINEER,

6TH CIRCLE,

No. 292 m,

Trichinopoly, 23^d March 1896.

FROM

W. Hughes Esquire

THE SUPERINTENDING ENGINEER,

6th CIRCLE.

TO

THE CHIEF ENGINEER,

for Irrigation.

SIR,

ENCLOSURES.

With reference to your memo-
randum No 1607 T dated 11th December 1895
sanctioning the excess of Rs 560, over
the original estimate for repairing
No 68 Sellappa Kottai Korumoi in
Madura Division, I have the honor
to inform you that the Auditor
of G.W. Accounts insists that the
sanction of Government should
be obtained before him to pass
the outlay. The Government in
their order No 2559 dated 14th March 96
against item 17 in the Statement of
Objectionable items in the accounts
of Revenue business remaining
unremitted end of December 95
states that the sanction of Govt
to the excess should be applied for
without

Issue.

Recd

1

7.E.D.
6/4

Recd

6/4

Recd

6/4

without delay. Under the circumstances
I request that the necessary sanction
may be obtained

I have the honor to be

Sir,

Your most obedient servant

W. Hughes.

Supy Engineer
Circle

P. W. CURRENT No. 3404

P. W. D. 6th CIRCLE.

CHIEF ENGINEER
FOR IRRIGATION.
24 MAR 96
No. 142nd

Revised 6.4.96

FROM

THE SUPERINTENDING ENGINEER,
6TH CIRCLE.

TO

THE CHIEF ENGINEER,
for large

No. 292nd

Dated 23^d }
Received 23 } March 1896.

Enclosures.

No 60, Zellaopataottai
Kommia: —

Requesting to obtain
sanction of Govt for the excess
of Rs 500 over the original
estimate for repairing —