

Public Works (1896) ⁷⁷³⁵ Department.

G.O., No. 730-1.2

DATED 27 August 1896

[Despatch Abstract.]

Canvey Delta System: Informing the
S.E. that expenditure on improvements
and repairs ^{connections} in the — should be ~~confined~~ restricted
to the existing grant and resuming & crediting
the reserve the sum of Rs. 20117 surrendered.
under 49 Capital Expenditure not charged to Revenue.
~~Canvey Delta System~~

Dolls. Forwarding Pro. informing the S.E. that
that expenditure on improvements & repairs ^{connections} in the —
should be restricted to the existing grant and resuming
& crediting to the reserve the sum of Rs. 20117 surrendered
under 49 Capital Expenditure not charged to Revenue.

29/8

70/4

22/8

IRRIGATION.
ACCOUNT.

Government {1896} of Madras.
PUBLIC WORKS.

Recd.

Regd.

} 1896.

Enclosures

Spare copies

G.O., Nos. 730, 731 I., 27th August 1896.

AUGUST.

Cauvery Delta System

Forwarding Proceedings informing the Superintending Engineer, V Circle, that expenditure on improvements and repairs in connection with the — should be restricted to the existing grant, and resuming and crediting to the reserve the sum of Rs. 20,117 surrendered under "49. Capital Expenditure not charged to Revenue."

17/0

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

Irrigation.
Account.

READ—the following paper:—

APPLICATION for modification of existing grants under Irrigation for the year 1896-97, V Circle.

Item number.	Division.	Works.	Amount of estimate.	Existing grant.	Modification applied for.		Modification proposed.		Revised grant.	Remarks.
					Decrease.	Increase.	Decrease.	Increase.		
		42. MAJOR WORKS (WORKING EXPENSES).	RS.	RS.	RS.	RS.	RS.	RS.	RS.	
		<i>Cauvery Delta System.</i>								
1	Tanjore..	Minor extensions and improvements.	L.S.G.	8,000	..	5,000	..	5,000	13,000	Absolutely required for works executed by Superintending Engineer on special duty, Cauvery Completion Estimates, and for discharging liabilities incurred in excess of the grant.
2	Do.	Maintenance and repairs	L.S.G.	45,000	..	3,500	..	3,500	48,500	Absolutely required in addition to Rs. 5,000 transferred from the Negapatnam division.
		Total		53,000	..	8,500	..	8,500	61,500	
		49. CAPITAL EXPENDITURE NOT CHARGED TO REVENUE.								
3	Tanjore..	Reconstructing old dam across Iyavyanar.	3,800	1,750	1,350	..	1,350	..	400	Surrendered. Work in abeyance— <i>vide</i> this office No. 144 E.L., dated 20th July 1896.
4	Do.	Constructing a syphon for Aiyapadi drainage under Thennaugondayam drainage.	1,700	1,700	1,400	..	1,400	..	300	Too late to do any work till next working season.
5	Do.	Improvements to Maraveri Iyanar tank.	3,920	3,920	3,100	..	3,100	..	820	Work cannot be proceeded with, tank being full.
6	Do.	Reserve	..	3,905	3,905	..	3,905	..	..	Not required.
7	Negapatnam.	Improvements to Nariangudy dam across Odemboghlar.	1,670	800	500	..	500	..	300	Surrendered as the amount is not likely to be required for expenditure during the current year.
8	Do.	Constructing regulator of nine vents across the Vettar.	22,700	19,846	6,100	..	6,100	..	13,746	
		Total	..	31,921	16,355	..	16,355	..	15,566	

No. 71 E.L./C.

Submitted to the Chief Engineer for Irrigation with request that he will be so good as to obtain the sanction of Government to the modifications herein applied for.

CHEPAUK,
11th August 1896.

(Signed) C. C. RAWSON, Lieut.-Col., R.E.,
Superintending Engineer, V Circle.

No. 730 I., 27th August 1896.

No. 159 I.

Submitted to Government. There are no funds available to meet the demand for an additional allotment of Rs. 8,500 under "42. Major Works (Working Expenses)." Already two applications have been made to the Government of India for additional funds required under this head to cover emergent outlay in repairing damages caused by abnormal floods in the Tambraparni and Kistna rivers, which have not yet been complied with, and it is therefore considered undesirable that another application should be submitted on behalf of the Cauvery delta system. The expenditure should be restricted to the existing grants which aggregate Rs. 72,976 for improvements and repairs for the whole system.

2. The amount surrendered under "49. Capital Expenditure not charged to Revenue" may be credited to the reserve at present.

(Signed) R. R. E. DRAKE-BROCKMAN, Col., R.E.,
Chief Engineer for Irrigation.

17th August 1896.

ORDER—No. 730 I., dated 27th August 1896.

The attention of the Superintending Engineer, V Circle, is drawn to paragraph 1 of the foregoing endorsement of the Chief Engineer for Irrigation.

2. The sum of Rs. 16,355 or Rs. 20,117 including the charge for establishment is resumed and credited to the reserve under "49. Capital Expenditure not charged to Revenue."

3. Ordered that a copy of these Proceedings be forwarded to the Government of India for information.

[Here enter No. 731 I., dated 27th August 1896.]

(True Extract.)

(Signed) R. R. E. DRAKE-BROCKMAN, Colonel, R.E.,
Secretary to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation.
" Superintending Engineer, V Circle.
" Examiner, Public Works Accounts.

ENDORSEMENT—No. 731 I., dated 27th August 1896.

Forwarded.

(By order.)

Colonel, R.E.,
Secretary to Government,
Irrigation Branch.

Erd. Md. Pahlavan.

IRRIGATION.
ACCOUNT.

Government {1896} of Madras. PUBLIC WORKS.

Recd.

Enclosures

1896.

Regd.

Spare copies

G.O., No. 730 I., 27th August 1896.

AUGUST.

Cauvery Delta System

Informing the Superintending Engineer, V Circle, that expenditure on improvements and repairs in connection with the — should be restricted to the existing grant, and resuming and crediting to the reserve the sum of Rs. 20,117 surrendered under "49. Capital Expenditure not charged to Revenue."

No. 730 I., 27th August 1896.

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

Irrigation.
Account.

READ—the following paper:—

APPLICATION for modification of existing grants under Irrigation for the year 1896-97, V Circle.

Item number.	Division.	Works.	Amount of estimate.	Existing grant.	Modification applied for.		Modification proposed.		Revised grant.	Remarks.
					Decrease.	Increase.	Decrease.	Increase.		
		42. MAJOR WORKS (WORKING EXPENSES).	RS.	RS.	RS.	RS.	RS.	RS.	RS.	
		<i>Cauvery Delta System.</i>								
1	Tanjore..	Minor extensions and improvements.	L.S.G.	8,000	..	5,000	..	5,000	13,000	Absolutely required for works executed by Superintending Engineer on special duty, Cauvery Completion Estimates, and for discharging liabilities incurred in excess of the grant.
2	Do.	Maintenance and repairs ..	L.S.G.	45,000	..	3,500	..	3,500	48,500	Absolutely required in addition to Rs. 5,000 transferred from the Negapatam division.
		Total ..		53,000	..	8,500	..	8,500	61,500	
		49. CAPITAL EXPENDITURE NOT CHARGED TO REVENUE.								
3	Tanjore..	Reconstructing old dam across Iyavyanar.	3,800	1,750	1,350	..	1,350	..	400	Surrendered. Work in abeyance—vide this office No. 144 E.L., dated 20th July 1896.
4	Do.	Constructing a syphon for Aiyapadi drainage under Thennangundayam drainage.	1,700	1,700	1,400	..	1,400	..	300	Too late to do any work till next working season.
5	Do.	Improvements to Maraveri Iyanar tank.	3,920	3,920	3,100	..	3,100	..	820	Work cannot be proceeded with, tank being full.
6	Do.	Reserve	..	3,905	3,905	..	3,905	..	..	Not required.
7	Negapatam.	Improvements to Nariangudy dam across Oderaboghar.	1,670	800	500	..	500	..	300	Surrendered as the amount is not likely to be required for expenditure during the current year.
8	Do.	Constructing regulator of nine vents across the Vettar.	22,700	19,846	6,100	..	6,100	..	13,746	
		Total ..		31,921	16,355	..	16,355	..	15,566	

No. 71 E.L./C.

Submitted to the Chief Engineer for Irrigation with request that he will be so good as to obtain the sanction of Government to the modifications herein applied for.

CHEPAUK,
11th August 1896.

(Signed)

C. C. RAWSON, Lieut.-Col., R.E.,
Superintending Engineer, V Circle.

No. 730 I., 27th August 1896.

No. 159 I.

Submitted to Government. There are no funds available to meet the demand for an additional allotment of Rs. 8,500 under "42. Major Works (Working Expenses)." Already two applications have been made to the Government of India for additional funds required under this head to cover emergent outlay in repairing damages caused by abnormal floods in the Tambraparni and Kistna rivers, which have not yet been complied with, and it is therefore considered undesirable that another application should be submitted on behalf of the Cauvery delta system. The expenditure should be restricted to the existing grants which aggregate Rs. 72,976 for improvements and repairs for the whole system.

2. The amount surrendered under "49. Capital Expenditure not charged to Revenue" may be credited to the reserve at present.

(Signed) R. R. E. DRAKE-BROCKMAN, Col., R.E.,
Chief Engineer for Irrigation.

17th August 1896.

ORDER—No. 730 I., dated 27th August 1896.

The attention of the Superintending Engineer, V Circle, is drawn to paragraph 1 of the foregoing endorsement of the Chief Engineer for Irrigation.

2. The sum of Rs. 16,355 or Rs. 20,117 including the charge for establishment is resumed and credited to the reserve under "49. Capital Expenditure not charged to Revenue."

3. Ordered that a copy of these Proceedings be forwarded to the Government of India for information.

[Here enter No. 731 I., dated 27th August 1896.]

(True Extract.)

Under Secretary to Government.
Irrigation Branch.

To the Chief Engineer for Irrigation.
" Superintending Engineer, V Circle.
" Examiner, Public Works Accounts.

Exd. Md. Pahlavan.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the

READ the following

From Supg Engr, V Circle, No. 71, 29, of 11 Aug 1896
No 159 I. of 17-8-96
Submitted to Govt.

There are no funds available to meet the demand for an additional allotment of Rs. 8500 under "42 Major Works (Working Expenses)". Already two applications have been made to the Govt of India for additional funds required under this head to cover emergent outlay in repairing damages caused by abnormal floods in the Tambraparni & Kistna rivers which

have not yet been
complied with, & it
is therefore considered
undesirable that
another application
should be submitted
on behalf of the
Canary Delta System.

The expenditure should
be restricted to
the existing grants
for improvements
& repairs which
amount to Rs 72976 for
improvements &
repairs for the whole system.

2. The amount
surrendered under
"49 Capital Expenditure
not charged to Res" may
be credited
to the reserve at
present.

Order thereon
The attention

of the Supg Engr. which
is drawn to para 1
of the foregoing endorse-
ment of the Chng Engr
for signature.

2. The sum of Rs
16,355 or Rs 20,117
including the charge
for establishment
is assumed & credited
to the reserve under
"49 Capital Expendi-
ture not charged
to Res."

3. Ordered that a
copy of these Procs be
forwarded to the Govt
of India for information
"Endorsement -
Forwarded."

12/9/11
To
The Chng Engr for I.
Supg Engr V
Sd/- J. W. R.
12/9/11
12/9/11
12/9/11
12/9/11

H. E. The Governor

~~Made for existing grants
under Special for 1896-97.~~

~~V. C. L.~~

Issue

Recd 21/8

21/8

Noted
SP 18/8
V. C. L.
25/8

Public Works (1896) Department.

CURRENT No.

Order

From

The Chief Engineer
for Navigation

No. 159-A

Dated 17. August 1896

Received 27. 8. 96

Enclosures /

Spare copies

SUBJECT.

Modification of existing
grants under Navigation
for 1896-97 - Second
Circle - Submitted
with remarks -

V-CIRCLE.

Application for modification of existing grants under

Irrigation

for the year 1896-97.

Item No.	Division.	Works.	Amount of Estimate.	Existing grant.	MODIFICATION APPLIED FOR		MODIFICATION PROPOSED.		Revised grant.	REMARKS.
					Decrease.	Increase.	Decrease.	Increase.		
1	Tanjore	Minor extensions & improvements	L.S. 4	8000	"	5000	"	5000	13000	Absolutely required for works executed by Supt. Engineer on special duty, bearing completion estimates & for discharging liabilities incurred in excess of the grant.
2	do	Maintenance and Repairs	L.S. 4	45000	"	3500	"	3500	48500	do do Required in addition to the Rs. 5000 transferred from the Negapatam Rs.
		Total		53000	"	8500	"	8500	61500	
3	Tanjore	Re-constructing Old dam across Sivarayanar	3800	1750	1350	"	1350	"	400	Surrendered. Work in abeyance, vide this office let 144 E.S. d/20-7-96.
4	do	Constructing a syphon for Nijapadi drainage under Theunangundayam drainage	1700	1700	1400	"	1400	"	300	Too late to do any work till next working season.
5	do	Improvements to Maraneri Sivarayanar Tank	3920	3920	3100	"	3100	"	820	Work cannot be proceeded with, tank being full.
6	do	Reserve	"	3905	3905	"	3905	"	"	Not required.
7	Negapatam	Improvements to Variangudy dam across Odemboghian	1670	800	500	"	500	"	300	Surrendered as the amount is not likely to be required for expenditure during the current year.
8	do	Constructing regulator of 9 weirs across the Vettar	2270	19846	6100	"	6100	"	13746	
		Total		31921	16355	"	16355	"	15566	

No. 7163

Submitted to the Chief Engineer for Irrigation with request that he will be so good as to obtain the sanction of Government to the modifications herein applied for.

SUPERINTENDING ENGINEER'S OFFICE,
V Circle,
Chennai, 11 August 1896.

Aslam
11/8/96
Superintending Engineer, V Circle.