

Public Works (1897) Department.

G.O., No. 1247 W

DATED 13. Mar 1897

[Despatch Abstract.]

Alamkonda Tank Project: Memorandum
from the S.E. to the Secy intimating that
the ^{in Kurumol} must be abandoned and expanded
from the famine programme, Contd.
to the Revenue Dept.

028.59.15

Q 14/5/97

BACK PAPERS.

FURTHER PAPERS.

No.	Date.	No.	Date.
-----	-------	-----	-------

Memorandum from the Suptg. Engineer, III
Circle, Bellary. N^o 623. Dated 30th April 1897
to the Executive Engineer, Karnool Division.

Ref. His endorsement N^o 199 of the 9th Instant.
Alankonda Tank Project.

Has the honour to inform the Exe. Engineer
that the Catchment being only 4.5 Square miles
it is hopeless to expect a good supply of water
for even 100 acres. The project which is estimated
to cost Rs 27,400 must therefore be abandoned
and expunged from the Farmine programme.

U. C. 4086

N^o 624 W of 30th April 1897

Copy forwarded to the Chief
Engineer, P. W. D. for information.

W. Hutton
30/4/97
Assistant Engineer

For Suptg. Engineer, III Circle.
24.4.97

Recommendation from the Chief Engineer, III
 Corps, Vol. 1, No. 1, dated 20th April 1907
 to the Executive Engineer, General Division.
 Ref. Memorandum No. 199 of 20th April.
 Alameda Lake Project.

Has the honor to inform the Chief Engineer
 that the estimate being only for 5 years while
 it is believed to require a good supply of water
 for over 100 years. The project will cost
 about \$2,400 more than the estimate and
 is therefore recommended.

No. 624 of 20th April 1907

Ref. Memorandum to the Chief
 Engineer, P. W. D. for information.

W. H. M.
 Assistant Engineer
 Alameda Lake Project, General Division, III Corps.

Cus 4086

Famine Relief
 Work, Cuttack, S. O.
 I. E. III, Civil, reporting
 on the work mentioned
 in the revised pro-
 gramme of —

Has the honor to inform the Chief Engineer
 that the estimate being only for 5 years while
 it is believed to require a good supply of water
 for over 100 years. The project will cost
 about \$2,400 more than the estimate and
 is therefore recommended.