

6/8/09

Public Works (1897) Department.

G.O., No. 1283 W
A

DATED 17 May 1897

[Despatch Abstract.]

Cushings Levels, ordered that a telegram
be sent to the Secretary of State re-
questing the very early supply of thirty
— in anticipation of incidents.

WLS

28/01/97

[P. W. 40.
1,000-26-2-97.]

Public Works (1897) Department.

CURRENT No. 4655

Order

From
The Supply Engineer
5 feet.

No. 698
C

Dated 11 May 1897.

Received 12-5-97

Enclosures

Spare copies

SUBJECT.

Levels ofushings of differ-
ent sizes.

Requesting to arrange by
telegram for the supply
from England of -

o.L.S. 96
R20/5

BACK PAPERS.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.
------	-----	-------------	-------	------	-----	-------------	-------

Copy of a letter from H. Moss Esq. General
Superintendent, P.W. Stores, to the
Superintending Engineer 5 Circle, No 315
dated 8 May 1897

urgent

I have the honour to request that
you will kindly arrange by telegram for the
supply from England of 30 Cushing's Levels
No. 16 of 10" and No. 14 of 12" as they are very
urgently required to meet the demands of the
Superintending Engineer 1st Circle and Famine
officers. The supply lately received from
England has been completely exhausted.
An indent for the above will soon be sub-
mitted.

No. 628

To the Chief Engineer P.W. Department,
for favours of compliance.

William
11.5.97

Lt Col R.L.

Suptg. Engineer 5 Circle

Camp Moradachung
11 May 1897.

10.5.97