

Public Works (1897) Department.

G.O., No. 18636

DATED 12 Jul 87

[Despatch Abstract.]

Objectionable Items: The Examiner's Office note on
Correspondence relative to the ~~above~~ certain item in the
— Statement of the Chief for December 1886, Contd.
with remarks to S.E. Clerk.

P.W. 25.
[5,000-50-11-98.]

Indexed.

Office Furniture for
Special Subg Engineers
office
Carveri Completion
Admiral. Excess
over expenditure

To the S. E. V Circle
" Dear. P. W. Austin

~~P. W.~~

• 0 L 5 2 5 9
12 7/7

ATT DADERS.

FURTHER PAPERS.

Copy of a communication from the Executive Engineer, Tanjore Division, to the Suptg: Engineer, on special duty, No. 2180 dated 22nd May 1897.

EXAMINER,
W. ACCOUNTS.

With reference to your letter no: 375 dated 3-5-97, I have the honour to inform you that the total outlay of Rs 165 shown against the estimate for Rs 50 under "Proul Tools and Plant" in the Provincial Objectionable items statement for December 1896, by the Examiner of P. W. Accounts, appears to be incorrect, vide items in the Schedule of expenditure, Provincial, for that month of Tanjore Division -

Three distinct estimates were submitted for providing office furniture to the Special party and outlay incurred on them upto date is noted against each.

Item No:	Est: amt.	Regr. No: & date.	Outlay
1 - - - -	50 - - - -	16 of 96-97 -	~~25~~ 49
2 - - - -	290 - - - -	216 of 95-96 -	" 116
3 - - - -	330 ✓ - - - -	168 of 96-97 -	" 202 ✓

From the above it will be seen that the excess now reported appears to be due to the total outlay on items 1 & 2 having been erroneously posted against item No. 1

by the Examiner's office.

No. 1207.

Submitted to the Chief Engineer P.W.D.
with reference to orders passed against
item 1 of the Provincial statement of
objectionable items remaining unremedied
to end of December 1896, Buildings and
Roads Branch, in G.O. No. 987 W dated
6 April 1897.


W. L. Col RE
4/6/97
Supt. Engineer & Circle.

June 1897 -

P.W. E-1
6060/97

Public Works (1897) Department.

CURRENT No. 5578
6060/97



No. 2884 C of 15 June 1897

Order O.C.

To C

C
7/2/96

For favour of
removal.

2/7/6

on

circled
on 6/6/97

From

The Supt Engineer
5th Circle

No. 1207.

Dated 5th June 1897.

Received 9.6.97

Enclosures

Spare copies

SUBJECT.

Office Furniture to the
Office of ^{the} Supt
Engineer on special duty
Layton.

Informing that no
excess outlay incurred
over Rs 50 for providing
the -

OS 198 R 14/6

by the Examiner's office.

No. 1207.

Submitted to the Chief Engineer P.W.D.
with reference to orders passed against
item 1 of the Provincial statement of
objectionable items remaining unremedied
to end of December 1896, Buildings and
Roads Branch, in G.O. No. 987 W dated
6 April 1897.


W. L. Col RE
4/6/97
Supt: Engineer V. Leirele.

June 1897 -

P.W.D.
6060/97

Public Works (1897) Department.

CURRENT No. 5578



No. 2884 C of 15 June 1897

Order O. U.

To C

7/2/96

For favour of

remittance.

From

The Supt Engineer
5th Circle

No. 1207.

Dated 5th June 1897.

Received 9.6.97

Enclosures

Spare copies

SUBJECT.

Office Memorandum to the
Office of ^{the} Supt Engineer
on Special duty
Lanjou.

Informing that no
excess outlay incurred
over Rs 50 for providing
the -

OS 198
R 14/6

DATE DATED

FURTHER PAPERS.

KEEP WITH

CURRENT No.

dated

189 .

GOVT.
OF MADRAS.

1897.

E. No. 27.
500-26-2-97.

{ P. W.
{ DEPT.

EXAMINER, P. W. ACCOUNTS.

Madras, 19 June

189 7.

OFFICE NOTE No. 1966 D/A

To

The second of the three Estimates referred to by the Executive Engineer was sanctioned under 49 Imperial Irrigation and communicated in April 1897. See also your O.N. to E.I. No. 2111 C, dated 12th. April 1897, but the outlay of Rs. 116 was accounted for by the Executive Engineer in the month of June 1896 under 45 Civil Works - Provincial - An Estimate was subsequently sanctioned in July 1896 under 45 Civil Works - Provincial and the outlay of Rs. 116 was booked against this Estimate which was also sanctioned for the same object viz Providing furniture for the office of the Special Supg. Engineer - Cauvery Investigation. The outlay was first reported as objectionable for want of Estimate and subsequently in excess of Estimate. As the Executive Engineer now states that the outlay of Rs. 116 is correctly chargeable against the Estimate of Rs. 290, he should write back the same from "45 Civil Works

0020777

Provincial " to "49 Imperial Irrigation
Tools and Plant" when the objection will
be regularized. The irregularity is en-
tirely due to the Executive Engineer hav-
ing accounted for the outlay incurred by
him in June 1896 under 45 Civil Works Pro-
vincial, and obtained sanction to an esti-
mate to cover this outlay under 49 Impe-
rial Irrigation months after.

CD 19.6.97

C.

J.H.P.
19/6/97