25 O W

Public Works (1897) Department.

G.O., No. $\frac{2183}{A}$ W

DATED 9th August 1897

[Despatch Abstract.]

Iron stoves in the Clerks' office at Mount Stuart,
Ootacamund ~~Ex~~ ~~Sanctioning~~ Referring an estimate of Rs. 32
for fitting two — to the S.E. W Circle for sanction and
immediate execution sanctioning the local purchase of a
stove and fittings and requesting the sanction
of the Govt of India to an enhancement of rent
for the buildings at Mount Stuart, of Rs. 26 per
annum.

2/18.8

[P.W. 25. 5,000—30-11-96.]

Indexed.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Date this 9/8/97

P. W. DEPARTMENT.

Fitting iron Stoves in the clerk's office room at Mount Stuart Ootacamund.

H/

B/

PROCEEDINGS OF THE MADRAS GOVERNMENT.

No. 2183/A W, d9-8-97.

READ the following.

From the Deputy Adjutant General, Madras Command, No. B/M.W 9355, dated 16th June 1897.

From the Suptg: Engineer. IV Circle. No. 414 W, dated 27th July 1897.

The estimate of Rs 320 for fitting two iron stoves in the clerks' office at Mount Stua
at Ootacamund is returne
to the Suptg: Engineer, IV Circle, for sanc
and immediate execution.

A.94
7.8.97

2. The local purchase of a st
and fittings at a cost of R
220 is sanctioned under cla
2 Rule 3, appendix X, Volum
II P.W. code.

3. The following telegram w
be sent to the Govt: of India
Military Department.

"Two fire places costing
320 urgently required med
grounds in Army Head
Quarter Offices, Ootacamu
This Govt. will carry out wor
fro

B/
PWs

Desp. 9-8-97.

023352
RA/8

from Provincial funds. Please sanction enhancement rent Rs 26 per annum."

Cn

5/8/97

H.W.

[illegible] 6.8.97

to

S. E. IV Circle, with 3 enclos. ✓

Examiner of P. W. Accounts, with statement for [illegible] & return

Copy to the Dy: Adjt: General Madras Command for the information of H.E. the Lt: Genl. Commanding the Forces.

19/8/97

Public Works (1897) Department.

CURRENT No. 7612

Order

From The Supg. Engineer, 4th Circle

No. 414/W

Dated 27th July 1897

Received 30-7-97 Regd: 2.8.97

Enclosures 3. 4

Spare copies

SUBJECT.

Iron Stoves in Dy. Adjt. General's Clerks' Office on Mount Stuart at Ootacamund.

Submits a revised est amtg. to Rs 320 for fixing two & requests to obtain Sanction of Government for the loca purchase of a new Stove as per application enclosed

OS/60

0/3/8/97 R11/8

BACK PAPERS.

G.O.	No.	Department.	Date.
716 D	q 5-7-	97	
678 D	q 1-7-	97	
449 C	q 22-1-	97	
4890	C q 12-	12-96	
3189	W q 7-	11-96	
2495	W q	22-8-96	

FURTHER PAPERS.

G.O.	No.	Department.	Date.

No. 414/W

Supg: Engr's Office 4th Circle
27th July 1897.

From.

J. Hannan Esq:
Supg: Engineer
4th Circle.

To,

The Chief Engineer
P.W. Department.

Sir,

Encl: 3
1. Estimate
1. Report
1. Application.

With reference to your memorandum No 716 D dated 5th July 1897 I have the honor to submit a revised estimate amounting to Rs 320 for fixing two iron stoves in Deputy Adjutant General's Clerks' office on Mount Stuart at Ooty. The estimate now provides for one new stove.

I also request you will be good enough to obtain the sanction of Government for the enclosed application for the local purchase of the new stove

stove.

I have the honor to be
Sir,
Your most obedt. Servt.

J Hannan
Superintg: Engineer
4th Circle

Urgent

P.W.D.

Memorandum

No. 716 D.D. 5th July 1897

With reference to the accompanying estimate for supplying & fixing two stoves in the Dy. Adjutant General's office on Mount Stuart at Ootacamund, it is observed that the stoves which it is proposed to take from Stonehouse Hill cannot now be spared as it is required for the Local & Municipal Dept. Another stove ~~will therefore have to~~ must therefore be provided, and this will probably affect the amount of the estimate. If so, the Suptg. Engineer is requested to be so good as to revise the estimate accordingly and to resubmit it without delay.

5/7/97

E. W.

Rd.

To
The Suptg. Engr, IV Circle
with estimate.

D.W. 5/7/97

Public Works (1897) Department.

CURRENT No. 6026

Urgent

I think we should comply with this request, if possible. Sanction should be asked for from India by telegraph, as well as for the proportionate increase of rent.

ASH 1.7.97

Order

The Govt. regrets that under orders just received from the Govt. of India, no new work can be undertaken for the present. The estimate must therefore stand over.

CM

CMS 25/6/97

From The Dy: Adjutant General, Madras Command

No. B/M.W 9355

Dated 16th June 1897

Received Do Regd: 23.6.97

Enclosures 5

Spare copies

SUBJECT.

Mount Stuart Forwards for early execution an estimate of Rs 190 for fixing 2 stoves in the large office room in the —— used by the Clerks of ~~the~~ his office

Note. Under the recent telegram from the Govt of India, this work cannot be put in hand without India's sanction.

CM

Copy to the Dy. Adjt.-Genl. Madras Command, for the information of H.E. the Lt. Genl. Commdg. the Forces.

O.S./13

O.L. 5229 7 H.E. 25-6. 97 R 2 7/97

[P. W. 29. / 2,000—16-11-96.]

BACK PAPERS.		FURTHER PAPERS.	
No.	Date.	No	Date
419C	23-1-97		
4890C	17-12-96		
3189W	7-11-96		
2495W	27-8-96		

Supg: Engineer's Office 4th Circ
8th May 189

No 250 / M

From

J Hannan Esqr
Superintending Engineer
4th Circle.

Diary No. B/8766
Recd. 11 MAY.1897 12.5.97
Branch

To,

The Dy Adjutant General
Madras Command
Ootacamund.

Enclos: 2
1 Estimate
1 Report.

Sir,

I have the honor to forward herewith for your countersignature and return, an estimate amounting to Rs 190 for fixing 2 Iron Stoves in Deputy Adjutant General's Clerks' office on Mount Stuart at Ootacamund and to request you will be good enough to allot necessary funds for the same fro Imperial Minor Works grant.

I have the honor to be
Sir,
Your most Obedt. Servant.

Superintending Engineer
4th Circle

No. 398 M
27 MAY. 97

From

The Supg. Engineer
4th Circle.

Dated 8th }
Despd. 10th } May 1897

No. 250/M

Enclos: 2.

Iron Stoves in Dy. Adjt. Genl's Clerks Office on Mount Stuart, Ootacamund.

Forwards for countersignature & return estimate of Rs 190 for fixing 2 — & requests to allot funds for the same.

P.W. E.4
6020/97

No. 288/M

From

Supdg. Engrs. Office 4th Circle
29th May 1897

B/2/6

J. Hannan Esq
Superintending Engineer 4th Circle

To

The Deputy Adjutant General
Madras Command
Ootacamund

B/10175 M
Diary No.
Recd. 2 JUN. 1897 4-6-97
Branch A/6 4

Enclos: 3
1 Estimate
1 Report
1 Letter No. 250/M
d/8-5-97

Sir,

With reference to your letter No. B/M.W. 8196 dated 25th May 1897, I have the honor to inform you that the work under reference cannot be carried out from Provincial funds, as it is laid down in G.O. No. 423.W. dated 8th February 1890 that no outlay is to be incurred on Mount Stuart Buildings from Provincial funds beyond the cost of ordinary repairs.

I have the honor to be
Sir
Your most obedient Servt

Hannan

Superintending Engineer

Stoves Mount Stuart

From,

The Superintending Engineer
4th Circle

Dated 29th May 1897
desp:d 12th June /97

No 288/M

Enclo: 3.

Iron stoves in Dy Adjt: Genl's clerks office on Mount Stuart Ootacamund —

Informs that the work of fixing 2 — cannot be carried out from Provincial fund:

P.W. E.5/6026/97

URGENT.

Ootacamund,
16th June 1897

No. B/MW 9355

From
The DEPUTY ADJUTANT GENERAL, MADRAS COMMAND,

To
The Secretary to Government of Madras
Public Works Department

ENCLOSURES.

SIR,

I have the honor to forward herewith an estimate amounting to Rs: 190 for supplying and fixing two stoves in the large office room in "Mount Stuart" at this Station used by the clerks of the Deputy Adjutant General's Office, and to request that you will be so good as to obtain the sanction of Government to the work being carried out and its cost met from Provincial funds.

2 I am to request the favor of an early reply as the South West monsoon has set in and it is desirable on medical grounds that the work should be taken in hand with as little delay as possible.

I have the honor to be
Sir
Your obedient Servant

P. Neville Lieut: Colonel
Asst: Quarter Master General
For Dy: Adjutant General

C.R. 13 500. 4-6-96.

Public Works (1897) Department.

CURRENT No. 8508

Order

Filed with G.O.
No. $\frac{2183\text{ W}}{\text{A}}$ of 9 Augt 97.

7-9-97

$\frac{2183}{\text{A}}$ W [illegible]
Sent 24/8/97

From
The Examiner P.W. Accounts,
Madras.

No. 527 C

Dated 24th August 1897

Received 25-8-97

Enclosures

Spare copies

SUBJECT.

Articles of European Manufacture — Returning the Statement sanctioning the local purchase of —— for use in Coimbatore Dn.

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

EXAMINER,
P.W. ACCOUNTS.
19 AUG. 1897
No.....................

26 JUL 97

No. 527 C dated 24th August 1897

To W.

Noted and returned with a reference to foot note to G. O. No. $\frac{2183}{A}$ W dated 9th August 1897.

W/24.8.97

C.

A.P.C.
24.8.97

Ows.1
26/12/57

Application for sanction to the local purchase of European store under para 3, Appendix X Volume II of P.W. Code

Description or class of stores	Number or Quantity	Actual cost in India			Estimated cost if obtained thro' India office			Works for which the stores are required	Clear & concise explanation as to why the stores could not have been obtained by indent on England	Clause under which sanction is applied for	Remarks
		Average price or rate	Incidental charges carriage &c	Total cost	Average price or rate	Incidental charges Freight and Exchange	Total cost				
Iron stove	1	Approximate cost including carriage from Calcutta 150	,,	150	48% including Exchange	Not known	48	Fixing iron stoves to Dy: Adjutant General's Clerks office Mount Stuart Ootacamund	Required urgently by the Dy: Adjutant General. Its necessity was unforeseen	Clause 2, para 3 Appendix 10, Vol II P.W. Code	This being urgently required sanction is solicited to purchase locally
Iron sheet 1/16" thick 6" diam.	Rft 56	1-4-0 Rft 70	Approximate cost including carriage &c	70	Not in list of Director General of Railways						

I certify that the articles enumerated in this application are not available in Presidency Public Works stores.

22.7

Supg: Engineer
4th Circle.

Executive Engineer
Coimbatore Division

22d July 1897.

025332