

Public Works (1897) Department.

G.O., No. 222 *W*

DATED 23. January

[Despatch Abstract.]

Petroleum Tanks. Pros: Judicial Department
approving with remarks the plans submitted
by Messrs. Best & Co for the erection
of - at Chedambaram, Tanjore. Karur, Dis-
tribut and Sd. Sub, recorded.

[illegible]

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Up for owing with remarks the
plans submitted by Messrs.
Best & Co. for the erection
of petroleum tanks at
Chidambaram, Tanjore,
Kannur, Quindigul & Satter

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

[G.]
53

8,000-23-11-08.

Judicial Department



PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read the following paper:—

From Messrs. Besh & Co., Madras, 4th 11th
December 1896.

Herewith we have the honor to forward plans of the petroleum installations we propose to erect at the following stations on the South Indian Railway.

1. Chidambaram.
2. Tanjore.
3. Kavar
4. Vindigul
5. Sator

The sites have been selected as far as practicable from surrounding buildings and as an additional precaution a wall has been built in each case sufficient to retain the full contents of the tank within the compound in case of accident.

As only one place viz: Kavar is such a wall necessary in the meantime, but we

Yours faithfully,
J. G. Jind.

kind of fence gives additional security for empty receptacles &c. and a wall has been built for the double purpose of fence and retaining bund.

The tanks themselves are of similar design to those already erected at various stations in the Presidency viz: steel plates with angles at the corners, plans of which were forwarded to you at the inauguration of the business.

We shall esteem it a special favour if Government will give these plans early consideration and pass them before the offices close for the Christmas Holidays, as we are anxious to begin work at once.

Endorsement of the Public Works Department, N^o 132 C, d/ 9th January 1897.

Cu 416 sub
to EAW n 15.1
97

Returned with the remark that the plans have been examined by the Chief Engineer and may be approved.

Order:-

Order:- N^o 67, d/ 18th January 1897.

The plans for the petroleum tanks at Chidambaram, Tanjore, Kaveri, Dindigul and Satur are approved.

2. It is presumed that the premises of the railway stations of the first zone of these places are within Municipal limits, in which case the whole of the Petroleum Act already applies, but the fact should be ascertained and reported by the District Magistrates concerned.

3. The District Magistrate of Tinnevely should submit a draft notification extending the provisions of the Petroleum Act other than those relating to dangerous petroleum and the importation of petroleum to the limits of the railway station of Satur.

4. After the receipt of the reports and the issue of the notification called for from the District Magistrates, the necessary licences for the use of the installations will be issued and forwarded to the District Magistrates concerned with reference to paragraph 3. of G.O. N^o 1168, Judicial, d/ 9th June 1893.

With Cu 416.

/ True Extract /

To Messrs Best & Co
The District Magistrate, South Arcot
Tanjore
Coimbatore
Madurai
Tinnevely
Copy to the Public Works Dept

W. R. Davis
for Chief Secretary