

Public Works (1897) Department.

G.O., No. 2362 To

DATED 26th August 1897

[Despatch Abstract.]

Office for the Sub Collector at Hosur: Pro:
Revenue Dept agreeing with the Board
in considering that the construction of a
new ^{of a new ground room} ~~saloon~~ is unnecessary
Comd to S.E. N. Circle.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

L.S. IV under Sep 17/97

BACK PAPERS.

G.O.	No.	Department.	Date.
	2596C	M	20-5-97
	2414C	"	8-5-97
	4974C	"	19-12-96
	3212C	"	28-8-96

The Revenue Department at
 188 Mac
 11 August 1897

of a new office and a room
 second room for the first class
 of rooms in connection with
 considering that the construction
 appearing with the Board of

H. J. [Signature]

FURTHER PAPERS

Revenue Department.

Proceedings of the Board of Revenue.

(Land Revenue).

- : -

Dated 24th July 1897.

No. 2784 Mis.

Read endorsement of the Revenue Department No.935 R. d/
13th May 1897 and the following reference thereon dated 22nd May 1897

Forwarded to the Collector of Salem for report as to whether in the circumstances reported by the Executive Engineer the construction of a new building for the Sub-Collector's office is necessary. The Collector is requested to forward with the report a plan of the present building showing the accommodation available in it.

Read also endorsement of the Collector of Salem No. 3699
dated 14th July 1897.

R e s o l u t i o n.

Submitted to Government with reference to its endorsement
No.935 R. dated 13th May 1897.

2. It is clear from the reports now submitted that a new office for the Sub-Collector at Hosur is not at present necessary. - Moreover the present Sub-Collector does not appear to recommend the construction of a new record room, so the proposal may be withdrawn.

(True extract)

(Sd) R.C.C. Carr

S e c r e t a r y.

(True copy)

St Helens

For Ag. Secy to Govt.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Read _____

Read again G.O. No. 3313 Mis. dated 17th August 1896, referring to the Public Works Dept. Board's Proceedings for favor of report as to whether the condition of the present Record room of the Sub-Collector's office at Hosur can without much expense be so improved as to make it safe from the attacks of white ants.

Read again G.O. No. 935 R. dated 13th May 1897 referring to the Board of Revenue for remarks Proceedings P.W. Dept. transferring letter from the Superintending Engineer, IV Circle, requesting sanction for the preparation of estimate for new Sub-Collector's Office at Hosur.

Read also Proceedings of the Board of Revenue (Land Revenue), dated 24th July 1897 No. 2784 Mis.

-- : --

Order thereon No. 4182 Mis. dated 11th August 1897.

The Government agrees with the Board.

(True extract)

[Signature]
For Ag. Secy to Government.

To the P.W. Dept.

" Bd. of Revenue (L.R).

CW-75-91
2212C
28.8.96

not read

copy attached


OLW. 1
8266 (87)

2142.



Three
 Enclosure to G.O. No. 4182 mis
 11-8-97.
 Returned to the P.W. Departt.

West St. George.
 19 8-97

Law
 P.W. please see up P.W.
 Submitted 11-8-97
 20/4/97



Wm. D.
 Agent



ag sub Collr

29-6

3-DEC-96

PROCEEDINGS OF THE BOARD OF REVENUE.

(Land Revenue)

No.3539 Mis., dated 1st August 1896.

23 NOV. 96
SALEM.

Read the following letter from C.H.Mounsey Esquire, Ag. Collector and District Magistrate of Salem, to the Secretary to the Commissioners of Land Revenue, Madras, No.3414, dated 4th July 1896:-

The Sub-Collector of Salem brings to notice that the Record Room of his office building is not safe, being infested with white ants, and requests that a new room be constructed with terraced roof as shown in the enclosed ^{rough} plan. The cost is estimated at Rs.1500.

2. I request that the Government may be asked to instruct the D.P.W. to prepare the necessary plan and estimate for the additions and alterations, if any, required and to carry out the work.


Resolution:-

Submitted to Government with the recommendation that orders may be issued in the Public Works Department for the preparation of the necessary plan and estimate for constructing a new record room to the Sub-Collector's Office, Salem.

(True Copy and Extract)

/Sd/ R.C.C.Carr,
Ag. Secretary.

To
The Secy. to Govt. Rev. Dept., with one enclosure to be returned.
The Collr. of Salem.



25-9-97

Genl No. 3647 296


045-1
7551/56

1897
2 6802
5657

(1896)

REVENUE DEPARTMENT.

Current Number. 5659



From

The Board of Revenue,
Land Revenue.

8597/97

Dated 1st August 1896.

Received 6th " "

Enclosures 1


No. 3539 Mis.

SUBJECT.

Submitting to Govt. letter from the Collr. of Salem recommending that orders may be issued in the P.W.D. for the preparation of the necessary plan and estimate for constructing a new record room to the Sub-Collr's Office, at Hosur.

P.T.O.

ABSTRACT




Endorsement No. 3313 Mis.

Referred to the Public Works Department for favour of report as to whether the condition of the present Record room can without such expense be so improved as to make it safe from the attacks of white ants.

Done L Davidson
18.8
Ag. Under Secy. to Govt.

Ootacamund,
17th August 1896.



To

The Public Works Dept.

Public Works (1896) Department.



Order

No. 3212 C of 28 August 1896

*Report to the
Superintending Engineer
IV Circle for the
required report.*

*Sub. Lunsdell Colonel R.D.
Jind Lunsdell*

in

85-97/97


P. W. 29
1,000-5-8-96

85849 24/5

CURRENT No. 7591




From



The Revenue Dept.

No. 3313 Mis



Dated 17. 8. 96

Received 21. 8. 96

Enclosures 1

Spare copies -

SUBJECT.

Sub Collector's office at Hosur: Requesting to report whether the condition of the present record room in the — can, without much expense, be so improved as to make it safe from the attacks of white ants.

[illegible]

ment. The whole office is in a bad condition. I would therefore recommend that a new office be built in a site where a good foundation can be obtained and I request you will ask Government to sanction the preparation of an estimate for a new Sub Collectors office at Hous.

Copy submitted to the Chief Engineer.

P.D. with reference to endorsement
N^o 3212. C. dated 28th August 1896 for
issue of orders. The Executive Engineer
has personally inspected the building.

Hannu
Superintending Engineer

Public Works (1897) Department
2414C of 8-5-97
4974C of 19-12-96
3212C of 28-8-96
Current Number: 4730

R 11-5-97
Despatch: 13-5-97

No. 2596C of 20th May 1897

Received with
reference to P.W.
No. 2414C of
8th May 1897.

on 17/5/97

O.S. m
11/9/5

Reminder.



No. 111.

MEMORANDUM.

THE undersigned is directed to invite attention to the communication noted on the margin and to request that an early reply may be submitted. the favour of an early reply thereto.

Sp. No. 3313, dated 17.8.96

3212C

28.8.96

Subject.

Reg. the record room of the Sub Collector's office at Hosur

Umarionbaur
7.5.97

Ag. ant. Under Secretary.

Asst. Command
FORT ST. GEORGE,

7th May 1897.

Reminders already issued.

(1) No. 246R, dated 11.12.96

(2) No. , dated

(3) No. , dated

To The Under Secy P.W.D

7.5.97

Through Secy. for early
attention
cross
10
5.97.

Public Works (1897) Department.

CURRENT No. 3697

No. 2414C of 8-5-97

Order Sub.

Transferred to the Rev.
Supt. for consideration, with
reference to Sub. No. 3313
Mis. Rev. of 17th August 1896.

(Sd) Ernest L. Collier
Supt. of Works.

From The Supty. Engr
II Circle

No. 197

Dated 8th April 1897

Received 12

Enclosures 3 (Three)

Spare copies

SUBJECT.

New Sub Collector's
Office at Hosur. Request
to obtain the sanction of Govt.
for the preparation of Estimate
for —.

13/5/97

BACK PAPERS.

FURTHER PAPERS.

No.	Date.
4974C	19.12.96
3212C	28.8.96

Public Works (1896) Department.

CURRENT No. 11317

No. 4974C of 19.12.96.

Order

Forwarded to the
Suptg. Engineer IV circle
for very early reply to
this office endorsement
"No. 3212C dated 28"
August 1896.

From

The Revenue Secretariat

No. 246

Dated 11.12.96

Received 12.12.96.

Enclosures

Spare copies

(sd) Dme N Campbell Esq. Secy to Govt.

SUBJECT.

Memorandum ^{inviting} ~~drawing~~ attention
to the subject of the
Record room of the
Sub collector's office
at Hosur in Salem Dist.
requesting the favour of
an early reply thereto

be 19/12/96

19/12

BACK PAPERS.

No.	Date.
3212C	28-8-96.

FURTHER PAPERS.

No.	Date.
-----	-------

Government of Madras.

1896.

P. W. DEPARTMENT.

CURRENT No. 7591

From

Revenue Dept.

No. 3313 Ins

Dated 17-8-96

Received 21- -- --

ENCLOS. 1

SUBJECT.

Requesting to report
whether the condition
of the present record
room in the Sub-
Collector's office at
Hosur can without
much expense, be so
improved as to make
it safe from the
attacks of white ants.

DISPOSAL.

No. 3212C dated 28th August 1896

Referred to the
Supty. Engineers to
Circle for the required
report.

1 Sd/ D. M. C

W

Recd
17/8/96

1st Reminder issued 26-10-96
2nd do. 20-2-97

5/9

