

Public Works (1897) Department.

G.O., No. 241-2 ✓

DATED 9 March 1897

[Despatch Abstract.]

Korungal Aricut: Ordered that the Resident at Hyderabad be requested to bring the fact of the non-opening of the scouring sluices of the — by H. H. the Nizam's authorities on 15 January last, to the notice of the Government in order that a recurrence of it may be prevented.

The Resident at Hyderabad addressed

[illegible]

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

CURRENT No. ²²³⁰5.14.1

Bellamy

No. 3840 I

Dated 10th February 1897

Received 11-2-97

Registered

Enclosures

Spare copies

SUBJECT.

SUBJECT,
Walvapur ancient: —

States that the principles
of the Dorical system were
shut by the Liguans author-
ities which causes the
inconvenience for the
reference to — and request
order on the subject

13K. 11-2 97

15-97

FURTHER PAPERS.

Letter No 750 Df 4 February 1897
from J. F. Towler Esq,
Executive Engineer, Bellary
Division, to the Superintending Engineer,
III circle, Bellary.

The sub. division Officer, Hospett reports that the scouring sluices of the Koragal ancient were not opened by H. H. the Nizam's authorities on the 15th January, as was arranged for in G.O. No. 475-I and 928-I of 4.6.96 and 5-11-96 respectively, that ourseer Swaminatha Iyer on his own responsibility — opened them on the morning of the 19th January, 1897, that 5 days after i.e., on the 23rd January, One of the Nizam's officials repaired to the spot and had the sluices closed again, and that in consequence our work of repairing Walavapur — ancient is in abeyance. I have the honour, therefore, to request that you will be good enough to take such steps as you deem fit in the matter.

No 3840 I of ^{is} in February 1897.

Submitted to the chief
Engineer

CHIEF ENGINEER
FOR IRRIGATION.
11 FEB. 97
No. 546

His Excellency the Governor

PUBLIC WORKS DEPARTMENT,
IRRIGATION BRANCH.

No 241 of 9-3-97
PROCEEDINGS OF THE MADRAS GOVERNMENT.

Under date the

Read the following

*From the Executive Engineer, Bellary division. (H.E. No 750 dated 4.2.97).
From the Suppy. Engineer, Third Circle. (H.E. No 3840-I dated 10.2.97).*

Ordered that the Resident

A.S.H. 25.2.97 at Hyderabad be addressed:-

No 242 of 9-3-97

*To The Suppy. Engg, Third Circle.
" Chief Engineer for Irrigation
with copy of letter to the Resident.*

To The Resident at Hyderabad

D 10/3/97

Sir, With reference to corres-
-pondence ending with my letter
No 929-I dated 5 December 1896,
I am directed to forward a
copy of the communication re-
-ceived from the Suppy. Engineer,
Third Circle, regarding the non-
-opening of the scouring sluices of
the Kormel Anicut by H.H. the Engineer's
authorities on the 15 January last
as agreed upon and to request
that you will be so good as to
bring this matter to the notice of H.H.
the Engineer.

*Issue
H.B.
27/6.*

26.2.97

Engineer for Irrigation with reference
to G.O. No 475 I dated 14 June 1896 and
to para 3 of G.O. No 928 I, Dated
the 5th November 1896 and with a
request that His Highness the
Nizam's Government may be
addressed on the subject. That
Government has agreed to certain
rules, & has broken them in the
first opportunity -

2. Early orders are reported as
the repair work to Valasapur
amount cannot proceed while the
channels are closed -

25.
8/11/97

L. H. Huntin

9.2.97
Supt. Engineer, III Circle.

Engineer for Irrigation with reference
to G.O. No 475 I dated 14 June 1896 and
to para 3 of G.O. No 928 I, Dated
the 5th November 1896 and with a
request that His Highness the
Nizam's Government may be
addressed on the subject. That
Government has agreed to certain
rules, & has broken them in the
first opportunity -
Early orders are reported as
the repair work to Valasapur
amount cannot proceed while the
channels are closed -

L. H. Huntin
9.2.97
Supt. Engineer, III Circle.

the Inzan's Government in order
that a recurrence of it may be
prevented.

191
15/2
87

W.H.
20/1/97

21/3

18-2-97
20/2