Public Works (1897) Department.

G.O., No. 352826

DATED 16 December 1897

[Despatch Abstract.]

Tents. Sanctioning a Scale of — for the Chief Engineer for Irrigation and directing that an estimate for the supply of these tents be submitted for the sanction of Government.

[P.W. 20.—500—5-11-96]

Indexed 17/12

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

GENERAL.
ACCOUNT.

Government {1897} of Madras.

PUBLIC WORKS.

Recd. } 1897. *Enclosures*

Regd. *Spare copies*

G.O., No. 3528 W., 16th December 1897.

DECEMBER.

2

Tents

Sanctioning a scale of — for the Chief Engineer for Irrigation, and directing that an estimate for the supply of these tents be submitted for the sanction of Government.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

READ—again the following paper :—

G.O., No. 270 W., dated 30th January 1894.

READ—also the following papers :—

Office-note from the Joint Secretary to Government, Irrigation Branch, dated Madras, 2nd November 1897, No. 310.
From the Chief Engineer for Irrigation, dated 29th November 1897, No. 351.

ORDER—No. 3528 W., dated 16th December 1897.

His Excellency the Governor in Council sanctions the following scale of tents for the Chief Engineer for Irrigation :—

	FT.	FT.
One Swiss cottage tent	16	× 16
One hill tent, with bath-room attached	14	× 14
One servants' tent	12	× 12
One necessary tent.		

2. The Chief Engineer for Irrigation will submit, for the sanction of Government, an estimate for the supply of these tents.

(True Extract.)

Under Secretary to Government.

To the Chief Engineer for Irrigation.
„ Examiner, Public Works Accounts.

Extd. T. K. Narayana Aiyangar.

[4 / 500-14-10-97.]

DEPARTMENT.

Papers to be read in proceedings :—

Again G.O., dated 189 , No.
Again G.O., dated 30-January 1894, No. 270 W
Current No. 11144 of 1897, dated 2-11-97, from Ch. E. for Irrn.
„ „ 12025 „ 1897, „ 22-11-97, „ —do—
„ „ „ 189 , „

W No 3528 W dt 16.12.97

ORDER.

No. His Excellency the Governor in Council sanctions the following scale of tents for the Chief Engineer for Irrigation :—

1 Swiss Cottage Tent - 16' X 16'
1 Hill Tent with bath room attached - 14' X 14'
1 Servants' Tent - 12' X 12'
1 necessary Tent

2. The Chief Engineer for Irrigation will submit for the sanction of Govt. an estimate for the supply of these tents.

B Comp

Ch. E. for Irrn. 6/12/97

Govt Memo

15.12.97

Supty.

P. W. Department.

[43 / 50]

C. No. 3 11144 & 12025

HIS EXCELLENCY THE GOVERNOR.

~~THE HON'BLE SIR HENRY BLISS, K.C.I.E.~~

~~THE HON'BLE MR. GROSE, C.I.E.~~

SUBJECT. Govt. tents for the Chief Engineer for Irrigation

35-P.W.

FOR ORDERS.

× Flagged Ex.

In G.O. No. 270. W. dated 30.1.94, a scale of Govt. tents to be supplied to officers of the P.W. Department was prescribed.

In the Notes on the subject, the question of supplying the Chief Engineer for Irrigation with Govt. tents was not brought forward, and was not considered.

The present Chief Engineer for Irrigation states that although there are great facilities for travelling now, and bungalows in many places, yet the Chief Engineer still occasionally requires tents, and if he possesses none, he has to depend for accommodation on the officers accompanying him.

He asks for a scale of tents similar to that allowed for Supdtg.

Engineers with a slight modification

The scale sanctioned for Suptg. Engineers is as follows:—

1 Swiss Cottage tent 14'×14'	approximate cost	Rs 450
1 Hill tent with bath room 14'×14'	do	" 426
1 Servants' tent, 12'×12'	do	" 60
1 Necessary tent	do	" 30
	Total Rs	966

Mr. Hughes asks for a Swiss Cottage tent 16'×16' instead of the one 14'×14' allowed for Suptg. Engineers. The total cost above given would be somewhat increased.

If the proposal be approved, a scale for the Chief Engineer for Irrigation will be laid down, and he will be asked to submit an estimate for sanction. It certainly seems necessary to provide tents for the Chief Engineer for Irrigation

Appd.
A.S.M 12.97
14.12.97

W 11.12.97

H.E. 13/12 R 15/12/97.

12025

W

with reference to the addition to the accompanying order, requesting that tents for D.C. should be obtained from the Elgin Mills, the two Sets placed at A & D are entirely suited - It will be seen that it is the desire of Govt. that local manufactures should be encouraged, & that articles which are manufactured in India should not be obtained elsewhere without special reasons & without special sanction of Govt.

The order

P. W. Department.

11144 & 12025.

SUBJECT. Govt. Tents for the Chief Engr. for Irrn.

ORDERS.

In Govt. no. 270 W dated 30.1.94, a scale of Govt. tents to be supplied to officers of the P.W. Dept. was prescribed.

In the note on the subject, the question of supplying the Chief Engr. for Irrigation with Govt. tents was not brought forward, and was not considered.

The present Chief Engineer for Irrigation states that although there are good facilities for travelling now, and bungalows in many places, yet the Ch. Engr. still occasionally requires tents, and of

Public Works (1897) Department.

CURRENT No. 12025

From The Chief Engineer

for Crispin

Order

No. 351

Dated 29th November 1897.

Received 3.12.97

Enclosures

Spare copies

SUBJECT.

Sub. Suggesting the scale for which ____ can be purchased for his use and also giving its measurement.

[P. W. 29. 1,000—22-4-97.]

the possession now, he has to depend for accommodation on the tents accompanying him.

He asks for a scale of tents similar to that allowed for Supply Engrs, with a slight modification.

The scale sanctioned for Supply Engrs is as follows:—

1 Swiss Cotton tent 14' × 14' — approximate cost Rs 450
1 Hill tent with bathroom. 14' × 14' —— do —— " 426
1 Servants' tent, 12' × 12' —— —— do —— " 60
1 Necessary tent —— —— do —— " 30
Total Rs - 966

He further asks for a Swiss cotton tent 16' × 16' instead of the one 14' × 14' allowed for Supply Engrs. The total cost above given would be somewhat increased.

If the proposal be approved, a scale for the Ch. E. for D. will be laid down, & he will be asked to submit an estimate for sanction.

It certainly seems necessary to provide tents for the Ch: Engr: to inspect. If sanctd, I recommend that they be obtained from Elgin Mills Cawnpore where the tents are far superior to those made at Bellary

7/12/97.

BACK PAPERS.

No.	Date.
4881C	19-11-97 ✓
3174C	25-8-96 ✓
3128W	5-12-95 ✓
2623W	18-10-94 ✓
1804W	17-7-94 ✓
885W	31-3-94 ✓
676/A W	10-3-94 ✓
270W	30-1-94 ✓
1667W	30-6-86 ✓
1661W	30-6-86 ✓

Put up with Chr 10268/00

FURTHER PAPERS.

No.	Date.

பொ. ப. புத. எண். 24

துறை.

ருஜிப்பீட்டவர் பொறுப்பிலிருக்கும் பதிவுக் கட்டினின்றும் எடுக்கப்பட்ட தாள்.

அச்சு / பல்லகை / வாலாயம்

எண் _____, தேதி _____ 198 .

எடுத்த தேதி.	எதன் பொருட்டு: துறை.	நடப்பு எண்	ஆண்டு.	தாள் எடுக்கும் எழுத்தர் அல்லது சிற்றெழுத்தர் கருக்கொப்பம்.	திருப்பிக் கொடுத்த தேதி.	சிற்றெழுத்தரின் கருக்கொப்பம்.

8·12

P. W.

Public Works (1897) Department.

CURRENT No. 11144

No 4881C d/19.11.97 From the Chief Engr. for Irrign

~~Order O.W.~~
To E-S

No. 310.

No reasons were assigned. The question of including the Chief Engr. for Irrign, in the scale does not appear to have been considered. If you consider that the appointment should now be included, please suggest a suitable scale.

(Sd) H. B. de W.
W.

Dated 2 · 11 · 97
Received 8 · 11 · 97.
Enclosures
Spare copies

SUBJECT.

Inquiring if any reasons were adduced for not supplying the Chief for Irrign. with tents for his use when the question was dealt with in his 270 W D/30.1.94 memo

ac:
W 11/97
W.A.

[P. W. 29. 1,000—22-4-97.]

APERS.

No.	Date.
885 W	31. 3. 94
270 W	30. 1. 94
3965 C	23. 11. 93
3684 C	7. 11. 93
3684 C	7. 11. 93
2435 W	21. 9. 93
3684 C	2. 11. 93

FURTHER PAPERS.

No.	Date.

E. I. Form No. 22—2,000—8-8-96.

GOVT. OF MADRAS. } 189 . { P. W. DEPT.

CHIEF ENGINEER FOR IRRIGATION.

CHIEF ENGINEER FOR IRRIGATION. 20 NOV. 1897 No.

Madras, 20 Nov 1897.

OFFICE NOTE No. 360

Circulation Register.

To	From	Despatch Date.	Receipt Date.
P W	I		

KEEP-WITH.

No. , dated 189 .

Ref. G O 270 W dy 30. 1. 1894

Please inform me if when the question dealt with in the above G.O. was under discussion, any reasons were adduced for not supplying tents for the use of the Chief Engr of Irrigation. There are post facilities for travelling now and bungalows in many places but the Chief Engr. still occasionally requires tents and if he proceeds some hrs to depend for accommodation on the Villages accompanying his W.S.

No 4881C dy 19th November 1897

To E.I.

2P

No reason were assigned - The question of including the Chief Engineer for Irrigation in the Scale does not appear to have been considered - If you consider that the appointment should now be included, please suggest a suitable scale.

W Bell 18.11.97

R 263/97

3P

cir No 351 dy 29.11.97

The Scale allowed for Supt Engineer is sufficiently suitable for the Chief for Irrigation and I should be glad to have leave to use that Scale provided - If leave to be brought I would prefer a 16×16 instead W.H.

for 14×16 Chaires 29.11.97

College Instr.