

Public Works (1897) Department.

G.O., No. 493 W

DATED 19 February 1897

[Despatch Abstract.]

Mr G. S. Rama Aiyar Assistant Engineer: Regarding
that the application of - to have his promotion an-
te-dated cannot be considered, the S.E. having
reported that the examination of that officer prior to
the date on which it was held would have
been premature.

[illegible]

[P. W. 40.]
[1,000-16-1-97.]
H.E. 12-2-97 R 16/2/97

Public Works (1897) Department.

CURRENT No. 1038

188

18

"The circumstances stated should have been recited in this order. Please recite them."

Order

2.9.97 5.2.97

In the circumstances
stated by the Super Engineer,
Mr. G. S. Ramiah's promotion
cannot be antedated.

From J. C. Larmine Esq.
Super. Engr. I.C. I.C.
To The Secretary to Govt. P.W.D.

No. 2206 G.D.

On

1/2/97

Dated 20.1.97

Received 28.1.97

Enclosures -

Spare copies -

SUBJECT.

Mr. G. S. Ramiah, Asst. Engr. -
Forward an application from
- requesting that his promotion
to the new 3rd grade, be given effect
to, from 1.7.96, with remarks.

J. S. I. a/c

~~1/2/97~~
S. A. W.

