Public Works (1898) Department.

G.O., No. 19

DATED 6th January 1898

7/1/98

[Despatch Abstract.]

Conservators of Rivers: Directing that a Notification be published in the Fort St George and Godavari Dt Gazettes appointing the Executive Engineers of the divisions in the Godavari Dt as — within the limits of jurisdiction noted.

11th

J.r
6-1-98

[P.W. 26.
1500—30-11-96.]

Indexed

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

IRRIGATION.
ESTABLISHMENT.

Government {1898} of Madras.
PUBLIC WORKS.

Recd. } 1898. *Enclosures*

Regd. } *Spare copies*

G.O., No. 19 I., 6th January 1898.

JANUARY.

Conservators of Rivers

Directing that a notification be published in the Fort St. George and Gódávari District Gazettes appointing the Executive Engineers of the divisions in the Gódávari district as — within the limits of jurisdiction noted.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.
Establishment.

Read—the following papers :—

From W. C. DeMorgan, Esq., Superintending Engineer, I Circle, to the Chief Engineer for Irrigation, dated Waltair, 5th December 1897, No. 1605 G.D.

With reference to your No. 1/177 G.D., dated 16th November 1897, I have the honour to submit a statement showing the approximate length of river embankment on each branch of the Gódávari and the division to which they at present belong.

Above Anicut.

Akhanda Gódávari.

	miles.	
Left Bank—Gódávari Eastern division	24	
Right Bank—Gódávari Western "	24·5	
		48·5

Below Anicut.

Gowtami Gódávari.

Left Bank—Gódávari Eastern division	38	
Right Bank—Gódávari Central "	51	
		89

Vainateyam Gódávari.

Left Bank—Gódávari Central division	16	
Right Bank—Gódávari " "	13·25	
		29·25

Vasista Gódávari.

Left Bank—Gódávari Central division	54	
Right Bank—Gódávari Western "	41	
		95
Total ...		261·75

2. There are therefore—

In Gódávari Eastern division	62	miles of river embankment.
In Gódávari Central "	134·25	" "
In Gódávari Western "	65·5	" "

---

3. If the whole of each branch of the Gódávari is to be in the hands of one Conservator, the following arrangement is proposed :—

Above Anicut.

Akhanda Gódávari.

	miles.
Right and left bank, in charge of Executive Engineer, Gódávari Eastern division	48·5

Below Anicut.

Gowtami Gódávari.

Right and left bank, in charge of Executive Engineer, Gódávari Eastern division	89
Total ...	137·5

Vainateyam Gódávari.

Right and left bank, in charge of Executive Engineer, Gódávari Central division	29·25

Vasista Gódávari.

Right and left bank, in charge of Executive Engineer, Gódávari Western division	95
Total ...	261·75

The charge of the Central division will be much reduced, and that in the Eastern division increased.

4. I do not think that any other arrangement can be suggested which would fulfil the conditions laid down in your memorandum under reference.

No. 299 I.

Note by the Chief Engineer for Irrigation.

In his letter, No. 595 G.L., dated 26th October 1897, the Superintending Engineer, I Circle, suggested the advisability of forming a separate sub-division to work directly under the Superintending Engineer's orders for regulating the conservancy operations of the Gódávari river in accordance with Act VI of 1884.

The Superintending Engineer was thereupon informed that the undersigned considered it impossible for a Superintending Engineer to supervise the conservancy work and that this must be left to Executive Engineers, care being taken that opposite banks of the river are not in different divisions. As the limits of jurisdiction fixed in G.O., No. 810 I., dated 7th October 1896, do not accord with the above view, he was requested to propose the necessary transfers, so that the whole of each branch of the Gódávari may be in charge of one Conservator.

In his letter, No. 1605 G.D., dated 5th December 1897, the Superintending Engineer accordingly proposes a revised arrangement which is approved and recommended for adoption.

(Signed) W. HUGHES,
Chief Engineer for Irrigation.

17th December 1897.

Order—No. 19 I., dated 6th January 1898.

The following notification will be published in the Fort St. George and Gódávari District Gazettes in three consecutive issues:—

NOTIFICATION.

In supersession of the notification, dated 7th October 1896, published in the Fort St. George and Gódávari District Gazettes, His Excellency the Governor in Council is pleased to appoint, under section 6 of Act VI of 1884, "The River Conservancy Act," the following officers as Conservators of Rivers within the limits of jurisdiction noted below:—

The Executive Engineer, Gódávari Eastern division, to be Conservator over the right and left bank of the Akhanda Gódávari above the anicut and the right and left bank of the Gowtami Gódávari below the anicut.

The Executive Engineer, Gódávari Central division, to be Conservator over the right and left bank of the Vainateyam Gódávari.

The Executive Engineer, Gódávari Western division, to be Conservator over the right and left bank of the Vasista Gódávari.

(True Extract.)

(Signed) W. HUGHES,
Joint Secy. to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation.
„ Superintending Engineer, I Circle.
„ Examiner, Public Works Accounts.
„ Legislative Department.
„ Revenue Department.
„ Superintendent, Government Press.

Exd. C. M. Thumbuswamy.

A. A.E.

PUBLIC WORKS DEPARTMENT,
IRRIGATION BRANCH.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Reg the regulating the Conservancy operations of the Godavari river

UNDER date the

READ the following

From Supg Eng, 1st Circle, No. 1605 G.D. d 5 Dec 1897.
No 299 I d 17-12-97

Note by the Chief Eng for Irrigation.

* Flag A

In his letter, no. 595 G.L., d 26 Oct 1897, the Supg Eng, 1st Circle, suggested the advisability of forming a separate subdivision to work directly under the Supg Eng's orders for regulating the conservancy operations of the Godavari river in accordance with ⊕ Act VI of 1884.

Issue

W.H.

3.1.97

⊕ Flag B.

The Supg Eng was thereupon # informed that the undersigned considered it impossible for a Supg Eng to supervise the conservancy

Flag H.

31/12/97

Ret'd from [illegible] L.A. Office 30/12/97

31/12/97

work & that this must be left to Ex. Engrs, care being taken that opposite banks of the river are not in different divisions. As the limits of jurisdiction fixed in G.O. No 810 I, d/ 7 Oct/96, do not accord with the above view, he was requested to propose the necessary transfers so that the whole of each branch of the Godavari may be in charge of one conservator.

*Fly I

In his letter No 1605 G.D., d/ 5 Dec/97, the Supg Eng accordingly proposes a revised arrangement which is approved & recommended for adoption.

⊕ Fly 2

A.S.H.

No 19 I d 26.1.98

48

Order thereon.

A.S.H. 22.12.97

The following notification will be published in the Fort St George & Godavari District Gazettes in two consecutive issues:—

Notification.

In supersession of the Notification d/ 7th Octr 1896 published in the Fort St George and Godavari District Gazettes His Excellency the Governor in Council is pleased to appoint under Section 6 of Act VI of 1884, "The River Conservancy Act," the following officers as Conservators of Rivers within the limits of jurisdiction noted below:—

The Ex. Eng. Godavari Eastern Dn., to be Conservator over the right & left bank of the Akhanda Godavari above the anicut & the right & left bank of the Gowtami Godavari below the anicut.

The Ex. Eng., Godavari Central Dn., to be Conservator over the right & left bank of the Vainteyam Godavari

The Ex. Eng., Godavari Western Dn., to be Conservator over the right & left bank of the Vasista Godavari.

13/12/97.

WH.
17-12-97

To the Chief Engr for I.
Supg Engr I
Ex. E. W.
Irg. Dept.
Rev. Dept.
Supt, Govt Press.

18/1/98

E. I. Form No. 1 (a)—350—1-11-97.

ICW 13/12/97

Public Works (1898) Department.

CURRENT No. ~~299 I~~ 91

Order

From The Chief Engr for Irn

No. 299 I

Dated 17th Decr January 1897

Received 5.1.98

Enclosures 1

Spare copies

SUBJECT.

Godavery Conservancy Work Proposal of the Supg: Engr I for the Supervision of – of the both banks of each Dn by one Exe Engr. Note approving and recommending for adoption the —

ICW 21/12/97

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.

lcu
13/12/97

Public Works (1897) Department.

CURRENT No. 262 G.D

Order

From W. Demorgan Esquire
Executive Engineer In-charge
I Circle

No. 1605 G.D

Dated 5th December 1897
Received 10 — Do —
Enclosures nil
Spare copies

SUBJECT.

Conservancy Work – Submits proposals for the supervision of the both banks of each division of the Godavari by one Executive Engineer – which reduces the charge of the central Divn. very much and increases that of Eastern Divn. very much – in respect of — D.E.I.

lcu
13/12/97

11/12

11-12-97

FURTHER PAPERS.

BACK PAPERS.

G.O.	No.	Department.	Date.
1/177	GD	dy	16-11-97
R	231	GD dy	26-10-97
do	2997		27-10-97

FURTHER PAPERS.

G.O.	No.	Department.	Date.

No. 1605 GD

FROM W. De Morgan Esqre

SUPERINTENDING ENGINEER

FIRST CIRCLE.

Enclosures. nil

1P

TO

THE CHIEF ENGINEER

FOR IRRIGATION.

Waltair ~~DOWLAISHWERAM~~, 5th December 1897.

Despd 7th Decr

SIR,

With reference to your 1/177 GD dated 16th November 1897, I have the honor to submit a statement showing the approximate length of River Floodbank-ment, on each branch of the Godavari and the Division to which they at present belong.

Above Anicut

Akhanda Godavari

		Miles.
L Bank	Gody E. Dn	24.
R. "	Gody. W. Dn	24.5
		48.5

Below Anicut

Gowtame Godavari

L Bank	Gody. E. Dn	38.
R "	Gody. C. Dn.	51
		89

		Vainthyam Godavari	Miles
L	Bank	Godavari Central	16
R.	"	Gody- Central	13.25
			29.25

		Vasista Godavari.	
L	Bank	Gody C	54
R.	"	Gody W	41
			95
		Total Miles.	261.75.

3 There are therefore

In Gody Eastern Dt ——— 62 miles of River Embankment

Gody Central ——— 134.25.

Gody Western ——— 65.5.

4 If the whole of each branch of the Godavari is blee in the hands of one Conservator the following arrangement is proposed.

Above Anicut

Akhanda Godavari

	Miles
Right and Left bank in charge of Executive Engineer Godavari Eastern Dt	48.5

Below Anicut

Gowtami Godavari

Right and Left bank in charge of Executive Engr Godavari Eastern Dt.	89.
	137.5

Vainthyam Godavari.

Right and Left bank in charge of Executive Engineer Godavari Central Dt	29.25

Vasista Godavari

Right and Left bank in charge of Executive Engr Godavari Western Dt	95.
	261.75

2P

The Charge of the Central Division will be much reduced, and that in the Eastern Division increased.

5. I do not think that any other arrangement can be suggested which would fulfil the conditions laid down in your memorandum under reference.

I have the honor to be
Sir,
Your most Obedt Servant
W DeMozan
7/12
Supg Engineer
I Circle

6/12

FURTHER PAPERS.

S, E. I / 1 500—13-2-93

FROM

SUPERINTENDING ENGINEER

FIRST CIRCLE,

TO

THE CHIEF ENGINEER

FOR IRRIGATION

ENGINEER
IGATION.
10 DEC. 1897
No 262 G.D.

DATED
DESPATCHED
RECEIVED
189 .

NO.

ENCLOSURES

SUBJECT.

Public Works (1897) Department.

IRRIGATION BRANCH.

197

ISSUE No. 177 G.D.

To

The Supg Engineer
First Circle

(Reply to letter No. , dated).

Dated 16-11-97

Despatched 18-11-97

Enclosures *

Particulars of Enclosures.

SUBJECT.

Conservancy work – States that it is impossible for a S.E. to supervise the ——— which should be left to E.Es, care being taken that opposite banks of the river are not in different Dists. requests S.E. to propose the necessary transfer so that the whole of each branch of the Godavari may be in charge of one Conservator

Indexed

E. I. Form No. 13—2,000—23-2-97.

BACK PAPERS.

No.	Date.
R 231 G.D.	26-10-97.

FURTHER PAPERS

No.	Date.
R 26 G.D.	5-12-97

Sent to Government with No. I.,

dated 1897.

Printed with G.O., No. I.,

dated 189 .

REMINDERS ISSUED.

No. 1, dated 189 .

„ 2 „

„ 3 „

„ 4 „

„ 5 „

KEEP-WITHS

I

Memo No 177 G.D. of 16/11/9

With reference to letter, No. 595 G.I., of 26 ult., from the Supg Engr, 1st Circle, the undersigned has the honour to observe that he considers it impossible for a Supg Engr to supervise the conservancy work. It must be left to Ex Engrs, care being taken that opposite banks of the river are not in different divns. As the limits of jurisdiction fixed in G.O. No 8103, of 7 Oct /96, do not accord with the above view, the Supg. Engr is requested to be so good as to propose the necessary transfers so that the whole of each branch of the Godavari

E. I. Form

I

may be in charge
of one conservator.

R

JH
15/11/97

W.H. 16 11 97

Note
The files sent to the Rev Secretary have not yet been returned

LCH
17/11/97

To
The Supg Engr
I Circle

LCH
13/11/97

R2318D/97

ublic Works (1897) Department.

CURRENT No. 231 G/D

Order

From J C Larminie Esqre
Supg Engr I Circle

No. 595 G1

Dated 26 10 97

Received 1 - 11 - 97

Enclosures —

Spare copies

SUBJECT.

River Conservancy Sub Dn

—

Informs the advisability of forming a —

DE1

E1

JH 8/11/97

LCH 4/11/97

BACK PAPERS.

G.O.	No.	Department.	Date.
I	159	GD d/	30-9-97

FURTHER PAPERS

~~G.O.~~	No.	Department.	Date
I	172	ED	16-11-97
R	262	GD d/	8-12-97

No. 595 Et

FROM J. C. Larminie Esq. M. I. C. E.
SUPERINTENDING ENGINEER,
FIRST CIRCLE.

Enclosures. — TO
THE CHIEF ENGINEER
FOR IRRIGATION.
~~WALTAIR~~, Camp Dowlaishweram 26 10/1897.

Despd 26

SIR,

Adverting to your No: I/159 GD of the 30th ultimo, I have the honour to inform you that it will be advisable to form a separate River Conservancy Sub Division to work direct under the Suptg Engineer's orders, as the questions should be dealt with as a whole and not from the mere stand point of each Division

I have the honour to be,
Sir
Your most obedt Servt

J C Larminie
Suptg Engineer 1st Circle

18/10

$\frac{\text{S. E. I.}}{1}$ 500—29-2-96.

FROM

SUPERINTENDING ENGINEER,
FIRST CIRCLE.

TO

THE CHIEF ENGINEER
FOR IRRIGATION.

CHIEF ENGINEER
FOR IRRIGATION.
1-NOV. 1897
No. 231 C.D.

DATED
DESPATCHED } 189
RECEIVED

No.

ENCLOSURES.

SUBJECT.

C.F. 73.

9

Paper taken out of the Records from the charge of the Referencer. DEPARTMENT.

6 Press ~~Miscellaneous~~ ~~Routine~~ No. 19, dated 6-1- ~~189~~ 1898

Date taken out.	For what purpose.			Initials of clerk taking the paper or of attender.	Date returned.	Initials of attender.
	Department.	C. No.	Year.			
17/8/42	B VI	947	41/42	[illegible]	7-9.42	om