1094

Public Works (1898) Department.

G.O., No. 111 I

DATED 8th February 1898

10298

[Despatch Abstract.]

Contribution work: Sanction accorded to the execution by the P.W. Dept of the — of repairing the north embankment of the Polavaram island in the Godavari Central Dn.

108/6

Jn
8 2 98

[P.W. 25.
1,200—20-11-97.]

Indexed.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

IRRIGATION.
ACCOUNT.

Government (1898) of Madras.

PUBLIC WORKS.

Recd.	1898.	*Enclosures*
Regd.		*Spare copies*

G.O., No. 111 I., 8th February 1898.

FEBRUARY.

Contribution Work

Sanction accorded to the execution by the Public Works Department of the — of repairing the north embankment of the Polavaram island in the Gódávari Central division.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.
Account.

Read—the following papers :—

From W. C. DeMORGAN, Esq., M.I.C.E., Superintending Engineer, I Circle, to the Chief Engineer for Irrigation, dated Waltair, 9th December 1897, No. 1638 G.D.

I have the honour to state that an estimate amounting to Rs. 850 for repairing north embankment of Polavaram island in the Gódávari Central division, was sanctioned by my predecessor in August last.

2. The proprietor of Kesanakurru estate has paid Rs. 170, being the share of his contribution towards the cost of the work as per G.O., No. 2840, dated 24th October 1876.

3. I request, therefore, that sanction of Government may be obtained for the work being executed by this department (*vide* paragraph 79, chapter IX, Volume I, Public Works Code).

To the Superintending Engineer, I Circle, dated 15th December 1897, No. I/187 G.D.

From W. C. DeMORGAN, Esq., M.I.C.E., Superintending Engineer, I Circle, to the Chief Engineer for Irrigation, dated Waltair, 25th December 1897, No. 1759 G.D.

With reference to your memo., No. I./187 G.D., dated 15th instant, I have the honour to report that Rs. 170 does not include the percentage charges on establishment and tools and plant. These charges are not now collected in cases in which works are carried out partly from Government funds and partly from contributions (*vide* Examiner's letters, No. 1161 C., dated 8th April 1893, and No. 456 D./A. of 9th February 1895), copies of which are herewith forwarded. The work does not fall within the scope of clause I, paragraph 1, of the latter letter quoted above.

2. G.O., No. 2840, dated 24th October 1876, does not say that establishment and tools and plant charges should be recovered from the proprietor.

Enclosures.

From the Examiner of Public Works Accounts, to the Superintending Engineer, I Circle, dated Madras, 8th April 1893, No. 1161 C.

With reference to your letter, No. 830 V.Z., dated 25th March 1893, regarding the levy of percentage charges for establishment and tools and plant in respect of certain irrigation works in the Vizagapatam division, I have the honour to state that, if the works are to be carried out partly from funds provided in the estimates of the department and partly from contribution under the provisions of Code I, IX, 79, no charge need be made on account of establishment and tools and plant. But if the works are to be carried out wholly from contribution, provision must be made to cover the cost of establishment and tools and plant—*vide* Code I, IX, 81 (*b*).

From the Examiner, Public Works Accounts, to the Superintending Engineer, I Circle, dated Madras, 9th February 1895, No. 456 D./A.

In reply to your No. 600 V.Z., dated 11th January 1895, I have the honour to state that the following rules should be observed with regard to percentage charges for establishment and tools and plant on contribution works :—

(1) If the whole cost of the work or any specified part or section of the work is to be met by contribution, percentages for tools and plant and establishment are recoverable (*vide* Code, Volume I, IX, 81).

(2) If a part only of the cost is to be met by contributions, *i.e.*, if the contribution is a specified sum or a specified fraction or percentage of the entire estimated cost, nothing further will be chargeable for establishment and tools and plant unless the contrary is expressly stated or clearly implied in the sanctioning order.

2. The instructions in the audit notes referred to were incorrect and the objections are withdrawn.

To the Examiner of Public Works Accounts, dated 14th January 1898, No. 5.

Office-note from the Examiner, Public Works Accounts, dated 21st January 1898, No. 178 B./A.

Under the circumstances explained by the Superintending Engineer, I Circle, percentage charges need not be recovered from the contributor in this case, but it is left to the sanctioning authority to order the recovery of contribution if it should see fit.

No. 30 I.

Note by the Chief Engineer for Irrigation.

In August last, the Superintending Engineer, I Circle, sanctioned an estimate of Rs. 850 for repairing the north embankment of the Polavaram island in the Gódávari Central division, one-fifth of the whole cost of the work being, under G.O., No. 2840, dated 24th October 1876, borne by the Kesanakurru estate. The Superintending Engineer requests permission, under Code, Volume I, chapter IX, paragraph 79, to carry out the work by the Public Works Department.

2. The permission asked for may be granted, and, for the reasons given in the Superintending Engineer's letter, No. 1759 G.D., dated 25th December 1897, the percentage charges for establishment and tools and plant on the amount of the contribution need not, in this case, be recovered from the estate.

(Signed) W. HUGHES,
1st February 1898. Chief Engineer for Irrigation.

Order—No. 111 I., dated 8th February 1898.

The execution, by the Public Works Department, of the work referred to is sanctioned.

2. No percentage charges for establishment and tools and plant will be recovered from the Kesanakurru estate.

(True Extract.)

Under Secretary to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation.
" Superintending Engineer, I Circle.
" Examiner, Public Works Accounts.

Ex1 T. K. Narayana Aiyangar.

X His Excellency the Governor.

PUBLIC WORKS DEPARTMENT,
IRRIGATION BRANCH.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

7 P

Repairing North embankment
of the Polavaram island in the
Godavari Central Dn.

UNDER date the

READ the following

From ~~the~~ Supg. Engineer, First Circle. (H.E. No. 1638-G.D. dated 9.12.97)
To ~~do~~ do ——— do ——— (H.E. No. $\frac{I}{187}$ G.D. dated 15-12-97).
From ~~do~~ do ——— do ——— (H.E. No. 1759 G.D. dated 25.12.97).
To ~~the~~ Examiner of P. W. Accounts. (H.E. No. 5 dated 14-1-98.)
From ~~do~~ do ——— do ——— (H.E. No. 178 $\frac{B}{A}$ dated 21.1-98).

No 30-I d/ 1-2-98

Note by the Chief Engineer for Irrigation.

In August last, the Supeg. Engineer, First Circle, sanctioned an estimate of Rs. 850 for repairing the north embankment of the Polavaram island in the Godavari Central division, one-fifth of the whole ~~cost~~ of the work being, under G.O. No. 2840 dated 24th October 1876, borne by the Kesanakurru estate. The Supeg. Engineer requests permission, under Code Vol. I, Chap. IX para 79, to carry out the work by the Public Works department.

*flagged G

*vide S.E.'s letter flagged E.

Sam
2.44
3.2.98

2. The permission asked for may be granted, and for the reasons given in the Supg. Engineer's letter No. 1759-G.D. dated 25th December 1897, the percentage charges for establishment and tools and plant on the amount of the contribution need not, in this case, be

*flagged H.

be recovered from the estate.

G.O. regular

Order thereon. N-111 I, 8.2.98

The execution, by the Public Works department, of the work referred to is sanctioned.

2. No percentage charges for establishment and tools & plant will be recovered from the Kesanakurru estate.

JH 1/2/98

W.H. 1.2.98

AAH 3.2.98

Issue –

W.H.

I 5.2.98

LCB 5/2/98

To
The Chief Engineer for Irrigation.
" Supg. Engineer First Circle.
" Examiner, P.W. Accounts.

I D 4/2/98

LCB 28/2/98

E. I. Form No. 1—1,000—2-2-97.

H.E. 2-2-98 Ret 5-2-98

Public Works (1898) Department.

CURRENT No. 1094

From The Chief Engr for Irr^n

Order

No. 30 I

Dated 1 Feb 98

Received 2 - do -

Registered 7. 2. 98

Enclosures 6

Spare copies

SUBJECT.

Repairing North embankment of ~~Godavaram in~~ Polavaram Island. Godaveri Central Division – Note recommending the execution of work – by this Department without percentage Charges for Establishment

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.

Public Works (1898) Department.

CURRENT No. 14.

1119

From C

Order

Draft despatch for approval.

28/1/98.

24/1

No. 178 B/A

Dated 21st Jany' 98

Received 24 — Do —

Registered 2.

Enclosures

Spare copies

SUBJECT.

Polavaram Island in Godavari Central Dn — informing that no percentage on account of repg the R. Embankment of the Godavari in need be recovered from the Contributor F. E. J. but it is left to the sanctg authority to order the recovery if it should see fit

24/1/98

26-1-98

26/1/98

24/1/98

C.

BACK PAPERS.

No.	Date.
I 5 dy	14.1.98
R G D	20-12-97
I 187 GD	15-12-97
R 1144 GD	9-12-97
R 612 W	24-10-76

8

FURTHER PAPERS.

No.	Date.
I 30 I	1-2-98

B a/1

Public Works (189~~7~~8) Department.

CURRENT No. 2 GD

CHIEF ENGINEER
FOR IRRIGATION.
24 JAN. 1898
No. 14

EXAMINER,
P. W. ACCOUNTS.
17 JAN. 1898
No.

From W. Demorgan Esquire
Suptg. Engineer I. Circle

No. 1759 GD

Dated 25th December 1897

Received 1st January 1898

Registered

Enclosures 2

Spare copies

No 5 dy 14-1-98

Order

To C for remarks whether in the present case the contribution should include the percentage charges for establishment & tools & plant.

No 1780/A dp 1-1-98

14/1/98

To E. I.

Under the circumstances a DEI explained by the Superintending Engineer 1st Circle percentage charges need not be recovered from the contributor in this case, but it is left to the sanctioning authority to order the recovery of contribution if it should see fit

21.1.98

OWE 3 1094/98

11/1/98

SUBJECT.

Polavaram Island in Godavari Central Division — Reporting that Rs 170 paid by the proprietor of Hisanakurru towards his share of contribution for repairing the North Embankment of Godavari does not include percentage charges for Establishment and tools & plant.

Paper

10/1/98

10-1-98

BACK PAPERS.

No.	Date.
D/187 C.D/97	12-12-97
R 264 G.D	9-12-97

FURTHER PAPERS.

No.	Date.

EXAMINER,
P. W. ACCOUNTS.
17 JAN. 1898
No..................

Copy of Letter No 456 S/A 7/9th Feb/95
from the Examiner P.W. Accounts Madras
to the Superintending Engineer I Circle

In reply to your No 600 V.Z. dated 11th January 1895, I have the honor to state that the following rules should be observed with regard to percentage charges for establishment and Tools and Plant on Contribution works:-

(1) If the whole, cost of the work or any specified part or Section of the work is to be met by Contribution, percentages for Tools and Plant and establishment are recoverable (Vide Code volume I, IX. 81.)

(2) If a part only of the Cost is to be met by Contributions, i.e. if the Contribution is a specified sum or a specified fraction or percentage of the entire estimated cost, nothing further will be chargeable for establishment and Tools and Plant unless the Contrary is expressly stated or clearly implied in the sanctioning order.

2. The instructions in the audit notes referred to were incorrect and the objections are withdrawn.

(True copy)

Supg Engineer
I Circle

27/12

CHIEF ENGINEER
FOR IRRIGATION.
14 JAN. 1898
No. R 2 G.D.

LD
27/12

CHIEF ENGINEER
FOR IRRIGATION.
24 JAN. 1898
No. 14/2

4

Copy of letter No. 1161 C dated 8th April/93 from the Examiner of P. W. Accounts Madras to the Supg Engineer I Circle

EXAMINER,
P. W. ACCOUNTS.
17 JAN. 1898
No.

With reference to your letter No. 830 V Z dated 25th March 1893, regarding the ~~cry~~ levy of percentage charges for establishment and Tools and Plant in respect of certain irrigation works in the Vizagapatam Division, I have the honor to state that if the works are to be carried out partly from funds provided in the estimates of the Department and partly from contribution under the provisions of Code I IX-79, no charge need be made on account of establishment and Tools and Plant. But if the works are to be carried out wholly from Contribution, provision must be made to cover the cost of establishment and Tools and Plant vide Code I IX 81(b).

(True copy)

Supg Engineer
I Circle

CHIEF ENGINEER FOR IRRIGATION.
24 JAN 1898
No 14/1

CHIEF ENGINEER FOR IRRIGATION.
1st JAN. 1898
No. R 2 GD
2

Ra

EXAMINER,
P. W. ACCOUNTS.
17 JAN. 1898
No ....

No. 1759 GD

3 P

FROM

W D Morgan Esqr M I C E
SUPERINTENDING ENGINEER
FIRST CIRCLE.

Enclosures. 2

TO

THE Chief Engineer
For Irrigation

Waltair
~~**DOWLAISHWERAM,**~~ 25.12.1897.
Desp'd 29-12-97

SIR,

With reference to your Memorandum dated 15th instant No: $\frac{I}{187\,GD}$ I have the honour to report that Rs 170 does not include the percentage charges on Establishment and Tools and Plant. These charges are not now collected in cases in which works are carried out partly from Government funds and partly from Contributions - vide Examiner's letters Nos $\frac{1161C}{8 \cdot 4 \cdot 93}$ and $\frac{456\,D}{A}$ of $9\frac{2}{95}$ copies of which are herewith forwarded. The work does not fall within the scope of Clause I para 1 of the latter letter quoted above.

2. GO No. $\frac{2840}{24 \cdot 10 \cdot 76}$ does not say that establishment and tools and Plant charges should be recovered from the Proprietor.

I have the honour to be,
Sir
Your most obedt Servt
$\frac{27}{12}$ W D Morgan
Supdg Engineer I Circle

[illegible] 27/12

CHIEF ENGINEER
FOR IRRIGATION.
~~14~~ 13 JAN. 1898
No. R2 GD

CHIEF ENGINEER
FOR IRRIGATION.
24 JAN. 1898
No. 14

Out 63
10/24.1.98

Public Works (1897) Department.

quote (2)

CURRENT No. 264 G.

I

~~Order~~ No 187 GD dt 15/12/97

With reference to letter No. 1638 GD, d/ 9 Dec/97, from the Sub'g Eng'r, 1st Circle, the undersigned has the honor to request that he will be so good as to report whether the contribution of Rs 170 paid by the proprietor includes the percentage charges for establishment & tools & plant in accordance with Code I, Chap IX, para 82, rule II. It is observed that under para 4 of GO No. 2840 d/ 24 Oct/96, the estate should bear one-fifth of the whole cost of the work_

15/12/97

To the S E I
15/12/97

From W. Demorgan Esquire
Supt'g Engineer I Circle

No. 1638 GD

Dated 9th December 1897
Received 15 — Do —
Enclosures nil
Spare copies

SUBJECT.

Repairing North Embankment of Polavaram Island in Godavari Central Divn — Requests that sanction of Government might be obtained for the execution of — by this department as the Proprietor of Kesavakurru Estate has paid his share of contribution

Out 61
10/24.1/98

PB 16/1/98

183 .

P. W. DEPARTMENT.

Current Nos 1344 & 872

From

ENCLOS.—

No.

Dated

Received

SUBJECT.

DISPOSAL.

G.O.

No. 129 I Dated 14th Febry 1898.

Confirming the action taken by the Board of Revenue for filing an appeal in the High Court against the decision of the Nellore Sub Judge in a case brought by one Gundala Pitchi reddy for compensation for lands taken up in Gudur Taluk for the Buckingham Canal in 1881 + 1884.

FURTHER PAPERS.

~~G.O.~~	No.	~~Department.~~	Date.
I	187	G.D	25/12/97
R	2	G.D	28-12-97
R	14	G.D	21-1-98

3

(1)

Print

No. 1638 G.D

FROM

W. C. De Morgan Esqr. M.I.C.E.
SUPERINTENDING ENGINEER,
FIRST CIRCLE.

Enclosures. Nil TO

THE CHIEF ENGINEER
FOR IRRIGATION.

WALTAIR, Dated 9. 12. 1897.
Despd 11-12-97

SIR,

I have the honour to state that an Estimate amounting to Rs 850 for repairing North Embankment of Polavaram Island in the Godavari Central Division was sanctioned by my predecessor in August last.

2. The proprietor of the Sanakurru Estate has paid Rs 170 being the share of his contribution towards the cost of the work as per G.O. No. 2840 dated 24 October 1876.

3. I request therefore that sanction of Government may be obtained for the work being executed by this Department — vide Para 79 Chap IX Volume I P.W. Code.

I have the honour to be,
Sir
Your most obedt Servt
W De Morgan 10/12
Suptg Engineer I Circle

ed 9/12

CHIEF ENGINEER
FOR IRRIGATION
15 DEC. 1897
No. 264 GD

$\frac{\text{S. E. I.}}{1}$ 500—29-2-96.

FROM

SUPERINTENDING ENGINEER,
FIRST CIRCLE.

TO

THE CHIEF ENGINEER

FOR IRRIGATION.

DATED
DESPATCHED
RECEIVED
189 .

No.

ENCLOSURES.

SUBJECT.

0772
10964/58