

Public Works (189 &) Department.

35880474
G.O., No. 2348 W

DATED 9th Sept '98

Peons

[Despatch Abstract.]

The Continued Employment, during March & April '98, of 2 ~~men~~ on Rs 9 each per mensem required under the Asst Engineer in charge of the Periyar Head Sluice, Santhined.

B.

[illegible]

FURTHER PAPERS.							
G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

P.K.

-Returns duly checked —

07 May 2

To the C.E. for Inspr

S.E. $\frac{1}{VI}$ crabs

• Review P.W. Ach


LS 35-3A7

19355

2000

FURTHER PAPERS.

No.	Date.
3698. C	24 - 8 - 98
1130. W	6 - 5 - 98 (S.C)
997. W.	16 - 4 - 98.
1539. C	14 - 3 - 98
1059. C	21 - 2 - 98
3096. W	6 - 11 - 97 (S.C)
3017. W.	27 - 10 - 97.
1299. W.	19. 5-97 (S.C)



MADRAS PRESIDENCY.

Ma dura Division, Part II.

Tabular Statement to accompany proposals for changes in establishments.

No. 3698C - d/24 August '98.

Office Note

Yo

For favour of check
as to correctness of the column
"Present scale" in the statement

On

P.K.S.

No. 3001 $\frac{B}{Z}$ dated 30. August 1898.

To. W

Returned with the requisite
certificate.

$$\frac{60}{30} = 8.98$$


C.

309/28

ad 83

0.25 ~~309~~ n24/8

vol 9353




NOTES.

Reference to P. W. D. Code.

Chapter I, Para. 30.

1. All proposals for changes in the scales of permanent establishments must be accompanied by a statement in Part I of this form when the changes relate to the engineer or upper subordinate establishments and in other cases by a statement in Part II of this form.

2. The column headed "present scale" should invariably show the existing sanctioned scale (not the strength of the establishment as it actually stands at the time), and should be verified by the Examiner before the statements are forwarded to the sanctioning authority.



Part II.

Statement of proposition for

ORDER SANCIONING PRESENT ESTABLISHMENT.		Present scale					NATURE OF		
Govt. of P. W. D.		Office to which the proposition refers.	No.	Designation.	Pay.				Total cost.
No.	Date.				Minimum.	Increment.	Maximum	Average or fixed.*	
					Rs.	Rs.	Rs.	Rs.	Rs.
				Petty Establishment					
		Madura Division	1	Toli and sweeper				2	2
				Office Establishment					
		Do	1	clerk				20	20
		Do	1	clerk				15	15
		Executive Engineer on special duty	1	Draftsman				50	50
		Do	1	Do				30	30
		Do	1	clerk				40	40
		Do	1	Do				25	25
		Do	5	Peons				6	30
				Survey Establishment					
		Madura Division	1	Surveyor				50	50
				Petty Establishment					
		Do	5	Peons				7	35
				Conservancy Establishment					
		Do	2	Irrigation Superintendant				40	80
		Do	1	Thrice Superintendent				84	84
		Do	1	Driver at Thekady				63	63
		Do	6	Thrice Lascars				12	72
				Petty Establishment					
		Assistant Engineer Thekady	-	-					

No 1082.L.D. dated 2nd August '98

Submitted to the Chief Engineer, P.W.D.
through the Chief Engineer for Irrigation, with
a request that sanction of Government
may be obtained to the employment
of the two peons referred to for two
months with reference to para 2 of govt
order dated 16th April 1898.

J. V. Badley Esq. C.E.
Super Engineer 6th circle

Forwarded -

Received
Ag. Chief Engr. for Irrigation
9/8

Obtained
9th August 1898

- 1130W of 6-5-98
- 977W of 16-8-98
- 1539C of 14-3-98
- 1059C of 21-2-98
- 3096W of 6-11-97
- 3017W of 29-11-97
- 1299W of 19-5-97