Public Works (1898) Department.

G.O., No. 236-7 I

33 R

DATED 19 March 1888

[Despatch Abstract.]

Bommasandra Nayakanahalli tank in Mysore territory: Directing the S.E. II Circle to expedite the ~~afresh~~ submission of the information called for by the Chief Engr. for Irrign. in connection with the proposal to raise the weir level of the — and ordering that the Resident in Mysore be informed that a reply to his letter will be sent on receipt of ~~the~~ ~~that~~ that information.

The Resident in Mysore addressed.

O.R. 3/3/8

Indexed.

P. W. 28.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Public Works (1898) Department.

CURRENT No. 2537
2

5877 ~~97~~
9463 } 97
11668 }
1315 4-98

From The Chief Engr for Irrign

Order

No. 96 I

Dated 16-3-98

Received } 18-3-98
Registered }

Enclosures 15 (2 plans)

Spare copies

SUBJECT.

Bommasandra Nayaka-
-nalu Tank — Note relative
to the proposal of Mysore
Durbar to raise the weir
level of the —

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.

Issue

W.H.

18.3.98

Ack
18/3/98

N/.

42

PUBLIC WORKS DEPARTMENT,
IRRIGATION BRANCH.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Bommasamudra Nayakaralu tank. Note relative to the proposal of Mysore Durbar to raise the weir level of —

UNDER date the

READ the following

From Resident in Mysore, No 39 Camp, dd 11. 6. 97
To Supg Eng, III Circle, " 9 AN, dd 25.6.97
From Resident in Mysore, " 3728, dd 8.9.97
To Supg Eng, III Circle. " 14 AN, dd 30.9.97
From do " 4500 I, dd 6.11.97
To do " 16 AN, dd 17.11.97
From Resident in Mysore " 4791, dd 11.11.97
To Supg Eng, III Circle " 17 AN, dd 24.11.97
From Resident in Mysore " 560, dd 7.2.98
To Supg Eng, III Circle. " 3 AN dd 18.2.98
From do " 6424 I dd 14.3.98
No 96 I dd 16-3-98

Note by the Chief Eng for Irrigation.

In June 97, the Resident in Mysore submitted for the consideration of Govt papers relating to a proposal for raising the weir level of the Bommasandra Nayakaralu tank in Mysore territory. The matter was referred to the Supdg Engr, III Circle, for report whether any British works would be affected to such an extent as would warrant a refusal of consent in the terms of rule III in the rules published as an annexure to G.O. No. 162+ I, dd 18th Feb/92.

2. In his endorsement No 4500⊕ I, dd 6th Nov/97, the Supdg Engr expressed his opinion that it would not be advisable to comply with the request of the Mysore Durbar as three British tanks which never get a good supply in years of ordinary rainfall would be affected by the proposal.

+ Fly C

⊕ Fly D

He was therefore requested to report the apparent assessment, average revenue & cultivation & approximate capacities of the three tanks.

3. On receipt of the last reminder from the Resident, the Supdg. Engr was asked to furnish the information called for without further delay. He now reports that the statistics are awaited from the Collector who has been requested to expedite his reply. The Resident may be informed accordingly.

G.O. 2368 I, 19.3.98

Order thereon.

The Supdg Engr, III Circle, will expedite the submission of the information called for by the Chief Engr for Irrign

DAH
17.3.98

BACK PAPERS.

8

2. The following letter will be sent:—

To No 237 / 19.3.98

The Resident in Mysore.

Sir,

With reference to your reminder No. 560, of 7 Feb/98, relating to the proposal of the Mysore Durbar for raising the weir level of the Bommasandra Nayakaralu tank, I am directed to inform you that a reference has been made to the local officers for statistics to determine whether any irrigation works in British territory will be affected by the proposal of the Mysore Durbar & that on receipt of the information called for

flag E

J.A.H. 17.3.98

E. I. Form No. 1 (a)—350—1-11-97.

PUBLIC WORKS DEPARTMENT,
IRRIGATION BRANCH.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the

READ the following

a reply to your letter, No. 39 Camp, of 11 June/97, will be sent.

16/3 98

J.H. 16.3.98

To
the Chief Engr for I
" Supg Engr III Circle
" Political Dept — I 19/3/98

ICV 16/3/98

Public Works (1897) Department.

CURRENT No. 5877

Order III

To S.E. III No. 9 NN.

Referred to the S.E. III in Irrg. for report whether any British works would be affected to such an extent as would warrant a refusal of consent in the terms of rule III in the rules published as an annexure to G.O. No. 162 I. A. 18 Feb 1892 – The proposal appears to fall under the head of a "new irrigation reservoir" under clause 4 of the first of these rules –

24/6/97

W.H. 25.6.97

From The Resident in Mysore.

No. 39

Dated 11th June 1897

Received 12th Do

Regd. 16.6.97

Enclosures 2 (1 Plan)

Spare copies

SUBJECT.

Bommasandra Nayakanahalli Tank. Submits a proposal for raising the weir level of the ——— in Goribidnur Taluk, Mysore State.

PWS.I 2537/98

O.S.

P. W. 29.

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No	Date.
I 9 Ar.	25 6 97
R 18 a N	6-11-97
Pw C 1315	7-2-98
R 3 a N	14-3-98

Mysore P. W. Department.
Central office, Bangalore 27th May 1897

No 359
2257

From,

The Secretary to the Govt: of Mysore
P. W. Department.

To,

The First Assistant Resident
in Mysore.

Sir,

I have the honor to request that you will be so good as to move the Resident to obtain the consent of the Government of Madras to the remodel of the Bommansandra Nayakaralu Tank, Registered No 188, in Gowribidnur Taluk, Kolar District, (which is within the prescribed area, vide enclosed tracing) being raised by 4 feet, which will increase the Capacity of the Tank from 30 to 82 units. If the Madras Government will not agree to this, will they agree to the weir being raised by at least 2 feet which will increase Capacity to 53 units? A large extent of irrigable lands depends on this tank than can be properly irrigated by its present Small Capacity.

I have &c

(Sd) J. J. Whiteley
for Secy: to the Govt:
of Mysore P.W.D

"Copy"

CHIEF ENGINEER
FOR IRRIGATION.
8 - NOV. 1897
No. 1820
4

6043/1337/58

Camp No. 39 Encs: 2.

FROM

LIEUTENANT-COLONEL D. ROBERTSON,
RESIDENT IN MYSORE.

12 JUN 1897

TO

The Chief Secretary to the
Government of Madras.

Dated ~~Bangalore~~ Ooty, the 11th June 1897.

SIR,

I have the honour to forward, for the Consideration of the Madras Government, a copy of a letter No. 359/2257, dated the 27th ultimo from the Secretary to the Government of Mysore, together with its enclosure, Submitting a proposal for raising the weir level of the Bommasandra Nayakaralu tank in Goribidnur taluk, Mysore State.

I have the honour to be,
Sir,
Your most obedient Servant

David Robertson.
Resident in Mysore

BACK PAPE

III

No 9 A.N.

30 JUN. 97
III. Circle

Referred to the Superintending Engineer, 3rd Circle, in original for report, whether any British works would be affected to such an extent as would warrant a refusal of consent in the terms of rule III in the rules published as an annexure to G.O. No 162 I/A dated 18th Feby 1892. The proposal appears to fall under the head of a "new irrigation reservoir" under clause 4 of the first of these rules.

Ootacamund
25th June/97

W. Hughes
Chief Engineer for Irrigation

CHIEF ENGINEER
FOR IRRIGATION.
8 - NOV. 1897
No. 18 A.N.

To

The Superintending Engineer
3rd Circle

Forwarded to S.E.O. No 5853 B / 11/7/97 for report
Awaiting report from overseer.
This can be investigated by overseer who has no famine duty.
15/7/97

No 2088 / 8-7-97

Forwarded to the Officer in charge of Bellary Dn. for report after investigation. Position of tank has been shown on tracing [illegible]

Public Works (1897) Department.

CURRENT No. 9463

From The Resident in Mysore.

No. 3728

Dated 8th September 1897

Received 11th Do

Regd: 23-9-97

Enclosures

Spare copies

SUBJECT.

Bommasandra Nayakaralu tank. Invites a reference to his letter Camp No 36 d 11-6-97 re: a proposal to raise the weir level of the —— and requests that he may be favoured with the views of the Madras Govt: on the matter.

To D.E.I.

23/9/97

Order No III/14 A.N. d 30.9.97

The undersigned has the honour to request that the Supg: Engr III Circle will be so good as to expedite the submission of the report called for in this Office Endorsement No III/9 A.N. d 11 June 97, relating to the proposal to raise the weir level of the Bommasandra Nayakaralu tank, a reminder having been received from the Resident in Mysore on the subject.

28/9/97

W.H. 30-9-97

O.S. 101

P. W. 29.
1,000—27-4-97.

BACK PAPERS.

BACK PAPERS.

No.	Date.
I 9 A N	25-6-97

FURTHER PAPERS.

No.	Date.
I 14 A N	30-9-97
R 18 A N	6-11-97
PWC 11668	7-11-97
PWC 1313	7-2-98
R 3 A N	14-3-98

PWC 9463

No. 3728 E

PWD

FROM

LIEUTENANT-COLONEL D. ROBERTSON,
RESIDENT IN MYSORE.

CHIEF SECRETARY
10 SEP 1897
GOVERNMENT OF MADRAS

To the Chief Secretary to the
Government of Madras.

Dated Bangalore, 8 September 1897.

SIR,

I have the honour to invite a reference to this Office letter Camp No 39 dated the 11th June last submitting for consideration a proposal received from the Mysore Durbar for raising the weir level of the Bommasandra Nayakaralu tank in the Goribidnur taluk, Mysore State, and to ask that I may be favoured with the views of the Government of Madras in the matter.

H.C.
[illegible]
disposal in
the Shirts —
perhaps an
enquiry be
made in the Office
[illegible]

I have the honour to be,
Sir,
Your most obedient servant.

K. D. Erskine Captain,
for Resident.

Extract from Topo sheet No. 40
Shewing the position of Bommasandra Nayakarallakere

Registered No. 188

Goribidnur Taluk



CHIEF ENGINEER
FOR IRRIGATION.
8-NOV 1897
No. 18 ar

3

Owl2
2537/58

BACK PAPERS:

Acc 6
2537/55

Public Works (1898) Department.

CURRENT No. 18 AN

Order

From The Suptg Engineer
3 Circle
Bellary

No. 4500 I

Dated 6 November 1897
Received 8th — do —
Registered
Enclosures
Spare copies

SUBJECT.

Bommasamudra Nayakaralu Tank. Forwards Bellary Ex Engineer's opinion reg the raising of the weir level.

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.

Letter from H. E. Clerk Esqr. Executive Engineer Bellary Division No. 8940 B dated 27th October 1897 to the Supty: Engineer, III Circle, Bellary.

With reference to your No. 2088 dated 8-7-97 forewarding the Mysore Residents letter Camp No. 39 dated 11-6-97 regarding the raising of the weir level of the Bommasamudram Nayakarlu Tank, I have the honour to enclose the accompanying tracing and to report as follows.

2. The tank above referred to is situated in the Srikantapuram Tank group, which has a combined catchment area of 53.25 Sqr. miles. The three tanks in the group, which lie within British territory, are as follows:-

	ayacut
Srikantapuram - - - - -	314
Rotapi - - - - - - - - -	592
Palimathi - - - - - - - -	532
	1438

3. The rainfall over this area is light and the irrigating power per square mile of catchment is not likely to exceed 30 acres per sqr. mile of catchment. The total irrigating power of the group is therefore only 1600 acres.

4. There are 24 Tanks, belonging to Mysore, lying in the group, and of these the two tanks of Kodgyer and the tank of Dadyarikenpolliem are said to irrigate more than 500 acres. It is

probable

EXTRACT FROM GROUP MAP

Sheet No. 40

Scale = 1 INCH - 1 MILE

Tanks in British Territory -------- ▨

Tanks in Mysore Province -------- ☐

	Free Catch.t Basin	Total Catch.t Basin
SREEKUNTAPURAM TANK	5·25 Sq miles	53·25 Sq miles
POOLYMEETY DO	3·25 DO	48·00 DO
KOTAPY DO	8·31 DO	44·75 DO



SUB ~~DIVISIONAL~~ OFFICER

Exec Engr

probable that the other tanks have an ayacut of over 1500 acres. It is evident therefore that the area under cultivation in the catchment is already in excess of what may be expected to be irrigated in ordinary years, and this is borne out by the fact that the three British tanks above alluded to never get a good supply in years of ordinary rainfall. I therefore strongly advise that no increase of storage should be allowed to any tank within this group.

5. It may be argued that the catchment of the Bommasamudram tank is but small and forms an insignificant portion of the whole area but this argument should not be accepted as it might equally well be applied to each tank in turn with the result that the terminal tanks would get nothing but the run off from their free catchment.

Enclo 4

No. 4500 I dated 6 November 1897

Copy submitted to the Chief Engineer for Irrigation with reference to his endorsement No. $\frac{III}{9\ A.N}$ dated 25 June 1897.

2. Under the circumstances explained by the Divisional Officer it would not be advisable to comply with the request of the Mysore Government.

Supdg. Engineer, III Circle.

CHIEF ENGINEER
FOR IRRIGATION.
8 NOV. 1897
No. 18 a.r.

Recd 2537/SD

No 1668

Public Works (1897) Department.

IRRIGATION BRANCH.

ISSUE No. 111/16 a.I.

To

The Supg Engineer
3rd Circle

(Reply to letter No.   , dated   ).

Dated 17. 11. 97
Despatched 18. 11. 97
Enclosures *

* Particulars of Enclosures.

SUBJECT.

Bommasamudra Nayakaralu Tank – S.E. requested to furnish the information on the points noted therein in connection with the three British works reported to be affected by the proposal of the Mysore Durbar to raise weir level of –

Indexed

E. I. Form No. 13—2,000—23-2-97.

BACK PAPERS.

No.	Date.
R 18 a.N.	6-11-97

Sent to Government with No. I.,

dated 1897.

Printed with G.O., No. I.,

dated 189 .

REMINDERS ISSUED.

No. 1, dated 189 .

„ 2 „

„ 3 „

„ 4 „

„ 5 „

KEEP-WITHS

FURTHER PAPERS.

No.	Date.
P.W.C. 11668	27-11-97
P.W.C. 1315	27-2-98
R 3 a.N.	14-3-98

Urgent

Memo $\frac{\text{III}}{16\text{ a.I.}}$

In acknowledging the receipt of endorsement, No. 4500, of 6th inst., of the Supg. Engr. III Circle, the undersigned has the honour to request with reference to the concluding portion of rule III of the annexure to G.O. No. 162 I, of 18 Feb/92, that he will be so good as to report, at an early date, the apparent assessment average revenue & cultivation & approximate capacities of the three British works reported to be affected by the proposal of the Mysore Durbar. Supervisor Mr. Lazarus is

is working with a T.R.S.
arty in the neighbourhood
& may have collected
some if not all of the
information required.

16/4/97

To
The S.E.
III

LCG
16/10/97

OCE.3
2537/58

Public Works
~~Political~~ (1897) Department.

CURRENT No. ~~1893~~ 11668

From

The Resident in Mysore.

~~Order~~ Endt No. 2462 d/20-11-97

No. 4791

Transferred to the
Public Works Department.
Mr Couchman.

Cmd
16/11/97
ag assistant Secretary.

Dated

Received ~~13~~ 11 } ~~11-97~~

Registered ~~13~~ } 23.11.97

Enclosures 1 -

Spare copies -

III
No 17 Ar d/24/11/97

Copy forwarded to the Supg: Engr III Circle with a request that he will be so good as to expedite the submission of the information called for in this office Memo, No III/16 A.t. of 17th Novr 97.

25/11/97.

LCG
24/11/97

OCE.10
2537/58

SUBJECT.

Enquiring when a reply may be expected to his letter re the proposal to raise the weir level of the Bommasandra Nayakarale tank in the Giribidnur taluk, Mysore.

x SCB File in & send with papers.
LCG
24/11/97

Attended to
MK 24/11/97

BACK PAPERS.

G.O.	No.	Department.	Date.
I16	an	8 17-11	97

FURTHER PAPERS.

~~G.O.~~	No.	D~~epartment.~~	Date.
I	17	An	24-11-97
PWC	1315	8 7-2-	98
R	3 an	8 14-3-	98

No. 4791

URRENT NO 1373

From

Lieutenant-Colonel D. ROBERTSON,
RESIDENT in MYSORE.

To

The Chief Secretary to the Government of
Madras.

Dated Bangalore, 11th November 1897.

Sir,

No 3728 dated 8th September. 1897.
Not recd in Gdl

With reference to this Office letter camp No 39 dated the 11th June last, and the marginally noted reminder on the Mysore Durbar's proposal to raise the weir level of the Bommasandra Nayakaralu tank in the Goribidnur taluk, Mysore State, I have the honour to enquire when a reply may be expected in the matter.

I have the honour to be,
Sir,
Your most obedient servant.

K. D. Erskine

for Resident.

H

OWS. 11
~~11668/97~~
2537/98

[F./28]
1,000—11-6-97.

Public Works
~~Political~~

~~Financial~~ (1898) Department.

1315
CURRENT No. ~~243 Pol.~~

E

From The Resident in Mysore

~~Order~~ Endt. No. 374, d/ 10-2-1898.

Transferred to the Public Works Department in continuation of endorsement No. 2462, Political, dated 20th November 1897

A. L. Hannay,
10/2/98
Ag Under Secretary.

Cnd
10/2/98

No. 560

Dated	7th	7 Feb 1898
Received	~~8th~~ 12	
Registered	~~8th~~ 12	
Enclosures	1	
Spare copies		

SUBJECT.

Enquiring whether the Madras Govt. is now in a position to reply to his letter No. 4791 d/ 11 Nov. 1897 re the proposal of the Mysore Durbar to raise the weir level of a tank in the Goribidnur Taluk, Mysore State.

Clm. 11668/97. sub to J office.

Papers
ICB
11/2/98

OWS. 12
2537/98

317 a 11/99

15-2-98

BACK PAPERS.

G.O.	No.	Department.	Date.
I	17 av		24-11-97
	3 cin.		18-2-97
I	16 av		17-11-97
R	18 av		18-11-97
R	3 av		24-3-98

FURTHER PAPERS.

G.O.	No.	Department.	Date.

E

CURRENT No. 243 Pol

No 560

From,

Lt. Col: Donald Robertson. I. S. C.

Resident in Mysore.

[illegible] FEB 1898

To,

The Chief Secretary to the

Government of Madras.

Dated the 7th February 1898.

Sir,

Cul. 1373/97 | Transferred to the Pub. Dept. 2462 of 20-11-97

In Continuation of this office letter No. 4791, dated the 11th November last, I have the honour to enquire whether the Madras Government is in a position now to to reply to this office letter Camp No. 39 of the 11th June last, on the proposal of the Mysore Durbar to raise the weir level of the Bommasandra Nayakarlu tank in the Goribidnur taluk, Mysore State.

I have the honour to be,

Sir,

Your Most obedient Servant.

Donald Robertson

Resident.

Gw.E. 13
~~1245~~/98
2537

Public Works (189~~7~~8) Department.

IRRIGATION BRANCH.

III

ISSUE No. 3 A.N.

To

The Supg. Engineer
3rd Circle

(Re~~ply~~fe to ~~letter~~ [illegible] No. 17 A.N., dated 24th Novr 97

Dated 18. 2. 98

Despatched 22. 2. 98

Enclosures *

* Particulars of Enclosures.

SUBJECT

Bommasamudra Nayakanahalli Tank — S.E. requested to furnish without further delay the information called for in this Office No. 17 A.N. d/ 24th Nov 1897. regarding —

Indexed

E. I. Form No. 13—2,000—1-11-97.

BACK PAPERS.

No.	Date.
Rvc. 1315	12-2-98

Sent to Government with No. I., dated 1897.

Printed with G.O., No. I., dated 189 .

REMINDERS ISSUED.

No. 1, dated 189 .
„ 2 „
„ 3 „
„ 4 „
„ 5 „

KEEP-WITHS.

FURTHER PAPERS.

No.	Date.
R3 A N	14-3-98

Fair copy issued & returned by D.E.O.
on 22-2-98

Urgent

No 3 $\frac{III}{A.N.}$ d/ 18-2-98

Memo

In continuation of this Office Endorsement, No. 17 $\frac{III}{A.N.}$, d/ 24th Nov. /97, the undersigned has the honour to request that the Supg: Engineer, III Circle, will be so good as to furnish without further delay the information therein called for as the Resident in Mysore has sent another reminder asking for a reply to his reference on the subject.

18/2

To
The Supg Eng III Circle

15/2/98

Public Works (1898) Department.

CURRENT No. 3 A.N.

rder

From the Superintg Engineer 3 Circle Bellary

No. 6424 I

Dated 14 — 3 — 98

Received 15 — Do —

Registered

Enclosures

Spare copies

SUBJECT.

D.E.I.

15/3

Bommasamudram Nayakuloo tank —

states that the information regarding — will be sent as soon as received from the Collector of Anantapu

Recd 15/3/98

15/3

P/15-3-98

BACK PAPERS.

No.	Date.
I3 and	d/18.2.98
I17 av	24-11-97
I16 av	17-11-97
R18 av	6-11-97

FURTHER PAPERS.

No.	Date.

Copy of letter No 144 dated 3-3-98 from Bannatyne Macleod, Esqre M.A. Barrister at law, Collector of Anantapur, to the Executive Engineer, Bellary.

With reference to your telegram of the 1st Instant, requesting a reply to your Office No 633/21-1-98 regarding the raising of the Bomma Sundra Naiyakaralu tank water level, in Mysore, I have the honor to state that your letter and its enclosures were referred to the Head Assistant Collector Penukonda to ascertain if the particulars of Ayacut gathered by you are accurate and also to furnish some information to enable me to determine whether or not the tanks in the British

territory

territory will be affected by the concession to be given to Mysore Government.

The Head Assistant Collector who is Collecting the required statistics reports that they relate to some Shrotriam villages where from, it is very difficult to get accurate figures, however as soon as the information is received a reply will be sent to you

No 2120 of 8-3-98

Copy forwarded to Suptg. Engineer 3rd Circle for information with reference to his No 6256 dated 28th Ultimo.

2. The Collector is being requested to expedite his reply

Sd/. H. E. Clerk
Executive Engineer
Bellary Division

No 6424 I of 14, March 1898.

Copy submitted to Chief Engineer for Irrigation for information with reference to his memo No III/3 A.H dated 18-2-98.

Superintending Engineer
III Circle
i/c

CHIEF ENGINEER
FOR IRRIGATION.
15 MAR 1898
No. 3 an.

OV815
2537/22