

Public Works (1898) Department.

G.O., No. 3030

DATED

25th Nov '98

Department of ^[Despatch Abstract.] accounts

Approving the recommendation of the
S.E. Circle to ~~allow~~ ^{hold} the value of certain ~~shells~~
& iron pipes bought by the M. Engineer, Genl. P. Works
against the reserve limit of Rs 2500 sanctioned in
No. 2838 of 2 October 1896.

B.

Indexed.


G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Stock Account:—
Requesting that for the
reason stated sanction may
be accorded to hold the value
of shultra, iron pipe &c
against the reserve limit
of \$ 2,500 sanctioned in G.
No. 2838 W.D. 2-10-26.

BACK PAPERS.

FURTHER PAPERS.

No.	Date.	No.	Date.
42042	26.9.98		
39850	12.9.98		
2612	16.3.97		
etc			



Letter from T. W. S. Smyth Esq.,
Executive Engineer, Periyar works,
Madura, to the Superintending
Engineer 6th Circle, Trichmopoly,
dated 27th August 1898 no 9888.

I have the honor to request
permission to place on stock
account, the pipes bought for
a culvert to supply some Inam
lands of Mettupatty, and also
the sluice shutters bought for
various pipes and small ma-
-sury sluices.

The stock account being
sanctioned for earthenware pipes
only, it seems that my action
in placing the above in that
account is irregular.

The shutters should have ^{been} fixed
ere this, but owing to press of work,

the

the subordinates have not yet
been able to attend to it yet
as before fitting any of the old
shutters (built on to drop
shutters, I have to see whether
they are sufficiently large, some
shutters may remain
time in stock. There is no neces-
sity to increase the
sanctioned for stock
but for the examining
I would not have
Government. as it
meant, that not only
ware pipes but any
of the minor sluices
kept in stock might be

No. 1210. L.D. dated 3rd September '98
Copy submitted to the Chief
Engineer, P.W.D. with a
request that
be used

to place the articles on the stock
account sanctioned in G.O. no.
2838 W dated 2nd October 1896.


J.V. Boddy Lieut. Col. R.R.

Supg Engineer, 6th Circle.

M.G.

Public Works (1898.) Department.

CURRENT No. 742



No. 3985 C. d/12 Sept: 98.

Order O. C.

To C

For favour of
remittance.

As W
10-9-98
OW

Cu

From
The Supg Engineer
B. Circle

No. 1210. L. D.

Dated 3rd September 1898.

Received 6-9-98

Enclosures

Spare copies

SUBJECT.

Stock Account. Submit
Copy of Engr's letter
requesting permission
to place on - the pipes
etc bonque for certain
works.

Over 1
29 Sept/98
5571

FURTHER PAPERS.

CURRENT No.

189 .

GOVT. }
OF MADRAS. }

1897.

{ P. W.
{ DEPT.

EXAMINER, P. W. ACCOUNTS.

Madras, 16 September

1897

OFFICE NOTE No. 3195^B/A

To W.

Your Office Note No. 3985 C dated
12th. September 1898.

Since the work or works for which the materials in question were procured appear to be known their value should apparently be charged off to the works direct. Vide Code II,II,123.

2. As a matter of fact the shutters referred to were originally charged off to works, but subsequently, i-e in May 1898, and for some reasons unexplained, were transferred to stock. If, on any special grounds, it is considered essential to bring them on to stock it seems a question for consideration as to whether they might not be held against the reserve limit of Rs 3,500 sanctioned in G.O.No.261 I dated 16th.March 1897, (against which reserve the balance of stock at debit on 31st. July 1898 amounts to Rs.1,064 only) instead of against the reserve of Rs. 2,500. sanctioned for collection of

earthen

earthen ware pipes in G.O. No. 2838 W
dated 2nd. October 1898.

3. Another alternative would be to
treat the value of the materials as a
permissible and temporary excess over
the reserve of 2500/- as a special
case.

69/16.9.98
c.
2/16/98

Public Works (1898) Department.



CURRENT No. ^{5.4} 7744
9571/58

No: 4204C. d/26 Sept. 98.

From The Examiner, P. W. Dept.,
Madras

Order Encl.

Referred to the
Supy. Engr. VI Circle for
favour of report as to why
the suggestion in para 1
of the Examiner's note cannot
be carried out.

2. If it cannot be
adopted for any reason,
it should be reported
which of the alternative
proposed in paras 2 & 3
would be the more
convenient.

A. S. Russell.

By. Chief Engr.

Ch

No. 3195 B/A

Dated 16 September 1898

Received
Registered } 17.5.98

Enclosures 2

Spare copies

SUBJECT.

Stock Account — Finishing
remarks in connection with
placing on — certain pipes
and shutters bought for a
culvert by the Engrs.
Perryar Works.

05/16/98
9571/58

With reference to Gms. Encls. No. 1332 Dns. dt 1. 10. 98, herewith returned, I have the honor to request that per-
-mission may be accorded to hold the value of sheeths & iron pipes &c for aqueduct against the reserve limit of Rs 2,500 sanctioned in G.O. No. 2838 W dt 2. 10. 98 alternative in para 3 of office note from Examiners, P. W. Accts being more convenient, as many of the same-
-timed estimates have not been worked out. Besides it is not at all de-
-sirable to mix up the stock accounts of the Special Periyar Division with those of the Upper Periyar.

2. The balance of Stock of earthenware pipes &c at end of September 1895 is \$ 2191 against the reserve limit of \$ 2,500 which is well within the limit and it is not likely that it will be exceeded in future by charging

The value of shutter & sea against the reserve, as the stock of pipes should greatly diminish in the future.

True copy

O.V. Noddy Lt Col. D.C.
Superintendent, 6th Circle
17-11-20

Dec 1/20

Dec 1/20

No. 1555 Ind.

OFFICE OF THE SUPERINTENDING ENGINEER,
6th CIRCLE,
Trichinopoly, 17 November 1898.

From
Lt Col. O.V. Noddy, D.C.
Superintending Engineer,
6th Circle.

To
The Chief Engineer,
P.W.D.

SIR,

L. ENCLOSURES.

1. F.W. Fwdk. No. 4204 C with 25.9-28
2. Memoirs
1. Copy of F.W. Fwdk. No. 127 S.E. with 27.10-28.

In returning your Endorsement No. 4204 C of 26 September 1898 with its enclosures, I have the honor to forward a copy of letter from the Special Executive Engineer, Periyar works, No. 127 S.E. dated 27 October 1898, and to request that, under the circumstances therein stated, sanction may be accorded to hold the value of the shutter and iron pipes & sea against the reserve limit of Rs 2,500 sanctioned in G.O. No. 2838 D dated 2 October 1896. The Executive Engineer further states that the shutter cannot be charged off direct to works because estimates for fixing them have not been submitted. The estimates are being

prepared.

I have the honor to be
Sir:

Yours most obed^t & devoted
servant

W. H. Dudley Esq. &c.
Superintendent, W. Circle

W. H. Dudley
17/1/50