

Public Works (1898) Department.

G.O., No. 3. 6

DATED 5th January 90

[Despatch Abstract.]

Registrar's Office at Tiruppuvanam

Supplemental Estimate of Rs. 250 for
erecting a Compound wall round the
in the Madurai & Saichonid.

Supplemental estimate of Rs. 250 for constructing a compound wall round the
— in the Madura district, sanctioned.

No. 3 W, 5.1.98

READ the following.

PUBLIC WORKS DEPARTMENT.

READ—the following papers:—

Adverting to chapter VII, paragraph 30, of the Government of India Code, rules regarding savings on estimates, I have the honour to forward, for sanction, an estimate amounting to Rs. 275 for constructing a mud wall with a gate round the compound of the Sub-Registrar's office at Tiruppuvanam in the Madura district.

2. From the enclosed copy of a letter from the Sub-Registrar at Tiruppuvanam, No. 252, dated 10th October 1896, with the endorsement of the District Registrar thereon, it would appear that under the circumstances stated a compound wall is absolutely necessary.

3. The Executive Engineer informs me that the cost of the work can be met from the savings effected by tendered rates and also from the amount within 5 per cent. allowable excesses over the sanctioned estimate of Rs. 4,270 sanctioned in G.O., No. 1711 W., dated 9th July 1894. The Executive Engineer states that the work has been put in hand in anticipation of sanction.

" " " " " "

From the Superintending Engineer, VI Circle, dated 29th May 1897, No. 786 M.D.
" " " " " " 17th November 1897, No. 1682 M.D.
" Judicial Department, dated 14th December 1897, No. 2754.

ORDER—No. 3 W., dated 5th January 1898.

The estimate amounting to Rs. 250 for constructing a compound wall round the Sub-Registrar's office at Tiruppuvanam in the Madura district, is sanctioned as supplemental to the estimate of Rs. 4,270 sanctioned in G.O., No. 1711 W., dated 9th July 1894.

2. This sanction has been registered as Provincial No. 74 W. of 1897-98 and classified as "Civil Buildings, Original Works."

(True Extract.)

Under Secretary to Government.

To the Superintending Engineer, VI Circle, with four enclosures.
 " Examiner, Public Works Accounts.
 " Judicial Department.

Exd. A. F. Eccleston.

From the Suptg Engrs, VI circle No 217 M.D of 13th February 1897
 From ————— Do — No 786 M.D of 29th May 1897
 ————— ————— ————— 1682 und of 17. 11-97
 ————— ————— ————— 2752 of 16.12.97

The estimate amounting

to Rs 250 for Constructing a Compound wall round the Sub Registrar's Office at Yiruppuvanam in the Madurai Dt., is sanctioned as Supplemental to the estimate of Rs 4,270 sanctioned in G.O. No 1711W dated 9th July 1894.

2 This sanction has been registered as Provincial No 74 W of 1897-98 and classified as "Civil Buildings, Original works".

CR
 CR MS.
 5697.
 MS. 12-97
 22.487

May

The S. E. VI circle with
 - Escar, P. W. Accto
 [P. W. 40.
 1,500-13-3-97.]
 " Judicial Dept.

Public Works (1897) Department.

CURRENT No. 12444

From the Secy. to Govt.
Judicial Dept.

No. 2754

Dated 14th December 1897

Received } 15. 12. 97
Registered }

Enclosures

Spare copies

SUBJECT.

Sub-Registrar's Office at
Sirupuanam.
Counter - initialling the
draft order relative to
the wire fencing of the -

BACK PAPERS

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Judicial DEPARTMENT.

OFFICE NOTE No. 2754

Dated 14 December 1897.

From
THE CHIEF SECRETARY, Judicial Department.
To
THE SECRETARY, to Government, ^{Public Works} DEPARTMENT.

Returned. The draft order flagged F
has now been counter-initialled.

At 8.12.97

Atkinson
Chief Secretary

note for 14.2. the Governor
The draft order
flagged F. is submitted
for his Lord's approval.
The case is explained
in the note flagged V.

At 12.12.97

At 12.12.97

1800?

Cms 11570

3W

W

~~W~~

+ C.

In S. 4. 1711 47H W 07
9.7.74, an estimate of
Rs 4270 was submitted
for the construction of
a sub Reservoir near
at Timppuravon, Madras
district.

Sum
RAH
17.12.97

In February 1947,
when the building was
approaching completion,
the Super Supt. VI and
forwarded a letter
from the Sub Reservoir
pointing out that from
the situation of the
building, a compound
wall was absolutely
necessary. The S. S.
at the same time
submitted an estimate
for Rs 275, for
a mud wall, with
gate, reporting that

S. S. letter No 217 and
9.4.2.97. Hence are
attached for your
reference D.

in absence of detail plan
and it is in order that it
be referred to the
Supt. Engineer

The cost could be
set from savings in
the estimate for the
Sole Registrar's office,
but that notwithstanding
it required Govt. sanction
under para 30, Ch. VIII,
Vol I P. Works: It
was further reported
that the work had
been put in hand
in anticipation of
sanction -

The estimate
was returned for revision
with memo No. 172
1668 C of 23.3.97, &
was resubmitted for
sanction in May 1897.
As revised, it amounted
to Rs. 250.

This revised
estimate was
proposed to sanction,
and a draft order
was sent to the Chief
of the

which provided for foundations
for the wall situated in the first
distance viz "Flag" D.

+ 7.

+ note placed by

attached to
note placed by

initials -

In Ch. Secy, without
counter-indicating the danger
inquired whether it would
be practicable to plant
some kind of live hedge
round the building, in
place of the mud wall.
It was remarked that
the soil of Tiruppuram
was particularly rotten
& so unsuited to the
construction of a mud
wall, even with coping.

In this office
with memo No. 1325 D
of 8.4.97, a reply was
given to the effect
that the use of live
hedges had been
depreciated in this
case; that a mud
wall would not be
durable, and that
it would be more
economical in the end
to have a wire fence
than the Chief

Secretary then requested
that an estimate for
a fence might be
obtained and forwarded,
and in No. 2690 of
27.9.97, the S.E. was
directed to submit
an estimate for a
wire fence.

The S.E. now
submits a letter from
the En. Secy. measure
division reporting
that the mud wall
has been almost raised
at a cost of Rs 40,
& that if this is to be
demolished, a
further expenditure
of Rs 15 will be
necessary. He states
that a wire fence
including a gate, will
cost about Rs 200,
& asks for orders as
to the removal of the
wall, & the submission

& paper about it

& attached to D.

for a detailed estimate
for a wire fence.

The S.E. is
submitting the En. Secy.
letter, points out that
he had reported in
his letter of February
1897, that the wall
had been put in
hand in anticipa-
tion of sanction. This
fact was apparently
overlooked, when
the question of a
wire fence was
discussed at
Oranmore.

In the estimate
of Rs 250 for the
mud wall & gate,
the cost of the wall
was set down at
Rs 40, & that
this part of the
work must be
completed. The
copying is enclosed

at Rs 129 & the rest
Rs 30 - other minor
items work of the
total of Rs 250 -

The S. Eng. does not
say if any expenditure
has been incurred in
the collection of material
for the coping & gate.
If so, this money also
must be taken into
account.

Orders are now
required as to whether
the mud wall is to be
demolished, &
an estimate for a wire
fence submitted, as
already ordered.

On
25.11.97

CMS
27/11/97

No I think the
mud wall had better
be completed as it
be fine if at
Sanctin should be named
to the denotation of
necessary hand
28/11/97

Public Works (1897) Department.

CURRENT No. 11510

No 5166 c dy 1-12-97

O.N
Order

To

The Chief Secretary

Forwarded for information, Dated 17-11-97

with reference to your office note
No 1924 dated 16-9-97

Received
Registered } 19-11-97

As to the construction of the Enclosures
mud wall has gone so far, it had Spare copies
better be completed and it is proposed
to issue the draft order flagged 7, which
is again sent for counter-sinced.

(Sd) W. B. de Winter

W

(File accompanies)

T
B

From The S. E. VI circle

No. 1682 M.D

SUBJECT.

Sub Registrar's office at
Viluppuram - Submitting
for orders copy of a letter from
the Ex Engr informing that the
mud compound wall for the
has been almost raised and
requesting to be informed whether
the substitution of wire fence is
still necessary.

9/12/97

No.	Date.
2690 W	27-9-97
1325D	8-9-97
1165c	23-3-97
3005C	30-6-97
530W	23-2-97
1513W	21-6-95
42c	9-1-95
2151W	31-8-94
1762W	13-7-94
1711W	9-7-94
2772W	31-10-93
1948W	27-7-93
2540W	12-9-92

Judicial
Public Works (1897) Department.

CURRENT No. ⁵⁷⁶⁸
~~4510~~

CURRENT No 5168

No 5166c d/ 1st December 1897

Order Prin uoi.

20 The Chief Secretary -

Forwarded for
information, with refer-
ence to your letter of 10/19/24
dated 16.9.97 -

As the construction
of the road wall has
gone so far, it had
better be completed,
and ^{it} is proposed to
issue the draft order
flooded 7, which is
again sent for
counter-initials.

at Treppurwanda
I have been submitting for orders copy-
ing. See to Govt. of letters from the Dr. Ingr
informing that much com-
-pound wall for the —
has been almost raised &
requesting to be informed whe-
-ther the substitution of wire
fence is still necessary—

(File accompanied)

From

The Insp^g Engineer, 171 Circle

No. 1682 Ind.

Dated 17 November 1897.

Received 19. 11. 97

Enclosures

Spare copies *cc*

SUBJECT.

Sub Registrar's office,
at Tiruppurwaimam —

Submitting for order Copy
of letter from the Genl. Ingr
informing that - must com-
-pound wall for the ———
has been almost raised &
requesting to be informed whe-
-ther the substitution of wire
fence is still necessary—

W.

Current No. 5383
Letter No. 786 M. D.
Dated 29th May, 1897.
From the Supp. Engg. 6th Circle.

Name of work..... *Constructing a Compound wall round the Sub Registrar's Office at Tiruppuvanam in Madurai District.*

Amount of Estimate Rs. 250.

With reference to the Chief
Surg^{on} Memorandum No 1668C
of 23rd March/97, the S. E. 6th Linc,
resubmits the above Estimate
for sanction after attending
to the instructions given therein.

The Estimate provides for
a Mud Compound wall $4\frac{1}{2}$ ft.
high, on a foundation of 1 ft. with
tiled coping as ordered.

It also provides (1) for white-
washing the Compound wall, (2) Brick
in Mortar gate pillars plastered
with 1 Coat of Chaux, (3) a Jugal
wood gate Shutter to-do - & (4)
Demarkating stones.

The Surface + Subsoil

P. W. 60
250-28-4-97.

fencing are considered necessary—
I shall submit a detailed esti-
-mate.

No. 1682 Ind. dated 17 November 1897
5/18.

Copy, submitted to the Chief Engineer, P. W. D., for orders with reference to G.O. No. 2690 W dated 27 September 1897.

2. The work was put in hand by the Executive Engineer in anticipation of sanction as reported in para 3 of this office letter No. 217 Ind. dated 13 February 1897.

J. F. Huddy Lt Col. R.E.
Superintendent, Weirick

~~17/11/19~~

(2)

is stated the alluvial.

The foundation allowed for gate pillars, is 3 ft in depth, of which the bottom 1 1/2 ft is of concrete and the top 1 1/2 ft and the superstructure is built of brick in Channam.

Rates fair - except Jungkwood gate for which annas 12 per sq ft is allowed (inclusive of cut stones

for hooks, the cost of which is separately taken), whereas on a rough calculation annas 8 is found the fair - Details should have been given for the 12 as - rate -

It will make a difference of only Rs 10 to the estimate: so no notice need be taken.

The plan & estimate have been countersigned by the Inspector General of Registration -

Estimate may be sanctioned.

HL
3/6/97.

CH-MS
5/6/97.

Public Works (1897) Department.

CURRENT No. 5383

Order

From

The Supg Engineer
6th circle

No. 786 M.O.

Dated 29th May 1897

Received 1-6-97

Enclosures 3-4 (+1 plan)

Spare copies

SUBJECT.

Sub Registrars Office
at Imppuramam.

Resubmits for sanction
the estimate amounting
to Rs 250 for construct-
ing a compound wall
round the -

025.191

E.W.

3/6/97
for sanction
CH-MS
4/6/97

BACK PAPERS.

FURTHER PAPERS.

No. 786 m. D.

OFFICE OF THE SUPERINTENDING ENGINEER,
6TH CIRCULE,

Trichinopoly, 29th May 1897.

From *Robert C. T. Moody R.E.*
 The Speringtending Engineer,
 6th Circle.

To
The Chief Engineer.

SIR,

P. wd.

3 ENCLOSURES.

1. Vakinnate
2. Shaw
3. Copy of commun-
ication between the
Pub. L. O. Registrar
400 6830 J/14-10-96.

Constructing
compounded
it round the
S. Registrar's office
" *Tempus perit*
estimate £. 250.

In reference to your Memorandum
No: 1668 C of 23 March 1897, I have the honor
to resubmit for sanction the marginally
noted estimate returned with the
above after attending to the instructions
given therein.

2. The estimate has been countersigned by the Inspector General of Registrations.

I have the honor to be
Sir,

Yours most obed^t Servant,

P. W. D. 6th CIRCLE.

FROM
THE SUPERINTENDING ENGINEER,
6th CIRCLE.

TO
THE CHIEF ENGINEER,

NO.

Dated. } 189 .
Received. }

Enclosure.

Current No. 1723
Letter No. 217
Dated 13.8.1897
From the Super Engineer VI Circle

NOTE BY TECHNICAL SECTION.

Name ork Sub Registrars Office at
Tiruppuram in the Madras District.
Amount of Estimate Rs 275.

N^o 1513 W of 21.6.95
42 c of 9.1.95
1711 W of 9.7.94

Under para 30, Chap VII, Vol I of
the P. W. Code, the S.E. VI Circle submits
for favor of sanction, an estimate, a-
mounting to Rs 275, for constructing
a mud compound wall with gate
around the compound of the Sub Re-
gistrars Office at Tiruppuram in
the Madras District.

A saving of Rs 200 has been reported
has accrued on the estimate of Rs
4270, sanctioned in G.O. No 1711 W
dated 9th July 1894 for constructing
the Sub Registrars Office, owing to
reduced tendered rates. It is
therefore proposed to construct out
of this saving, a mud walling
round the compound of the Sub Re-
gistrars Office for a length of 514 ft.
raised 4.6' high with coping of brick
in mortar 9" high & plastered with
mortar.

Provision has been made for a
junglewood gate 10 feet wide with

with masonry gate pillars, as per plan.

The nature of soil has not been reported on but when the estimate for constructing the Sub-Registrar's Office came up for sanction, it was then reported to the "alluvial".

As foundations have been provided for the mud walling & it is submitted that brick in mortar coping as now proposed, will not adhere to mud walling, a tiled coping will probably be safer & cheaper.

The estimate has not been countersigned by the S.G. of Registrar.

bbbc
23.3.97

10. I doubt whether the outlay would be advantageous. After a season's rains the mud wall would, probably, be unfit to be seen. The Registrar will not approve of it.

cross
7.3.97

I think a mud wall with tiled coping some distance, if they think they prefer that the plan

17/3/97

No 1668C of 23.3.97

Read Aug 1723

The plan & estimate are returned to the S.G. Circle, with the remark that no foundations have been provided for the wall.

2. It is considered that a tiled coping would be preferable to the brick in mortar coping proposed.

3. The plan & estimate should be revised accordingly, & resubmitted for sanction of the

T.H.
B.P.K.

Public Works (1897) Department.

CURRENT No. 1723

17th 94
9.7.94

Order

From The Supg Engineer
6th circle.

No. 217 in O

Dated 13th February 1907
Received 16-2-97
Enclosures 3-4th (Plan)
Spare copies

SUBJECT.

Sub-Registrar's Office at Janspur-anam - Forwarded for sanction and estimate amounting to Rs 275 for constructing a mud wall with a gate round the compound of the —

I for sanction
cross
4/3/97

BACK PAPERS.

FURTHER PAPERS.

OFFICE OF THE SUPERINTENDING ENGINEER.

6TH CIRCLE.

No. 2740

Trichinopoly, 13th February 189

From *Lt Col. O. V. Boddy* *P.E.*
The Sperintending Engineer,
6th Circle.

To
The Chief Engineer.

SIR,

P. W. D.

(3) ENCLOSURES.

1. Side place
1. Estimate
1. Copy of lett.
from the Subregion
No. 25-25/10-10-96
with the Dr. Reg.
from Sub. Museum

Adverting to Chapter VII,
Para 30, of the Govt. of India Code,
Rules regarding Savings on estimates,
I have the honor to forward for con-
-tion an estimate amounting to Rs.
275 for constructing a mud wall with
a gate round the compound of the
Sub Registrar's office at Tiruppuvannur
in the Madurai District.

me that the cost of the work can
be met from the savings effected by
tendered rates and also from the
amount within 5% allowable excess
over the sanctioned estimate of Rs
4,270 sanctioned in G.O. No: 1711 W
dated 9 July 1894. The Executive
Engineer states that the work has
been put in hand in anticipation
of sanction.

I have the honor to be
Sir,

Yours most obed^t Servant.

O. P. Bradley, Lt. Col. R.E.
Superintendent, Circle

13/12