



Proceedings of the Board of Revenue

(Revenue Settlement, Land Records and Agriculture),

Dated 6th August 1898.

No. 4763 Misc.

Read letter from the Chief Engineer for Irrigation, No: 237.M. dated
29th July 1898.

Resolution.

Communicated to the Collector of Godavari, who will be requested to submit the plans and estimates for the work referred to and to report whether the second notice required under Sec.7 of the Railway Protection Act (Madras Act IV. of 1886) has been served on the Inamdars. If no such notice has been served, he is requested to have it served now and to report the result in due course.

(True Extract.)

(Signed.) C. Benson.

Dy. Director .L.R. & Agri.

(True Copy.)

Notice to the Mokkasadars of Yerrempalem village in the Rajahmundry taluk.

Whereas Timmaraza tank of Yerrempalem village is reported to be in a condition which threatens the safety of the East Coast Railway and whereas because the tank has been dug in Government land by the Mokkasadars and they are allowed free irrigation from it for the registered ayakat, Government has no beneficial interest in it as the whole ayakat is inam and is therefore under no obligation to repair or strengthen it and whereas the Mokkasadars have declined to execute the repairs themselves although they were several times informed by notice that the tank is in a dangerous condition and call for urgent repairs to render it innocuous to the Railway, the Collector resolves to have the necessary repairs executed by the Public Works Department and to recover the cost of such repairs with legal costs from the Mokkasadars concerned by filing a suit against them if they fail to pay the same within 3 months from this date. In the alternative the Collector reserves to himself the option of rendering the tank innocuous to the Railway at the expiration of the said period without compliance with the terms of this notice by breaching the same on the ground that the tank is in the possession of Government as it stands on Government land and those whose interest it is that it should be retained, have declined after due notice to pay the cost of the repairs necessary to render the tank secure and not a source of danger to the East Coast Railway and the Public using the same.

(Sd.) V.A. Brodie,

Collector.

(True Copy.)

(Sd.) S. Venkata Rama Das

[Signature] for Collector

[Signature]
The Chief Engineer for Irrigation
August 1898, & a notice.

4763 d/6" Au

[Signature] - Collector

CHIEF ENGINEER
FOR IRRIGATION

24 AUG. 1898

349 m
2




Proceedings of the Board of Revenue

(Revenue Settlement, Land Records and Agriculture),

Dated 19th August 1898.

No. 5040 Misc.



Read the following letter from V.A. Brodie Esquire, Collector of Godavari, Ref. on G.B. No: 640/Rev. d/8th August 1898:-

Referring to para 4. of B.P. No: 3703 Misc. dated 18th June 1898, I have the honor to state that the Mokkasadars, who have to contribute towards the repairs of the tank in question having refused to accept service of the notice issued to them through the Tahsildar of Rajahmundry calling upon them to contribute their share of the expenditure for the repairs of the tank, I have sent them the enclosed notice by registered post.

Resolution.

Communicated to the Chief Engineer for information.

2. The Collector is requested to ex-
to B.P. No: 4763 dated 6th August 1898.

(True Copy and Extract.)

To,

By Director.

The Chief Engineer for Irrigation

4763 d/6th Au

Godavari - Collector Godavari

Public Works (1898) Department.

CURRENT No. 437 M

From The Board of Revenue
Rev. Settlement, Land
Records & Agriculture

Order

No. 6012 Mis

Dated 8 October 1898

Received 13 - do -

Registered 14 - do -

Enclosures 16

Spare copies

SUBJECT.

Task affecting the East
Coast Railway line in the
Godavari
Forwarding to the Chief Engineer
for Irrigation letter from the
Collector of Godavari Sub-
Division plans & Estimates
for the repair of a -

FURTHER PAPERS.

(Sett. 10--2,000-15-3-98.)

1898.


Board of Revenue

(Revenue Settlement, Land Records and Agriculture),

MADRAS.

70

The Chief Engineer for Irrigation
has no objection.



No. of Enclosures.

Proceedings, dated 8-10-1898.
No. 6012 Dis:

Tank

Subject.

I forwarding to the Chief Engineer for Irrigation
letter from the Collector of Godavari
submitting plans & Estimates for the repair
of a — affecting the Railway line.

Defn Pet. No. 1811 ^{of 1896} 85-4-97

Notice.

The Mokhasadars of Gerram-
palem were already made aware
that Timmarazu Tank of Gerram-
palem is in a condition which
threatens the safety of the East
Coast Railway and a state-
ment of reasons why the
repairs to the said tank ought
to be carried out by them
was furnished to them with
this office Def. ¹⁸¹¹ dated 31-7-96.
As the Inamdars did not
appear in pursuance of
the notice served on them
on 21-9-96, no resolution
could be come to on the point.
The undersigned therefore
gives notice that unless the
repairs as per the estimates
and plan already furnished
to the Inamdars and certified
by the Locomotive Engineer to
be necessary, are carried out
by them, the beneficiaries before
the 1st July next, or the amount
is deposited, before 1st May

1897

1897 with the Collector to enable him to execute the repairs before 1st July, steps will be taken by the Government in the Revenue Department as owners of the said tank to render the tank innocuous to the Railway by breaching it on 1st July without fail.

(Sd) A. C. Woodhouse

Dy Collector

(True Copy)


(Sd) P. Purniah

For Collector

(True Copy)

A. V. Srinivasan

Secretary



Proceedings of the Board of Revenue
(Revenue Settlement, Land Records and Agriculture),

Dated 8th October 1898.

No. 6012 Misc.

READ.....

The following letter from P. A. Parthasarathy Esq. Collector of Godavari Ref. No. G.B. No. 640 dated 30th September 1898.

* Communicating to the Collector of Godavari Chief Engineer's letter No. 237 regarding repairs of private tank affecting East Coast Railway Godavari District.

According to Board's Proceedings No. 4763 dated 6th August 1898. I have the honour to submit herewith the plans and Estimates for the repair of the Sanniraj tank of Zoroapalem in the Rajahmundry Taluk and to state that the 2nd notice required

under

that no further claim is payable

under Section 7 of the Madras Railway
Protection Act (IV of 1886) have
been served on the mandars
concerned. A copy of the notice
is enclosed.

Resolution

It is ordered to the
Chief Engineer for Irrigation
with reference to his letter no 237
dated 29th July 1898.

(True copy and extract)

A. G. Srinivasan
Secretary

To The Chief Engineer for Irrigation
with plans & Estimates
Copy to the Collector of
Godavari.

Returned to SE
with No. 164
18.2.99-

Should be allowed to Report to the
[something] observing that the claims made for [something] cannot be admitted
after having compensation
that no further claim is possible.