Public Works (189) Department.

G.O., No. 497 I

DATED 28 June 98

[Despatch Abstract.]

Contribution Works

According sanction to the execution of certain — in the North Arcot Dn:

9 10/6 98

Indexed. 9/8/6

[P. W. 36. / 1,000—12-2-98.]

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

IRRIGATION.

Government {1898} of Madras.

PUBLIC WORKS.

Recd. } 1898. *Enclosures*
Regd. } *Spare copies*

G.O., No. 497 I., 28th June 1898.

JUNE.

Contribution Works

According sanction to the execution of certain — in the North Arcot division.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.

READ—the following papers :—

From S. D. PEARS, Esq., Executive Engineer, North Arcot Division, to the Superintending Engineer, IV Circle, dated 13th May 1898, No. 286 S.E.

With reference to your remarks in the return of sanctioned estimates for the month of March last, I have the honour to forward, herewith, the two estimates noted in the margin for the sanction of Government.

2. The amounts which the respective ryots have promised to contribute have been noted in the estimates and the Collector has been asked to collect the contribution.

(1) Constructing an earthenware pipe sluice in Pantandalam tank No. 36, amounting to Rs. 150.

(2) Excavating a channel just above drop No. 1 in Govindavadi channel, amounting to Rs. 130.

ENCLOSURES.

REPORT to accompany the estimate for constructing an earthenware high level pipe sluice at the right end of Pantandalam big tank.

	RS.
Amount of estimate	150

This Pantandalam big tank is one of the system tanks in fair order with one regulator at its left end supplying small tank of the same village and another regulator at its right end with four vents. The surplus over this regulator runs into Natari tank through a surplus channel with three drops across it. The surplus channel seems to have been restored only lately. It appears that there was a masonry calingula across this surplus channel and a sluice in its left bank irrigating about 15 acres, but during the improvements to the surplus channel the said calingula and sluice were done away with, no doubt, for some reason, and so it is useless to go back to the old arrangement. It is therefore proposed to build an earthenware high level pipe sluice about 70 feet north of the regulator and thereby supply water to the lands lying on the left side of the surplus channel to irrigate the old 15 acres and an increased area of 18 acres as per village karnam's statement.

(Signed) S. AINLEY,
Sub-Engineer.

1st February 1898.

REPORT to accompany the estimate for providing an aqueduct and cutting a channel to feed lands below the Ramapuram spring channel, Wallajah taluk.

	RS.
Estimate	130

This estimate provides for cutting a small irrigation channel from the second sluice on the right bank of the Govindavadi channel to supply 18 acres of land, and constructing a small pipe aqueduct across the Ramapuram spring channel for conveying the water.

(Signed) S. AINLEY,
Sub-Divisional Officer, Ranipet.

24th April 1897.

No. 99/I.

Copy submitted to the Chief Engineer for Irrigation, for favour of obtaining sanction of Government to carry out these contribution works by this department.

OOTACAMUND,
17th May 1898.

(Signed) A. H. GARRETT,
Suptg. Engineer, IV Circle.

To the Superintending Engineer, IV Circle, dated 23rd May 1898, No. 24 N. A.
From „ „ IV „ „ 12th June „ No. 120/I.

No. 179 I.

Note by the Chief Engineer for Irrigation.

The Superintending Engineer, IV Circle, applies for the sanction of Government to the execution of the following contribution works :—

	Amount of estimate.
North Arcot Division.	RS.
(1) Constructing an earthenware pipe sluice in Pantandalam tank No. 36	150
(2) Excavating a channel just above drop No. 1 in Govindavadi channel	130

It would appear that the ryots concerned have promised to contribute half and one-third, respectively, of the cost of the works, including the usual percentage charges for establishment and tools and plant, and that the Collector has been requested to realize the contributions. The sanction applied for may be accorded.

(Signed) W. HUGHES,
Chief Engineer for Irrigation.

20th June 1898.

ORDER—No. 497 I., dated 28th June 1898.

Sanctioned.

(True Extract.)

Under Secretary to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation.
„ Superintending Engineer, IV Circle, with eight enclosures.
„ Examiner, Public Works Accounts.

Exd. T. K. Narayana Aiyangar.

Public Works (1898) Department.

CURRENT No. 5378

From the Chief Engr for Irrgn

Order

4971

No. 1798

Dated 20 - 6 - 98

Received } 27 · 6 · 98
Registered }

Enclosures ~~8~~ 13 (4 plans)

Spare copies

SUBJECT.

Contribution Works – North Arcot Division – Note recommending the execution of certain – by the P.W. Dept

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.

A/o

HE.

PUBLIC WORKS DEPARTMENT,
IRRIGATION BRANCH.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Estimate for Execution of Contribution works in North Arcot Dt

UNDER date the

READ the following

~~From~~ Supg Eng, IV Circle, No. 99/I, d/ 17. May 98
To do. - 24 Na, d/ 23 do.
From do. - 120/I, d/ 12 June 98
No 179 d/ 20-6-98

Note by the Chief Eng. for Irrigation

Flag T.

Issue

22.6.98 WH

The Supg Eng, IV Circle, applies for the sanction of Govt to the execution of the following contribution works:—

North Arcot Dt—

	Amount of Estimate Rs.
1. Constructing an Earthen ware pipe sluice in Pantandalam tank No 36 ..	150
2. Excavating a channel just above drop No 1 in Govinda-vadi channel.	130

It would appear that the ryots concerned have promised to

contribute $\frac{1}{2}$ & $\frac{1}{3}$ respectively
of the cost of the works
including the usual
percentage charges
for establishment
& tools & plant & that
the Collector has been
requested to realise
the contributions. The
sanction applied
for may be accorded.

Order thereon

No. 4972 D/ 28.6.98

Sanctioned.

A.H.
21.6.98

18/6
98

20.6.98

To the Chief Engr for I.
Supg Engr IV Circle with 8 enclosures
Ex T.W.

D 1/7/98

E. I. Form No. 1—500—1-11-97

17/6/98

Public Works (1898) Department.

CURRENT No. 26 N.A.

From The Supg Engineer 4th Circle

Order

No. 120/D

Dated 12th June 1898

Received 15 Do

Registered

Enclosures ✓

Spare copies ✓

SUBJECT.

Contribution works
North Arcot Division
Reporting that the ryots
Concerned agree to pay the cost
& the Collector has been reques
to collect the percentage charg

Papers

15/6/98

Wk 15/6/98

BACK PAPERS.

No.	Date.
I 24 N a	d/ 23-5-98
R 22 Na	17 5 98

FURTHER PAPERS.

No.	Date.

No. 120/I

Supg: Engineer's Office 4th Circle
Coimbatore 12th June 1898.

From

A. H. Garrett Esq
Superintending Engineer
4th Circle

To,

The Chief Engineer
for Irrigation.

Sir,

With reference to your Memorandum No. $\frac{II}{24}$ N.a of 23rd May 1898, I have the honor to state that the ryots concerned agreed to pay $\frac{1}{3}$ and $\frac{1}{2}$ of the cost of the works and the Collector has accordingly been requested to collect it with the usual percentage charges for establishment and Tools and Plant.

I have the honor to be
Sir
Your most Obedt. Servant.
A H Garrett.
Superintending Engineer
4th Circle.

R 11/6/98

Indexed.

CHIEF ENGINEER
FOR IRRIGATION
15 JUN 1898

Ow.1 / 53D

Public Works (1898) Department.

CURRENT No. 22 N.a.

IV

Memo ~~Order~~ No 24 N.a. d/23.5.98

With reference to endorsement, No. 99, d/17 inst. of the Supg Eng. IV Circle, the undersigned has the honor to enquire whether the contributions of 1/3 & 1/2 of the cost of the respective works promised to be paid by the ryots concerned include the provision for the usual percentage charges for establishment & tools & plant.

JH

JH 23/5/98

23.5.98

To
The S.E. IV

Ow.2 / 53D 25/5/98

From The Supg. Engineer, 4th Circle

No. 99/9

Dated 17th May 1898

Received 20 — Do

Registered

Enclosures 8 (4 plans)

Spare copies ✓

SUBJECT.

Contribution works.

Submits 2 estimates of Rs 280 for sanction of Govt. for carrying out certain — by the P.W.D.

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.
224 RA	23-5-98
R26 RA	12-6-98

Report to accompany the Estimate for providing an Aqueduct & cutting a Chl to feed lands below the Ramapuram Spring Chl - Villa job Salary.

Estimate Rs ~~110~~ 130

This Estimate provides for cutting a small irrigation Channel from the 2nd Sluice on the Right bank of the Govindanadi Chl to supply 18 acres of land, and constructing a small pipe ~~Sluice~~ Aqueduct across the Ramapuram Chl for conveying the water.

Sub Divl Officer

24.4.97

19/10/11

...timate for

High Level

Puthumadalam

one of the

two one Regulator

tank of the

tor at its

plus over

tank

the 3 drops

seems to have

ppears that

across

in its

res: but

surplus

Sluice

t for some

back to

fore pro-

High-

Ramble about 70 feet north of

Regulator and thereby supply water to the lands lying on the left side of the surplus channel to irrigate the old 15 acres and an increased area of 18 acres as per Village Kurnums statement ~~herewith~~

Sub Engr

1. 2. 98

Indexed.

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.
I 24 Na	23-5 98
R26 Ra	12-6-98

1

Report to accompany the Estimate for providing an Aqueduct & cutting a Chl. to feed lands below the Ramapuram Spring Chl. – Wallajah Taluq.

Estimate Rs ~~110~~ 130 ✓

This Estimate provides for cutting a small irrigation Channel from the 2nd Sluice on the Right bank of the Govindanadi Chl. to supply 18 acres of land, and constructing a small pipe ~~Sluice~~ Aqueduct across the Ramapuram Chl. for conveying the water.

Sub Divl Officer
24.4.97 Ranipet

Er
19/10/51

...timate for
... High Level
... Punthumdalam –

... one of the
...the one Regulator
...l tank of the
...lator at its
...surplus over
...ri Tank
...with 3 drops
..., Seems to have
...l appears that
...lah across
...sluice in its
...5 acres: but
...the surplus
...and sluice
...ubt for some
... go back to
...therefore pro-
...pare High-
...feet North of
...pply water
to the lands lying on the left side of the surplus Channel to irrigate the old 15 acres and an increased area of 18 acres as pr. Village Kurnams statement ~~herewith~~

Asst Engr
1. 2. 98

BACK P

No.

EX. ENGR. NORTH ARCOT DIVISION
Recd No.
29 APR. 97
P.

EX. ENGR. NORTH ARCOT DIVISION
25 JUN. 97

ENGINEER'S FOURTH CIRCLE.
16 MAY. 98

"Enclo: No 6 to Endt No 99"

CHIEF ENGINEER FOR IRRIGATION.
20 MAY. 1898
N 22 Na

5325/98

Report to accompany the Estimate for Constructing an Earthenware High Level pipe Sluice at the right end of Punthandalam Big Tank.

Amount of Estimate Rs 150.

This Punthandalam Big Tank is one of the system tanks in fair order with one regulator at its left end supplying small tank of the same Village and another regulator at its right end with 4, vents. The surplus over this regulator runs into Natari Tank through a surplus channel with 3 drops across it. The surplus channel seems to have been restored only lately. It appears that there was a masonry Calingulah across this surplus channel and a sluice in its left bank irrigating about 15, acres: but during the improvements to the surplus channel, the said Calingulah and Sluice were done away with, no doubt for some reason and so it is useless to go back to the old arrangement. It is therefore proposed to build an Earthenware High-Level pipe Sluice about 70 feet North of the Regulator and thereby supply water to the lands lying on the left side of the surplus channel to irrigate the old 15 acres and an increased area of 18 acres as per Village Kurnams statement ~~herewith~~.

Sub Engr
1. 2. 98

ENGINEER'S OFFICE P.W.D.
16 MAY. 98
FOURTH CIRCLE

Enclo: No 2 to [illegible] No 99/I

CHIEF ENG
FOR IRR
20 MAY. 1898
22 NA

OWS.4 / 5379/98

Letter from S. D. Pears Esq. Executive Engineer, North Arcot Division to the Superintending Engineer, IV Circle, No. 286 S.E. d/ 13th May 1898.

1. ~~Constructing~~ Constructing an Earthen wave pipe sluice in Pantandalam Tank No. 36 ~~amounting~~ amounting to Rs. - 150.
2 Excavating a channel just above drop No. 1 in Goondar di channel amounting to Rs. - 130.

With reference to your remarks in the return of sanctioned estimates for the month of March last, I have the honor to forward herewith the two estimates noted in the margin for the sanction of Govt.

2. The amounts which the respective ryots have promised to contribute have been noted in the estimates and the Collector has been asked to collect the contribution.

No. 99/I Camp Coty. 17th May 1898.

Copy submitted to the Chief Engineer for Irrigation for favor of obtaining sanction of Government to carry out these Contribution works by this Department.

Supg. Engineer, IV Circle

Enclosures 8.
2 Estimates.
2 Reports.
4 Plans.

AP 16/5/98.

P. W. 26.
1,000—12.2.98.

Indexed.

ent.

CHIEF ENGINEER
FOR IRRIGATION.
20 MAY 1898
No. 22

PWG3/8255

Indexed.