FURTHER PAPERS.

5976

Public Works (1898) Department.

G.O., No. 612 & 613

DATED 12th August 1898

[Despatch Abstract.]

Upper Coleroon Anicut: Approving note by the Chief Engineer for Irrigation recommending that the Govt of India be requested to sanction an additional allotment of Rs 61,500 for improvement of the ——, Cauvery Delta System, under 49 Capital Expenditure not charged to Revenue, & asking that a copy of the Govt: be forwarded to the Govt of India with a request to sanction the required assignment.

Upper Coleroon Anicut: Forwarding Copy of Govt: approving note by the Ch. Engineer for Irrigation recommending that the Govt of India be requested to sanction an additional allotment of Rs 61,500 for the improvement of the ——, Cauvery Delta System, under 49 Capital Expenditure not charged to Revenue, & ordering that the Govt of India be requested to sanction the required assignment.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

IRRIGATION.

Government {1898} of Madras.

PUBLIC WORKS.

Recd. } 1898. *Enclosures*

Regd. } *Spare copies*

G.O., Nos. 612, 613 I., 12th August 1898.

AUGUST.

Upper Coleroon Anicut

Forwarding copy of proceedings approving note by the Chief Engineer for Irrigation recommending that the Government of India be requested to sanction an additional allotment of Rs. 61,500 for the improvement of the —, Cauvery delta system, under 49. Capital expenditure not charged to Revenue, and ordering that the Government of India be requested to sanction the required assignment.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.

READ—the following papers:—

From Colonel A. W. SMART, R.E., Officiating Superintending Engineer, V Circle, to the Chief Engineer for Irrigation, dated Chepâk, 24th May 1898, No. 201 E.I.

I have the honour to ask if it is possible to grant an allotment of, say, Rs. 50,000 for Upper Coleroon anicut sanctioned in G.O., No. 500 I., dated 28th May 1897, for the current year. If bricks manufacture is not resumed now, we shall not be able to commence the sinking of wells in 1899. A part of the Rs. 50,000 is required to enable the Workshops to manufacture shutters, for which materials were partially indented for last year.

No. V./66 T.J.

With reference to the Superintending Engineer's No. 201 E.I., dated 24th May 1898, the undersigned has the honour to request that he will state what has been done in connection with the Upper Anicut work and prepare a programme of work which it is intended to carry out (if funds are available) between now and the end of March. It is not understood why iron has been indented for when no shutters will be required for a very long time to come.

7th June 1898.

(Signed) W. HUGHES,
Chief Engineer for Irrigation.

From Colonel A. W. SMART, R.E., Superintending Engineer, V Circle, to the Chief Engineer for Irrigation, dated Camp Tanjore, 24th June 1898, No. A.

With reference to your No. V./66 T.J., dated 7th instant, and telegram, I have the honour to state that the following may be taken as a programme for the expenditure of Rs. 50,000 on the Upper Coleroon anicut during the current year:—

Rs. 20,000 on brick manufacture, collection of stone and commencement of well-sinking in February—March 1899.

Rs. 30,000 on iron work to be ordered from England for shutters.

The iron work will not be received by indent till December or January, and the manufacture of shutters at the shops will take three or four years. If you wish to reduce this allotment, Rs. 10,000 or even Rs. 20,000 may be taken off the iron work.

2. On the previous allotment which was withdrawn, some iron was purchased on indent from England, but has since been used on other work.

No. 196 I.

Note by the Chief Engineer for Irrigation.

In its letter, No. 126 I., dated 1st May 1897, printed in Proceedings of Madras Government, No. 500 I., dated 28th idem, the Government of India sanctioned the estimate, amounting to Rs. 6,57,000, for the improvement of the Upper Coleroon anicut, Cauvery delta system.

2. As the probable requirements for the current year under 49. Irrigation were restricted in the letter from the Government of India, No. 61 A.I., dated 7th September 1897, communicated with G.O., No. 869 I., dated 24th September 1897, to works absolutely necessary and the construction of which cannot be delayed without risk of great loss, it was decided in G.O., No. 1026 I., dated 16th November 1897, that the improvement of the anicut should be postponed until money was easier and that no provision should be made for the work in the current year's budget estimates.

3. If the preparation of stone is not put in hand soon and brick manufacture in December, a whole year will be lost. Other preliminary work has also to be done. As it is considered highly desirable that the allotment of Rs. 50,000, or Rs. 61,500 including the percentage charge for establishment, now applied for by the Superintending Engineer, V Circle, for the work should be provided, it is recommended that the Government of India may be requested to sanction an additional assignment under 49. Capital expenditure not charged to Revenue for the current year, as the amount required for the improvement of the Upper Coleroon anicut cannot be met by a re-appropriation of the existing grants under that head.

4. An application in the prescribed form is appended.

(Signed) J. C. LARMINIE,
12th July 1898. Ag. Chief Engineer for Irrigation.

ENCLOSURE.

STATEMENT to accompany Application for an additional grant of Rs. 61,500 under 49. Capital Expenditure not charged to Revenue for Expenditure on the Cauvery Delta System during 1898-99.

Amount of expenditure in the year for which sanction is asked.	Major and minor heads under which expenditure will fall, with the amounts of sanctioned grants under each.	Probable expenditure in the whole year under the grants mentioned in column 2 if the expenditure in column 1 is sanctioned.	Major and minor heads under which it is proposed to reduce the grants with the sanctioned grants under each.	Probable expenditure in the year under the heads mentioned in column 4.	Amounts by which it is proposed to reduce the grants under the heads mentioned in column 4.	Explanation, if no re-appropriation is considered possible; in such cases the urgency and necessity for the outlay must also be explained.
1	2	3	4	5	6	7
	49. CAPITAL EXPENDITURE NOT CHARGED TO REVENUE. *Cauvery Delta System.*					
RS. 61,500	RS. 33,000	RS. 94,500	*Nil.*	*Nil.*	*Nil.*	Absolutely required for the preparation of stone and brick manufacture and other preliminary work in connection with the improvement of the Upper Coleroon anicut so as to obviate the loss of a whole year in executing the work.

No. 612 I., 12TH AUGUST 1898.

ORDER—No. 612 I., dated 12th August 1898.

The recommendation of the Chief Engineer for Irrigation is approved.

2. Ordered that a copy of these proceedings be forwarded to the Government of India, with a request that early sanction may be accorded to the additional allotment of Rs. 61,500 required for the Cauvery delta system during the current year under 49. Capital expenditure not charged to Revenue.

[Here enter No. 613 I., dated 12th August 1898.]

(True Extract.)

(Signed) J. C. LARMINIE,
Ag. Joint Secy. to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation.
" Superintending Engineer, V Circle.
" Examiner, Public Works Accounts.

ENDORSEMENT—No. 613 I., dated 12th August 1898.

Forwarded.

(By order.)

(Signed) J. C. LARMINIE,
Ag. Joint Secy. to Government,
Irrigation Branch.

Exd. T. K. Narayana Aiyangar.

PUBLIC WORKS DEPARTMENT,

IRRIGATION BRANCH.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the

READ the following

From Supdg Engr, V Circle, No. 201 E.I., dt 24.5.
To do - 66 T.I., dt 7.6.
From do. - A dt 24.6.
No 1963

Note by Chief Engr for Irrigation

In its letter, No. 136 dt 1st May 1897, printed in Pub. No. 500 I, dt 26 idem, the Govt of India sanctioned the estimate amtg to Rs 6,57,000, for the improvement of the Upper Coleroon Anicut, Cauvery Delta System.

2 As the probable requirements for the current year under 4 g. Irrigation were restricted in the letter from the Govt of India

No. 61 A. J., 97 Sept/97, communicated with G.O. No. 869 I. & 24 Sept/97, to works absolutely necessary & the construction of which cannot be delayed without risk of great loss, it was decided in G.O. No. 1026 I. & 16 Nov/97, that the improvement of the Amint should be postponed until money was easier & that no provision should be made for the work in the current year's budget estimates.

3. ~~The Supg Engr V Circle now represents that~~ If the preparation of stone is not put in hand soon & brick manufacture in Dec., a whole year will be lost. Other preliminary work has also to be done. As it is considered highly desirable that the allotment of Rs 60,000, or Rs 61,500 including the percentage charge for establishment, now applied for by the Supg Engr V Circle for the work should be provided, it is recommended that the Govt of India may be requested to sanction an additional assignment under 49. Capital Expenditure not charged to Revt for the current year, as the amount required for the improvement of the Upper Coleroon Amint cannot be met by a reappropriation of the existing grants under that head.

4. An application in the prescribed form is appended.

Order thereon. No 6122 9/12-8-98

The recommendation of the Chief Engr for Irrigation is approved.

2. Ordered that a copy of these Proceedings be forwarded to the Govt of India with a request that early sanction may be accorded to the additional allotment of Rs 61,500 required for the Cauvery Delta System during the current year under 4 Q. Capital Expenditure not charged to Revenue.

Endorsement. No 6132 9/12-8-98.

Forwarded.

To The Chief Engr for Irrigation

Public Works (1898) Department.

CURRENT No. 5976

From the Chief Engr for Irrigation

Order

No. 1961

Dated 12-7-98

Received

Registered 15-7-98

Enclosures 4

Spare copies

SUBJECT.

Upper Coleroon Anicut Addl allotment of Rs 50,000 required for — Sole recommending that G. of India may be requested to sanction the —

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.

Statement to accompany application for an additional grant of Rs 61.500 under 49. Capital expenditure not charged to Revenue for expenditure on the Cauvery delta system during 1898-99.

Amount of expenditure in the year for which sanction is asked.	Major and Minor heads under which expenditure will fall, with the amounts of sanctioned grants under each.	Probable expenditure in the whole year under the grants mentioned in Col 2 if the expenditure in Col 1 is sanctioned.	Major and Minor heads under which it is proposed to reduce the grants with the sanctioned grants under each.	Probable expenditure in the year under the heads mentioned in Col 4.	Amounts by which it is proposed to reduce the grants under the heads mentioned in Col 4.	Explanation, if no reappropriation is considered possible, in such cases the urgency and necessity for the outlay must also be explained.
1	2	3	4	5	6	7
Rs 61.500	49. Capital expenditure not charged to Revenue Cauvery delta system Rs 33.000	Rs 94.500	Nil	Nil	Nil	Absolutely required for the preparation of stone and brick manufacture and other preliminary work in connection with the improvement of the Upper Coleroon anicut so as to obviate the loss of a whole year in executing the work.
10-12		7	7	6		

J Clarke
Asst Chief Engineer for Irrigation
12/1/98

11/1/98

Public Works (1898) Department.

CURRENT No. 84.8.J

From the Supt Engr V Circle

Order

No. A.

Dated 24 — 6 — 98

Received

Registered 11 — 7 — 98

Enclosures

Spare copies

SUBJECT.

Upper Coleroon Anicut — reporting about the programme of expenditure on remodelling of the — for 1898—99.

98/0655
1370

BACK PAPERS.

No.	Date.
9665J	17-6-98 ✓
R665J	24-5-98

FURTHER PAPERS.

No.	Date.

From

The Superintending Engineer

V Circle.

To

The Chief Engineer for Irrigation

P. W. D.

Madras.

CHIEF ENGINEER FOR IRRIGATION. 11 JUL. 1898 No. 84 S. J.

No. 4

Dated 24th
Despt 24th
Recd
} June 1898.

Upper Coleroon Anicut — Reporting about the Programme of Expenditure on remodelling of the — for 1898-99.

R.R.R. Office of the Superintending Engineer
Camp Sanjpur 24th June 1899

From

Colonel A.W. Smart R.E.
Superintending Engineer
Trichinopoly

To

The Chief Engineer for
Irrigation
Cotacamund

Sir,

With reference to your No. V/6674 dated 7th Instt. and telegram, I have the honour to state that the following may be taken as a programme for the Expenditure of Rs 50,000 on the Upper Coleroon Anicut during the Current year.

Rs 20,000 on brick manufacture, Collection of Stone and Commencement of well Sinking in February, march 1899.

Rs 30,000 on iron work to be ordered from England for Shutters. The iron work will not be received by indent till December or January, and the manufacture of Shutters at the Shops will take three or four years. If now

wish to reduce this allotment, Rs 10,000 or even Rs 20,000 may be taken off the iron work.

2. On the remains allotment which was withdrawn, some iron was purchased on Indent from England but has since been used on other work.

I have the honour to be,
Sir
Your most obedt servt
Aubrey Cotton
Superintending Engineer

Public Works (1897) Department.

IRRIGATION BRANCH.

V

ISSUE No. 6677

To

The Supg Engineer
5th Circle

(Reply to letter No. 2071 S.J. dated 24/5/98.

Dated 7. 6. 98

Despatched 10 6 98

Enclosures *

* Particulars of Enclosures.

SUBJECT.

Upper Ameer Works —
Requests to state what
has been done in con-
nection with the — and
to prepare a programme of
work which it is intended
to carry out between now &
the end of March also
explains why no work has been
undertaken for when no shutters
will be opened for a very long time
to come.

Indexed

O.W.S. 2
5576/98

E. I. Form No. 13—2,000—1-11-97.

BACK PAPERS.

No.	Date.
R667J	24/26-5-98
Q333-I	15.6.97
R1647J	8.12.97
R572-I	16.11.97

Sent to Government with No. I.,
dated 1897.
Printed with G.O., No. I.,
dated 189 .

REMINDERS ISSUED.

No. 1, dated 189 .
" 2 "
" 3 "
" 4 "
" 5 "

KEEP-WITHS.

FURTHER PAPERS.

No.	Date.
R 843J	24-6-98

V

R 667J 7-6-98

S & I

With reference to the Asst. Engineers Ltr No 201 SI dy 24th May 1898 the undersigned has the honor to report to the Secretary State what has been done in connection with the supplementary work and prepare a programme of work which it is intended to carry out if funds are available) between now and the end of March. It is not understood why Lieut ~~took~~ has been indented for when the Shutters will be required for a very long time to come.

7.6.98 WH.

Ltr 10/6/98

Public Works (1898) Department.

CURRENT No. 66 S.J.

Memo
~~Order~~

With reference to letter No. 201 E.I. dated 24th inst. from the Subg Engr & Arch the undersigned has the honour to inform him that there are no funds available to provide the allotment of Rs 50,000 required for the Upper Coleroon Anicut. With reference to Govt No. 1026 I dated 16th Nov 1897, the requirements of the work may be brought forward for consideration in the Subg Engrs schedule of demands on Imperial funds for next year.

From The Offg Subg Engineer 5 Circle

No. 201 E.I.

Dated 24/26 May 1898

Received 27 — Do —

Enclosures

Spare copies

SUBJECT.

Upper Coleroon Anicut

Asking whether it is possible to grant an allotment of Rs 50,000 for —

Papers returned with Govt order that the work should be brought forward with the next year's demands

6/6/98

To the Subg Engr V Circle

1013 2/6/98

BACK PAPERS.

No.	Date.
R3339 dy	15.6.97
R1647	8-12-97
R5729	16-11-97

FURTHER PA

No.	Da
I6675	7 6
R5437	24-6-98

No. 201 E.I.

SUPERINTENDING ENGINEER'S OFFICE,
V Circle, Madras,
Chepâk, 24/26. May 1898.

From Colonel. A. W. Smart R.E.
Offg. SUPERINTENDING ENGINEER,
V CIRCLE.

To THE Chief Engineer for Irrigation,
Madras

4P

SIR,

I have the honour to ask if it is possible to grant an allotment of say Rs 50,000 for Upper Coleroon anicut sanctioned in G.O. No: 500 I dy 28 May 1897; for the current year - If bricks manufacture is not resumed now we shall not be able to commence the sinking of wells in 1899. A part of the Rs 50,000 is required to enable the Workshops to manufacture shutters, for which materials were partially indented for last year -

I have the honour to be,
Sir,
Your Most Obed! Servant
A W Smart Colonel R.E.
Offg: Supty: Engineer V Circle

Enclosures.

720.—14-4-98.

CHIEF ENGINEER
FOR [illegible] AFFAIRS.
27 MAY 1898
No. 66 FJ

C.F. 73.

DEPARTMENT.

Paper taken out of the Records from the charge of the Referencer.

Press
~~Miscellaneous~~
Routine No. 612-139, dated 12-8-1938

Date taken out.	For what purpose.			Initials of clerk taking the paper or of attender.	Date returned.	Initials of attender.
	Department.	C. No.	Year.			
15/2/38	Imp Co BTH	1945	38	[illegible]	6-4-38	[illegible]