

Public Works (1898) Department.

G.O., No.

741
742

J

DATED

26th Sep '98

[Despatch Abstract.]

Telegraphic Communication

Ordered that the Dy S of Telegraphs
be requested to consider the proposal of the S.E. India
to extend _____ to Vanki on the Masulipatam
Canal, Krishna River Dist.

The D.S. of Telegraphs addressed.

Dr

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Telegraphic Communications
Note recommending the
proposal of the S.E. to
extend — to Viranki on
the Mumbai-Caval-
Kistia Eastern line

READ the following

Note by the Chief Sup. { H.E. No. 241. 14/15 Sept. 1898 }

Issue

JCL
19/9/88

With reference to G.O.
No. 223. I, d/17 March 1898,
the Sup^r Engrs I, II, III, IV
V & VI Circles, have reported
~~that~~ their requirements
for the following official
year ~~are~~ nil, ~~while the~~
The Sup^r Engineer, II Circle, states
that the only place to which
it would be advisable, for
administrative purposes,
to extend telegraphic com-
munication is Veranki
which is 20 miles from
Masulipatam, 23 miles
from Bizwala and 15
miles from Gudwada
where there are officers.
~~It is therefore recommended~~
~~that the Sup^r Engineer~~ ^{The} proposal

1899-1900
1900-1901

may be forwarded to the
Director General of Telegraphs
for consideration.

Order thereon 741 Ld 26.9.98

Ordered that the following
letter be sent.

By H.E. No 742 Ld 26th Sep '98

The Director General of
Telegraphs.
India Calcutta

Sir,

With reference to letter
No 54 T, dated 25th February 1898, from the Govt of India
I am directed to forward herewith
a copy of the P.M.L. No 741 Ld
of 26th Sep '98 and to request
your consideration of
the proposal of the Sup. Engr,
2nd Circle, to extend
telegraphic communication
to Viranki on the Masulipatam
Canal, Krishna Eastern Dist.

Public Works (1898) Department.

CURRENT No. 211 K.S.

Order

From
The Superintendent Engineer
II Circle

No. 2800 K.L.

Dated 6.9.98.

Received

Registered 8-10-

Enclosures

Spare copies

SUBJECT.

Telegraphic Communication
with Viranki on Masulipatam
Canal - Urges on the desir-
ability of -

L.S.S.

H.E.
29/9/98

12879
29/9/98

BACK PAPERS.

FURTHER PAPERS.

No.	Date.	No.	Date.
R 158-I	18-3-98		
R 28-I	30-8-98		
R 29-III	19-8-98		
R 15-IV	21-8-98		
R 28-II	11-8-98		

Copy of letter from J. S. Wilson Esquire Executive Engineer Hunter Eastern Division to the Superintending Engineer II circle, dated 21st August 98 No 569 SE.

With reference to your No 2039L 30/3/98 I have the honor to report that the only place to which it would be advisable to extend Telegraphic communication is Seranki. The place is about 20 miles from Masulipatam, 25 miles from Bezamada and 15 miles from Guduvada where there are officers. From it, information of floods, crises regarding emergencies, water regulation etc. could be rapidly distributed and an office, there would be of use.

No 2800K & of 6-9-98.

Forwarded to the Chief Engineer for Irrigation with reference to G.O No 2253 dated 17th March 1898.

Mdau

Superintending Engineer II circle

