Public Works (1898) Department.

G.O., No. 808-9 W

DATED 24 March 98

[Despatch Abstract.]

Indent. Ordered that the — for Stores emergently required for water works at Trimpati, be forwarded to the Director General of Stores for early Compliance

—

Forwarding for favour of very early Compliance an — for Stores emergently required for water works at Trimpati

28/3/98

[P. W. 36. 1,000—12-2-98.]

Indexed.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

GENERAL.
ACCOUNT.

Government {1898} of Madras.

PUBLIC WORKS.

Recd. } 1898. *Enclosures*

Regd. *Spare copies*

Letter, No. 809 W., 24th March 1898.

MARCH.

Indent

Forwarding, for favour of very early compliance, an — for stores emergently required for water works at Tirupati.

PUBLIC WORKS DEPARTMENT.

General.
Account.

LETTER—from

W. B. DEWINTON, ESQ.,
Acting Secretary to the Government of Madras,
Public Works Department,

To

THE DIRECTOR-GENERAL OF STORES,
INDIA OFFICE,
LONDON.

SIR,

I am directed to forward, for favour of very early compliance, an indent, in duplicate, for stores emergently required for water works at Tirupati.

2. The requisite certificate as regards provision of funds has been endorsed on the original indent.

I have the honour to be,
Sir,
Your most obedient servant,
(Signed) W. B. DEWINTON,
Ag. Secretary to Government.

FORT. ST. GEORGE,
24th March 1898.

Exd. Shaik Karim.

GENERAL.
ACCOUNT.

Government {1898} of Madras.

PUBLIC WORKS.

Recd. } 1898. *Enclosures*
Regd. } *Spare copies*

G.O., No. 808 W., 24th March 1898.

MARCH.

Indent

Ordered that the — for stores emergently required for water works at Tirupati, be forwarded to the Director-General of Stores for early compliance.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Account.

Read—the following papers:—

From the Executive Engineer, North Arcot division, to the Superintending Engineer, IV Circle, dated 27th October 1897, No. 575 S.E.

I have the honour to submit herewith an indent for stores required from England for Tirupati water works.

2. As the articles are required urgently and as funds are now available I request that the indent may be treated as special and urgent and that the articles may be arranged to be sent to the site * of works before the close of this official year at latest.

* Tirupati station on the South Indian Railway.

3. Necessary drawings and detail specifications also accompany.

No. 603 W.

Copy submitted to the Chief Engineer, Public Works Department, for compliance.

4th November 1897. (Signed) J. HANNAN,
Supg. Engineer, IV Circle.

From J. A. JONES, Esq., M.I.C.E., F.R.S.E., Sanitary Engineer to Government, to the General Superintendent, Public Works Stores, Madras, dated Fort St. George, 16th December 1897, No. 1913.

In reply to your letter No. 476 S., dated 14th December 1897, I have the honour to forward, herewith, the indent for Tirupati water works in the form you want. In reference to the file regarding Tirupati water works which accompanied your letter under reply, I have the honour to point out that the statements, viz., pages 28, 29, 30 and 31 of the file are *not* to accompany the indent on England for stores, and that these were sent only for information of the Executive Engineer *after* the receipt of the stores from England.

2. Again, with reference to Cocanada file of papers, the schedules (enclosures 1 and 3) which accompanied my letter No. 1026, dated 10th June 1897, and which should accompany the indent on England are absent from the file; while the detail statements, pages Nos. 1 to 19 (numbered in blue pencil for reference) which are *not* to accompany the indent on England are put in. It is impossible to prepare the indent for these works without the schedules above referred to, which schedules should be revised as per Superintending Engineer's letter No. C./707 to the Chief Engineer.

3. I shall be glad to frame the indent for Cocanada works when the schedules are sent revised as above.

4. All papers and plans which accompanied your letter under reply are returned herewith.

No. 262 S.

Copy submitted to the Superintending Engineer, V Circle, with reference to his letter No. 324 P.W.S., dated 24th November 1897, with indent in triplicate on Home for the Tirupati water works. All papers therewith received are herewith resubmitted.

The indent for Cocanada water works project cannot be prepared in the absence of schedules detailed in paragraph 2 of the Sanitary Engineer's letter. The file of papers received with your endorsement No. 325 P.W.S., dated 23rd November 1897, are herewith resubmitted for completion of the file and return for preparing the indent.

6th January 1898. (Signed) H. A. MOSS,
General Supt., Pub. Works Stores.

No. 16 W.

To the Chief Engineer, Public Works Department, with the indent in triplicate for the Tirupati water works and accompaniments * with reference to his No. 4604 C., dated 8th November 1897, and No. 4902 C., dated 20th November 1897 (through the Examiner, Public Works Accounts).

*Chief Engineer's No. 4604 C., dated 8th November 1897, with Superintending Engineer, IV Circle's No. 603 W., dated 4th November 1897.
One indent in triplicate.
One file of detailed schedule and specification of stores in two parts and pages numbered 1 to 27 and 28 to 31.

(By order.)

15th January 1898. (Signed) E. V. BEEBY,
Manager, office of the Supg. Engr., V Circle.

From the Examiner, Public Works Accounts, dated 26th January 1898.

Order—No. 808 W., dated 24th March 1898.

Ordered that the indent be forwarded to the Director-General of Stores for early compliance.

[Here enter No. 809 W., dated 24th March 1898.]

(True Extract.)

(Signed) W. B. deWINTON,
Ag. Secretary to Government.

To the Superintending Engineer, IV Circle.
" " " V Circle.
" Examiner, Public Works Accounts.

Exd. Shaik Karim.

P.W. DEPARTMENT.

Papers to be read in Proceedings:—

Again G.O., dated 189 , No.

Again G.O., dated 189 , No.

Print Current No. 10979 of 1897, dated 4th November 1897, from The S.E. IV circle

Print " " " 189 , " 15th January 1898, " The S.E. V circle

Quote " " 751 " 1898, " 26th January 1898 " " The Exar. P.W. Accts.

24 ~~23/1/98~~
23/1/98.

ORDER.

N-808 Wg 24-3-98

Ordered that the indent be forwarded to the Director-General of Stores for early compliance

H.E. No 809 W dated 24-3-98

To The S.E. IV circle
" S.E. V circle
" Exar. P.W. Accts

The Director-General of Stores,
India Office, London.

Sir,

I am directed to forward, for favour of very early compliance, an indent, in duplicate, for stores energently required for ~~the~~ water works at Jinpata.

2 The requisite certificate as regards provision of funds has been endorsed on the original indent.

I have &c &c

24.3.98

Copy 10.3.98.

[P. W. 6.
500—27-1-98.]

Public Works Department.

Current No. 751

Letter No. 2313/B.

Dated 26th January 1898

From the Examiner P.W. Accts

NOTE BY TECHNICAL SECTION.

Name of work Tirupati water supply scheme.

The accompanying indent with plans & specifications and schedules are submitted by the Supdg Engr V Circle, for clearance from England for the Tirupati water works.

The articles indented for are cast iron pipes varying from 12" to 4" in dia. with the necessary bends branches & taper pipes, also for sluice valves, pillar fountains & surface boxes &c. &c.

The weights of the pipes have been examined & found to agree with plan No. 1 & class B pipes.

The necessary certificate & remarks for the work has been given by the Examiner P.W. Accts.

The indent is in order.

12.3.98

Dr/

Yes. This is the indent that gave me considerable trouble in calculating the weights of cast iron pipes, owing to the thickness & metal not being noted in the schedule. The plans attached only reached me Saturday last from S.E.'s office.

14.3.98.

But the clerk discrepancies can't we send & proceed?

CWM 14.3.98

Dr/

There are no discrepancies. The weights agree with class B pipes which were not clear owing to the absence of the plans at the time I brought up the indent for despatch.

15.3.98.

Pages Nos 28, 29, 30 & 31 are not to accompany the indent.

J.A.W.

† The indent is now in order. This is now go forward.

CWM 15/98 13.3.98

In case there be discrepancies noticed in check by you what may course be? Should to proceed?

CWM 14.3.98

[P.W. 60 260- 30-9-97.]

H.E. 22-3-98 N 24-3-98

Public works

(1898) Department

CURRENT No. 751

46046
8.11.97

From

The Examiner

P. W. accts

No. 231 B/B

(In triplicate)

Dated 26.1.98

Received

Registered 27.1.98

Enclosures 4

Spare copies

for early settlement
S.G.O.
31/1/98

SUBJECT.

Irrigation Water Works.

Certifying as to the provision of funds to meet the Cost of the indents for stores required for ——.

BACK PAPERS.

G.O.	No.	Department.	Date.
	1080	Rw.	22-2-98
	477	"	25-1-98
	C.No.	430	98
	4987	"	23-11-97
	4664	"	8-11-97
	574	"	2-3-98

FURTHER PAPERS.

G.O.	No.	Department.	Date.

...cannot be manu-...variable rule, to be obtained by indenting ...ce. The Store Department at the India Office constitutes ...gency, which is maintained for the express purpose of purchasing ...es in England on account of the Government of India, and, save in the special cases mentioned below, stores of European manufacture must not be bought in India, or obtained direct from Europe independently of the India Office.

2. The special cases in which, with the previous sanction of the Government of India or of the Local Government, as the case may be, stores of European manufacture may be obtained in India, are :—

(*a*) When for any special reason it may be more economical to do so ;

(*b*) When stores indented for from England have not arrived, and inconvenience to the public service is anticipated from the delay in the supply ;

(*c*) When the stores are perishable.

3. Indents for public works stores, other than railway stores, so long as they are within the grant assigned for the purpose, should be sent direct by the Secretaries in the Public Works Department of the several Local Governments and Administrations to the India Office ; three copies of printed and two of manuscript indents should be sent, and a copy be submitted to the Government of India.

Note.—Copies of indents chargeable to Provincial and Local Funds are not required to be sent to the Government of India.

4. This form of indent should invariably be adhered to, other modes of application being entirely discarded, and requisitions in the body of letters, which may be overlooked or misunderstood, being specially avoided.

5. The columns (which sufficiently explain their own meaning) must be filled up without alteration, and others are not to be substituted, any remarks that may be considered necessary being confined to the column for that purpose, which should contain every explanation that may guide in the supply and pattern of the articles required.

6. Where an established proportion for general stores has not yet been fixed, it should consist of three years' ordinary expenditure : the quantities in store at the date of requisition being added to the quantities due upon former indents, the difference between the aggregate of these two columns and the established proportion is the proper quantity to be asked for. This procedure if duly attended to, will always keep up an ample supply for general service ; if, however, in exceptional circumstances, it is found desirable to exceed the established proportion, the reason for so doing must be inserted in the column of remarks. The calculation of the established proportion on the basis of three years' ordinary expenditure is not applicable in the case of railways.

7. The columns printed in red ink are to be left blank for completion in England.

8. In the column of remarks, the port to which stores are to be consigned should be stated, and also the names of the last two or three vessels whose consignments have been included in the quantity in store as shown in column 6.

9. Each indent must be accompanied by a certificate of the necessity for the stores indented for, and that they cannot be advantageously procured of local manufacture or from surplus stores of other departments, railways or administrations.

10. In the case of stores for imperial purposes (including all state railways) in a year not yet begun, the sanction of the Government of India must be obtained to the proposed allotment before the Examiner can give his certificate ; but for stores for provincial services (except provincial state railways) the sanction of the Local Government or Administration will suffice for the Examiner.

11. When it is expected that the outlay will be provided partly in one year and partly in another, the following addition should be made to the Examiner's certificate—"and that the balance of the estimated outlay in England, or £ (———) will be provided by the Government of India in the estimates of the year 189 -9 . *Vide* Government of India letter No. dated "

12. In preparing indents attention should be paid to the rules on the subject in appendix O. (P. W. Code, vol. I.)

...Drafts
569/98
251

A

EXAMIN... P. W. ACC... 26 JAN. 1... No

I her...
Works De...
months, a...
or from ...
they comp...
Dated this ...
NOTE—1...
2
3
I certi...
this indent ...
of the ...
No. 23
* Signatu...
† Rank.
(*a*).—Her...
Received b...

by ce… the stores enumerated… this Indent w…

partment ~~for a period of~~ They cannot be procured [illegible]

~~and I further certify that I have, by a personal inspection of works and stores, satisfied myself that~~ Surplus stores of other Divisions Railways & Administrations ~~are the least possible quantity necessary for the above period.~~

Sixth day of January 189 7, at Madras

*

H Thuillier †
Gen. Superintendent
Pub. Works

In cases in which a personal inspection of books and stores cannot be made, the portion of the certificate relating thereto should be scored through.

The Indent should be paged, and the signature attached to the last line of the Indent.

The quantities entered in the indent should invariably be given in English weights and measures.

5-1-98

---

fy that funds to meet the outlay which it is estimated will be incurred in England in connection with during the year 1897-98 (a) have been provided for in the Estimates Public Works Department to the extent of £7918-0-0

13/13 dated the 26th January 1898.

W E. A. Denny
Examiner of P. W. Accounts,
Madras Presidency
~~Province.~~

e.

insert either "have been provided for in the estimates of the Public Works Department to the extent of £ " or
will be provided by the Government of India in the estimates of that year, *vide* Government of India No. dated "

the Director General of Stores in England the day 18 .

Public Works (1898) Department.

CURRENT No.

EXAMINER,
P. W. ACCOUNTS.
15 JAN. 1898
No

Order

EXAMINER,
P. W. ACCOUNTS.
26 JAN. 1898
No

From The Superintending Engineer Vellore.

No. 164

Dated 15th January 1898

Received

Enclosures 3

Spare copies

SUBJECT.

Tirupati Water Works
Submits the Indent
in triplicate for
the ——

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.

EXAMINER,
W. ACCOUNTS.
15 JAN. 1898

EXAMINER,
W. ACCOUNTS.
26 JAN. 1898

Government of Madras

№ 1913

Office of Sanitary Engrs
Fort St George 16th Decr

From J. A. Jones Esquire Mem: Lost. C.E. Sanitary Engr to Government to the General Superintendent Public Works stores Madras.

Sir.

In reply to your letter № 476 S. dated 14th December 1897, I have the honour to forward herewith the indent for Tirupati Water Works in the form you want. In reference to the file regarding Tirupati Water Works which accompanied your letter under reply, I have the honour to point out that the statements, viz, pages 28, 29, 30 and 31 of the file are not to accompany the Indent on England for stores and that these were sent only for information of the Executive Engineer after the receipt of the stores from England.

2. Again with reference to Cocanada file of papers the Schedules (Enclosures 1 and 3) which accompanied my letter № 1026 dated 10 June 1897 and which should accompany the Indent on England are absent from the file; while the detail statements, pages № 1 to 19 (numbered in blue pencil for reference) which are not to accompany the indent on England are put in. It is impossible to prepare the indent for these works without the schedules above referred to, which schedules should be revised as per Superintending Engineers letter № C/707 to the Chief Engineer

BACK PAPERS

by

I shall be glad to frame the indent for
ada works when the schedules are sent
ed as above.

All papers and plans which accompanied
letter under reply are returned herewith.

I have etc
(Signed) J A. Jones
Sanitary Engineer to Govt.

No. 262 S.
6.1.97

Copy Submitted to the Superintending
ineer 5th Circle with reference to his letter
No. 324 P.W.S. dated 24th November 1897 with
ndent in triplicate on Home for the Tirupati
Water Works. All papers therewith received
ere herewith resubmitted.

The indent for Cocanada Water Works
Project cannot be prepared in the absence of
Schedules detailed in para 2 of the Sanitary
Engineer's letter. The file of papers received
with your endorsement No. 325 P.W.S. dated
23rd November 1897 are herewith resubmitted
for completion of the file and return for preparing
the indent.

Signed W. Moss
General Superintendent
P.W. Stores

No
"

APERS.

Date.

No. 164

Issues: 3

Engineers No.
d/ 8.11.97 with
603 dd 4.11.97
1 in Triplicate
detailed schedule
specification
ones in 2 parts
ges numbered
2-7 and 28 to 31.

To the Chief Engineer, P.W. Depart
with the indent in triplicate for the Tirupa
Water Works and accompaniments with refere
to his No. 4604 C dated 8th November 1897 and
No. 4902 C. dated 20 November 1897 - through th
Examiner, P.W. Accounts.

"By order"

Manager
15.1.98
Office of the Supdg. Engineer 5th Circle

Flag A.

Indent for Pipes &c for Cocanada

Wrain Cwts

PAPERS

Date.

Public Works (1897) Department.

224 S&V

14 NOV 1897

E.7
10979
251 S&V/97

CURRENT No.

ENGINEER'S
11 JAN. 1898
CIRCLE, P.W.D.

EXAMINER,
P. W. ACCOUNTS
15 JAN. 1898
No.

SUPERINTENDING ENGINEER'S OFFICE
No. 975 W
10 NOV. 1897
V. CIRCLE, P. W. D., MADRAS.

No 4604 dated 8th November 1897

Order Genl.

Forwarded, through the Supdg. Engineer V Circle, to the General Supt. P. W. Stores, for immediate submission of an indent in the prescribed form.

From The Supdg. Engineer 4th Circle

No. 603/W

Dated 4th November 1897

Received 8-11-97

Enclosures 4. (3 plans)

Spare copies

W. Whitton
Asst. Engr & Supt

SUBJECT.

Tirupati Water works.
Submits indent for Stores required from England for Compliance

Cross P.W.S.

B Cmp

No 3181 Dr

Forwarded to the Genl. Supt. P.W. Stores for compliance
"By Order"
G. Deeley 10.11.97
Manager
Office of Supdg. Engr. 5th Circle

Encl: 4 (Applications on subject)

10.11.97

255 S&V/97

N

BACK PAPERS.

G.O.	No.	Department.	Date.

EXAMINER,
P. W. ACCOUNTS.
26 JAN. 1898
No. .....

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Read

Letter No 575 S.E dated 27th October 1897 from the Executive Engineer North Arcot Division to the Superintending Engineer Fourth Circle.

Enclosures 4.
3 Plans
1 Indent file
4

EXAMINER,
P. W. ACCOUNTS.
15 JAN. 1898
No. .....

I have the honor to submit herewith an indent for stores required from England for Tirupati water works

2. As the articles are required urgently and as funds are now available I request that the indent may be treated as special and urgent and that the articles may be arranged to be sent to the site of works before the close of this official year at latest.

* Tirupati Station on the S. I. R.

3. Necessary drawings and detail specifications also accompany.

No 603/W dt 3-11-97

Encls: 4
3 Plans
1 Indent file
4

Copy submitted to the Chief Engineer, P. W. Department for compliance.

Separately sent per Book Post.

H Hunnsen
Supg: Engineer, 4th Circle

EXAMINER,
P. W. ACCOUNTS.
26 JAN. 1898
No.

SUPERINTENDING ENGINEER
No. 3/4 Mmt.
10 NOV. 1897
V. CIRCLE, P. W. D., MADRAS.

SUPERINTENDING ENGINEER'S OFFICE
No. 3/4 Mmt.
7 JAN. 1898
V. CIRCLE, P. W. D., MADRAS.

Order
251/98

Public Works (18) Department.

CURRENT No. 430

Order

From The Supg. Engineer,
V Circle.

await receipt
of the indent.

No. 194

Dated 17th January 1898.

Received 18.1.98.

Enclosures

Spare copies

SUBJECT.

Tirupathi & Cocanada
Water Works —

Reports that the indent
and papers for the former
are being forwarded thro'
the Examiner, P.W. Accounts
and that the General Supp.
is being requested to commu-
-nicate with the Supg. Engr.
1st Circle, regarding the
Indent for the Cattle —

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.

Government of Madras.

No. 1913.

Office of Sanitary Engineer
Fort St George 16th December 1897.

From J. A. Jones Esq. Mem. Inst: C.E., F.R.S.E.
Sanitary Engineer to Government to the General
Superintendent Public Works Stores, Madras.

Sir,

In reply to your letter No. 476 S. dated 14th December 1897, I have the honour to forward herewith the indent for Tirupati Water Works in the form you want. In reference to the file regarding Tirupati Water Works which accompanied your letter under reply, I have the honour to point out that the statements, viz. pages 28, 29, 30 and 31 of the file are not to accompany the Indent on England for Stores, and that these were sent only for information of the Executive Engineer after the receipt of the stores from England.

2. Again with reference to Cocanada file of papers the Schedules (Enclosures No. 1 and 3) which accompanied my letter No. 1026 dated 10th June 1897 and which should accompany the Indent on England are absent from the file; while the detail statements, pages No. 1 to 19 (numbered in blue pencil for reference) which are not to accompany

accompany the indent on Imfund are putin. It is impossible to prepare the indent for these works without the schedules above referred to, which schedules should be revised as per Superintending Engineer's letter No $\frac{C}{707}$ to Chief Engineer.

3. I shall be glad to frame the indent for Cocanada works when the schedules are sent revised as above.

4. All papers and plans which accompanied your letter under reply are returned herewith.

I have etca.

(Signed) J. A. Jones.
Sanitary Engineer to Govt.

No. $\frac{262 S}{6.1.97.}$

Copy submitted to the Superintending Engineer 5th Circle with reference to his letter No 324 P.W.S. dated 24th November 1897 with indent in triplicate on Home for the Tirupati Water works. All papers therewith received are herewith resubmitted.

The indent for Cocanada Water Works Project cannot be prepared in the absence of schedules detailed in para 2 of the Sanitary Engineer's letter. The file of papers received with your endorsement No. 325 P.W.S. dated 23rd November 1897 are herewith resubmitted for completion. The file and return for preparing the indent.

(Signed) H. Moss
General Superintendent
P.W. Stores.

No 194

To the Chief Engineer, P.W. Department,

Flag K

with reference to his No. 4604 C. dated 8 November

Flag Z

1897 and No. 4900 C. dated 20 November 1897 for information.

2. The indent and papers for the Tirupathi Water Works are being forwarded through the Examiner P.W. Accounts.

3. The General Superintendent P.W. Stores is being requested to communicate with the Superintending Engineer 1st Circle for the papers wanted in connection with the indent for the Cocanada water Works.

Re: indent for Hydraulic Jacks for Godavari Anicut 5272E 6-12-97

H. Moss
Supdg. Engineer 5th Circle.
17.1.98.