

Public Works (1898) Department.

G.O., No. 2631 W

DATED

11 October 98

[Despatch Abstract.]

Superintendent of the Aliabad District

Raising the pay of the
in the N. Andhra for Rs 10 to Rs 14, the sanctioned
local allowance of Rs 5 being continued to him.

B.

2/10

Public Works DEPARTMENT

FURTHER PAPERS.

[illegible]

189 , No.

189 , No.

” ” ”

No: 2631 W 811-10-28

The pay of the Superintendent of the Aliabad
Ancient in the North Arcot
Division will be raised from
Rs 10 to 14, and he will
continue to draw the local
allowance of Rs 5 sanctioned
in G.O. No 272 W dated 1st/₁₁
February 1898.

2. This sanction has been registered as Provincial No. 82 W of 1898-99, and classified as Establishment, Permanent.

The Suptg. Engr: to Civil
 " Engr: P.W. accounts
 " Chief Engineer for Eng

Note

The Executive Engineer,
North Arcot Division, reports
that

that the pay of the Superin-
tendent of the Aliabad Anicut,
viz, Rs 10 and the local allow-
ance of Rs 5 granted to him
in G.O.N. 272 W dated 1st
February 1892 are quite in-
sufficient, that the Super-
intendent has at present
more work to do than he had
previously, owing to the number
of tanks under the Anicut
having been increased from
4 to 17, that the Anicut is
situated in a feverish and
remote locality and that
the present Superintendent
Rangaswamy Naidu, who
is one of the best among the
members of the Conservancy
Establishment in the Division
has more than once ex-
pressed a wish to resign
his appointment, and
requests that the pay of
the Superintendent be
raised to Rs 14, the highest
pay that an unpassed
man can draw. This appli-
cation is recommended by
the Superintending Engineer
and

and is also supported by
the Chief Engineer for
Irrigation. It is proposed
to sanction the application
as the Superintendent's
work has greatly increased
and as he deserves more
pay.

W. H. S. 10-80
J. S.

May

12-20-28

0.4.5216 R¹⁰

BACK PAPERS.

FURTHER PAPERS.

EXAMINER,
P. W. ACCOUNTS
19 SEP 1898

1ST FEBRUARY 1892, No. 272 W., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

General.
Establishment.

READ—the following papers :—

From Major C. C. RAWSON, R.E., Executive Engineer, North Arcot division,
to the Superintending Engineer, IV Circle, dated 7th December 1891,
No. 681 S.E.

I have the honour to bring the following to your notice :—

(1) A permanent establishment of lascars is kept up at each anicut in this division. This establishment is usually not of sufficient strength to work the sluices during the rainy season and has to be supplemented by temporary lascars taken on for some months, whose pay is charged to the maintenance estimate of the anicut; but the permanent establishment during the dry weather is of needless strength and the men have little or nothing to do.

(2) Screw-gearing has been fitted to both head and under sluices of the Alliabad anicut and the same thing will have happened at the Cheyár anicut before next irrigation season. The head sluices at the Poiney anicut have been fitted with screw-gearing and I hope that before long the under-sluices will also be similarly supplied. The number of lascars necessary to work the shutters at these anicuts need not be so great as formerly.

(3) It is nearly an impossibility to get lascars to live at any of the three anicuts mentioned above; the anicuts are all distant from villages and the Alliabad anicut has the reputation of being very feverish.

(4) I submit, for your consideration, two proposals, the one marked A is the simpler arrangement, but the one marked B would, I think, be more satisfactory.

(5) In A, I propose to reduce the number of anicut lascars and to raise their pay. In B, I propose reducing the number of lascars keeping their pay as it is now, but giving them an anicut or local allowance; this allowance to be only paid to the men who actually live at the anicut and do work there. The men would have no claim to higher pay if moved away from the anicut either permanently on transfer or temporarily by sick leave or privilege leave, nor to higher pensions than they now are qualifying for.

(6) All the lascars at Alliabad are now paid Rs. 1 higher than other men, but the superintendent only gets Rs. 10 which is less than any other channel superintendent. His pay should either be raised to Rs. 15, or he should be given, which, I think, would be much better, a charge allowance of Rs. 5; we could then still have an unpassed man as superintendent, which, I think, is most important. We cannot get educated men to take up an appointment of this nature situated in the jungle and in a feverish place.

(7) In both of the schemes proposed there is a reduction of 2 lascars at Poiney, 1 lascar at Cheyár and 2 at Alliabad. There are at the present time 2 men at Poiney, 1 man at Cheyár, and 2 men at Alliabad, acting or on probation. We could dispense with the services of all these men at once, but whether, under the orders of the Chief Engineer's conveyed in his No. 5257 C., dated 24th November 1891, these men are entitled to a gratuity of one month's pay or dismissal I do not know.

(8) Scheme A shows a saving of Rs. 2 per mensem; scheme B shows no alterations.

He man to a better place. It is observed that there are as many as 13 Superintendents on the Water Regulation Establishment of the North Arcot D^y. It should be possible, with this number to arrange necessary transfers.

In view of the present restriction on expenditure,
2. The proposed increase cannot be recommended for the sanction of Government.

On

To the S.E. IV Circle.
Chief Engineer for S.E.

C.E.

40830 17-9-98

ENCLOSURE.

A.—STATEMENT of proposal for revision of establishment to accompany letter No. 681 S.E., dated 7th December 1891.

ORDER SANC- TIONING PRESENT ESTABLISHMENT.			NATURE OF CHANGE.										PROPOSAL.									
No.	Date.	Office to which the proposition relates.	Present scale.					Proposed scale.					Permanent.		Temporary.							
			No.	Designation.	Minimum.	Increment.	Maximum.	Average or fixed.	No.	Designation.	Minimum.	Increment.	Maximum.	Average or fixed.	Amount.	Increase per month.	Period.	Amount.	Increase per month.	Period.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21		
Provincial budget of 1891-92.																						
North Arcot division.																						
7				Pooney Anicut.	..	..	..	35	4	Anicut lascars at Rs. 5 each	..	..	..	20	..	..	..	..	..	..		
				Anicut allowance at Rs. 1 each	..	..	..	..	..	..	..	..	..	4	..	..	..	..	..	..		
2				Channel lascars at Rs. 5 each	..	..	..	10	1	Head lascar at Kimparajapuram head sluice.	..	..	..	6	..	..	..	..	..	..		
				Cheyar Anicut.	..	..	..	..	2	Channel lascars at Rs. 5 each	..	..	..	10	..	..	..	..	..	..		
5				Anicut lascars at Rs. 5 each	..	..	..	25	4	Anicut lascars at Rs. 5 each	..	..	..	20	..	..	..	..	..	..		
				Channel lascar at Rs. 5 in charge of Vacadai.	..	..	..	5	1	Anicut allowance at Rs. 1 each	..	..	..	4	..	..	..	..	..	..		
1				Channel lascar at Rs. 6 at Vacadai	..	..	..	..	..	..	..	..	..	6	..	..	..	..	..	..		
5				Alliabad Anicut.	..	..	..	30	4	Anicut lascars at Rs. 6 each	..	..	..	24	..	..	..	..	..	..		
				Anicut lascars at Rs. 6 each	..	..	..	..	..	..	..	..	..	6	..	..	..	..	..	..		
1				Superintendent	..	..	..	10	1	Superintendent	..	..	..	10	..	..	..	..	..	..		
				Allowance	..	..	..	..	..	..	..	..	..	5	..	..	..	..	..	..		
				Total	..	..	..	115	..	Total	..	..	..	115	..	..	..	..	..	..		

* This lascar is in a position of some responsibility and is in independent charge of this head sluice.

† This is a responsible charge.

7th December 1891.

(Signed) C. C. RAWSON, Major, R.E.,
Executive Engineer.

No. 270 E.I.

Copy submitted to the Chief Engineer for Irrigation for favour of obtaining sanction of Government to the proposition statement B to reorganize the conservancy establishment of the Poiney, Cheyár and Alliabad anicuts.

2. The undersigned has made trifling alterations in the allowances proposed to the lascars, as it is considered that the Executive Engineer's scale is not high enough for the lascars of the Alliabad anicut considering the unhealthy nature of the locality.

COIMBATORE, (Signed) R. R. E. DRAKE-BROCKMAN, Lt.-Col., R.E.,
15th December 1891. Superintending Engineer, IV Circle.

No. 1 E.W.

Forwarded to the Chief Engineer, Public Works Department, for disposal.

2. The proposals, as altered by the Superintending Engineer, are approved.

5th January 1892.

(Signed) W. C LEWIS,
for Chief Engineer for Irrigation.

Office-note from the Examiner, Public Works Accounts, dated 27th Jan. 1892, No. 148 S.A.

ORDER—dated 1st February 1892, No. 272 W., Public Works.

Sanction is accorded to the revised scale of conservancy establishment for the Poiney, Cheyár and Alliabad anicuts in the North Arcot division, as altered by the Superintending Engineer and approved by the Chief Engineer for Irrigation.

2. This sanction has been registered as Provincial No. 71 W. of 1891-92 and classified as Establishment, Permanent.

(True Extract.)

(Signed) J. PENNYCUICK, Colonel, R.E.,
Secretary to Govt., P.W.D.

To the Chief Engineer for Irrigation.
" Superintending Engineer, IV Circle.
" Examiner, Public Works Accounts.

Exd. A. D. Xavier.
Spare Copies

1532
10 FEB. 92

GENERAL
ESTABLISHMENT.

Gobt. of {1892} Madras.
PUBLIC WORKS.

Dated February, 1st.

Recd.

Encl.

G.O., 1st Feb. 1892, No. 272 W.

FEBRUARY.

Poiney, Cheyar and Alliabad
Anicuts

The revised scale of conservancy estab-
lishment for the — in the North Arcot
division, sanctioned.

Ans. 1
22/2/92
7906

No. 384 P. W.

NOTES.

Reference to P. W. D. Code.

Chapter I, Para. 30.

1. All proposals for changes in the scales of permanent
estab-lishments must be accompanied by a statement in Part
I of this form when the changes relate to the engineer or
upper subordinate establishments and in other cases by a
statement in Part II of this form.

2. The column headed "present scale" should invariably
show the existing sanctioned scale (not the strength of the
establishment as it actually stands at the time), and should
be verified by the Examiner before the statements are
forwarded to the sanctioning authority.

SUPG. ENGINEER'S OFFICE
No. 603
26 AUG. 98
FOURTH DIVISION

"Encl. to M. to Land No. 199"

EXAMINER,
P. W. ACCOUNTS.
19 SEP 1898

MADRAS PRESIDENCY.

Part II


Tabular Statement to accompan
proposals for changes in establishments.

CHIEF ENGINEER
FOR IRRIGATION.
2-SEP-1898
No. 38 N

Poiney, Cheyar and Alliabad
Anicuts

Ans. 1
22/2/92
7906

Letter from S. W. Pears Esq. Civil
Engineer, North Arcot Division 77/13.
No. 496, dated 24th August, 1898.
S. E.



I have the honour to
report that the pay of the Super-
intendent of Aliabad Amicut, viz
Rs 10, with Amicut allowance of
Rs 5, per mensem, as sanctioned
in G. O. No. 272 W. of 1st February 92,
is in my opinion, quite insufficient.

2. The Superintendent has
at present more work to perform
than he had hitherto owing to a
number of tanks brought under
the Amicut.

3. There were in 1892 only
4 tanks under the Amicut. Now
there are 17.

4. The Amicut is situated in a
feverish

feverish and remote locality, and the present Superintendent Rangasawmy Naider has more than once expressed a wish to resign the appointment. He is one of the best men among the members of the Conservancy Establishment in this Division, and I consider that he thoroughly deserves that his pay be raised to Rs 14, the most that he is entitled, as an unpassed man to draw, and with this view I beg to submit a Proposition statement and trust that you will recommend the proposal for sanction of Government.

N^o 199 #

Copy forwarded to the Chief Engineer for Irrigation with
recommendation
Encls: 1. Proposi-
tion statement

recommendation, and with a request that he will be good enough to obtain the sanction of Government to the increased rate of pay proposed on behalf of Aliabad Ancient Superintendent.

Approved
Superintending Engineer
10th Decr.
Simla
31st August 1898

P.D.S.
30/8/98

Forwarded to the Chief Engineer P.W. Dept, with a recommendation that the sanction of Government may be obtained to the proposed increase of pay for the Aliabad Ancient Superintendent.

Approved
12th September 1898

J. C. Lawrence
Chief Engineer
for Irrig.
12/9/88
To the Chief Engineer
D.P.W.

5/4
19/9/98 B

P. W. (189 8) Department.

CURRENT No. 7713
2906/58

EXAMINER,
P. W. ACCOUNTS.
19 SEP 1898
No.

No. 4083 C. d/17 Sept. 98.

To C

From The Chief Engineer
for Irriga

For favour of check as
regards "Present Scale"

No.

W. H. S. S.

Dated 12th September 1898

Received 13th 98

Registered 16. 5. 98

Enclosures 2

No. 3249 6/2 D/ 22nd September 1898. Spare copies

Returned duly verified.

SUBJECT.

Aliabad Amicut Superintendent

Recommending an increase
of pay to the ———, North
Arcot D.

20. 9. 98
21. 9. 98. C

CHIEF ENGINEER
FOR IRRIGATION.
2-SEP-1898
3871a

2906/58

102

BACK PAPERS.

G.O.	No.	Department.	

FURTHER PAPERS.

G.O.	No.	Department.	Date.

P.W. (1898) Department.

CURRENT No 77/3.

No: 4083 C. d/17.9.98

Lo C

For favour of check
as regards "Present Scale."
(Lith) Ash

Sw

From

The Chief Engineer
for Irrigation

No.

Dated 12.9.98

Received 13.9.98

Registered 16.9.98

Enclosures 2

Spare copies

SUBJECT.

19/9/98
Recommending an increase of pay to the Allahabad Ancient Superintendent, North Arcot Division.

19/9/98