Public Works (1898) Department.

G.O., No. 2825 W

DATED 5th Nov/98

✓

7/11/98

Govt. Training School, Salem

[Despatch Abstract.]

Estimate of Rs 5100 for additions to the building occupied by the ——, sanctioned, with remark, for execution when funds are available

110/6

7/13/98

Indexed.

P. W. 26.
1,000—12-2-98.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

BUILDINGS AND ROADS.
CIVIL WORKS.

Government {1898} of Madras.

PUBLIC WORKS.

Recd. } 1898. *Enclosures*
Regd. } *Spare copies*

G.O., No. 2825 W., 5th November 1898.

NOVEMBER.

Government Training School, Salem

Estimate of Rs. 5,100, for additions to the building occupied by the —, sanctioned, with remark, for execution when funds are available.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Buildings and Roads.
Civil Works.

Read—the following papers :—

From the Honourable Mr. D. DUNCAN, M.A., D.Sc., LL.D., Director of Public Instruction, to the Secretary to Government, Educational Department, dated Madras, 10th September 1898, No. 10515.

In returning endorsement No. 1875, dated 3rd instant, I have the honour, with reference to G.O., No. 738, Educational, of the 14th December 1897, to submit for favour of early sanction and transmission to the Public Works Department a plan, together with an estimate of Rs. 5,100, for additions to the building occupied by the Government Training School, Salem. This building was handed over to Government by the District Board, Salem, with reference to G.O., Mis. No. 916 L. of the 20th May 1895.

No. 2047, Educational.

Approved and transferred to the Public Works Department.

23rd September 1898. (Signed) A. EDGINGTON,
Acting Assistant Secretary.

Note by the Chief Engineer, Public Works Department.

The rates seem low and should be carefully checked before work is commenced, to see that they are sufficient.

2. It is unnecessary to use teak in a building of this class. One of the Malabar timbers referred to in Circular No. 2709 C., dated 3rd June 1898, should, if possible, be obtained and used instead, thus effecting a great saving in cost.

3. It is considered that in this, and in all other buildings used as schools, the roof should be provided with a ridge ventilator throughout its length.

22nd October 1898. (Signed) W. B. deWINTON,
Chief Engineer.

Order—No. 2825 W., dated 5th November 1898.

The estimate, amounting to Rs. 5,100, for additions to the building occupied by the Government Training School, Salem, is sanctioned for execution when funds are available.

2. Attention is drawn to the Chief Engineer's note read above.

3. This sanction has been registered as Provincial No. 79 W. of 1898-99 and classified as Civil Buildings—Original Works.

(True Extract.)

Under Secretary to Government.

To the Superintending Engineer, IV Circle, with enclosures.
" Examiner, Public Works Accounts.
" Educational Department.

Exd. T. K. Narayana Aiyangar.

~~H.E.~~

P.W. DEPARTMENT.

Papers to be read in Proceedings :—

Again G.O., dated 189 , No.
Again G.O., dated 189 , No.
Print { Current No. 8014 of 1898, dated 23rd Septr 1898, from The Educational Dept
" " " 189 , " 22nd Octr 1898, " The Chief Engineer P.W.D
" " " 189 , " , "

ORDER.

No: 2825 W / 5.11.98

CW

A.S.4
3.11.98

The estimate, amounting Rs 5.100, for additions to the building occupied by the Government Training School, Salem, is sanctioned for executi when funds are available.

2. Attention is drawn to the Chief Engineer's note read above.

3. This sanction has been registere as Provincial No 79 W of 1898-99 and classi as Civil buildings. Original Works.

ACW
18.10.98

22.10.98

P.K.S

Note. The estimate is dealt with in the accompanying technical note.

ACW
18.10.98.

22.10.98

To The S.E. IV Circle with enclos.
" Exar. P.W. Accts.
" Educational Dept.

17/11/98

P.K.S

H.E. 2-11-98 [P. W. 4. 500—17-6-98.] R 5-11-98.

28

8

Flag H

Note by E. W.

1. The rates seem low, and should be carefully checked before work is commenced, to see that they are sufficient

2. It is unnecessary to use teak in a building of this class. One of the Malabar timbers referred to in Circ. No 2709(cd)3, should, if possible, be obtained & used instead, thus effecting a great saving in cost.

3. It is considered that in this, & in all other buildings such as schools, the roof should be provided with a ridge ventilator throughout its length

Seen A.S.H

W Beal
22.10.08

2285

Public Works Department.

Current No. 8014

Letter No. 2047

Dated 23rd September 1898

From the Educational Department

Estimate can be sanctioned

A C W
18-10-98.

Note by E W

A considerable saving can be effected by using Malabar timber, instead of teak, throughout the building, & the undersigned recommends that this shd be done

A C W
18-10-98.

TECHNICAL NOTE.

Name of Work Additions to the building occupied by the Govt. Training School. Salem.

Amount of Estimate, Rs. 5,100

PARTICULARS OF ESTIMATE.

Main Building, Verandah proposed.	Rs	1,739
~~Subsidiary~~ new School Buildings ~~Constructing~~	,,	3,100
Contingencies	,,	139
Petty Supervision	,,	122
Land Compensation	,,	
Total Rupees ...		5,100.

PARTICULARS OF CONSTRUCTION.

Surface soil }
Sub-soil } Hard Earth* 3 ft. deep

Foundations Concrete broken Stone in Chunam 3' deep 3½' wide.

Basement Brick in Chunam 1½' high & 2 ft. wide.

Walls Brick in Chunam as per height given in plan & Est.

* The hard earth, according to the plan, is at a depth of 3'. Above this level is ordinary earth. In this case, the foundations, as designed, are suitable. ~~Otherwise~~

DW

B

P. W. 58
250—5-8-96.

Plastering ~~or Pointing~~ 2 Coats of Chunam Interior & Exterior.

Flooring To be of 8" square bricks on 4" Concrete & pointed with cement.

Roofing Flat & pan tiles with teak reepers & Chunam borders &c complete.

Doors and Windows To be of teak of description given in plan & to be painted 2 coats silicate chocolate.

Roof timbers to be of Teakwood wood oiled 2 coats.

Scantlings Correct.

Rates The data furnished supports the rates allowed.

The plinth area of the ~~main~~ new building is 1651 square feet, and the cost per square foot will be Rs. 1-14-0.

The plans and estimates have been countersigned by the Director of Public Instruction and approved in the Educational Department.

REMARKS.

This Estimate was called for in G.O. No. 26 W dated 7th January 1898.

The Govt. Training School at Salem is insufficient in accommodation. Space is required for 3 Extra classes each measuring 20' × 16' inside.

It was, at first, thought that the existing tiled shed (L on plan) could be improved to afford the necessary accommodation but, on examination, the foundations

Except for teak, the Salem rates, like those of North Arcot, are unusually low. This is said to be owing to the cheapness of labour & cheapness of carriage

were found to

Kutcha built.

It is therefore proposed to construct a new building (B on plan) 60' × 16' as per plan and section.

A Verandah 7 feet in width is to be added all round the main building (A on plan) as asked for by the Educational Department.

The Estimate has been checked

W.C.U.

17/10/98

In accordance with W's repeated orders, Malabar timber might be used instead of teak, the cost of carriage to Salem being moderate

A.C.K.

18.10.98.

22.10.98

PW

Educational (1898) Department.

CURRENT No. ~~1203~~ 8014

Rd 23-9-98

Cuos 1127 & 1203 of 98

From The Director of Public Instruction, Madras.

Endt. ~~**Order**~~ No. 2047 of 23rd Septr. 1898.

No. 10515

Approved and transferred to the Public Works Department.

X Edgington
Ag Asst Secretary.

AT
23 9 98

MB
21-9-98

Dated 10th September 1898.

Received } 12 ——— Eme
27-9-98
Registered } 30

Enclosures Nil (2 plans) ~~2 Plans and estimates~~ ~~[illegible] 1127 and [illegible]~~

Spare copies

SUBJECT.

Submitting for sanction a plan together with an estimate for additions to the building occupied by the Govt. Training School, Salem.

T
For scrutiny
AsVt
28-9-98
Dw.

Cn

OS
109

DESPATCHED
10 SEP 1898

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

No. 3741 C dt 26-8-98 ✓
2709 C dt 3-6-98 ✓
Go 26 W dt 7-1-98 ✓
" 506 W dt 20-2-97 ✓
" 3301 W dt 18-11-96 ✓
Mm 3347 C dt 17-9-96 ✓
" 3208 C dt 27-8-96 ✓
" 1761 W dt 15-6-96 ✓
" 1313 W dt 27-4-96 ✓
Mm No. 2681 C dt 5-9-95 ✓
Go 263 W dt 30-1-94 ✓
" 483 W dt 21-2-94 ✓
" 1787 W dt 15-6-92 ✓
" 1969 W dt 8-7-92 ✓
" 2806 W dt 7-10-92 ✓
Mm 3522 C dt 14-7-92 ✓
Go 146 W dt 21-1-93 ✓
No. 12 Edl dt 11-1-93 ✓

RR No. 12952 of 98.

Enclosure to P. Dr's Letter No. 10515 / 10-9-98

Educational (1898) Department.

CURRENT No. ~~1127~~ 58 80cc/58

738/97
8 papers

Endt. No. 1875 dt 3d Septr. 1898.

Referred to the Director of Public Instruction.

(By order)
A Edgington
Ag Asst Secretary

PUBLIC INSTRUCTION
3 SEP. 1898
MADRAS

WR
30-8-98

TO BE RETURNED WITH REPLY.

From The Public Works Dept.

No. 3741 C

Dated 26th August 98
Received 29-8-98
Registered 80
Enclosures
Spare copies

SUBJECT.

Requesting that steps may be taken to expedite the submission of the estimate for additions to the Govt. Training School at Salem

BACK PAPERS.

G.O.	No.	Department.	Date.
	738 Mis.	Edl.	14-12-97
	754 „	„	3-12-96
	711 „	„	23-8-95
	567 S.C.	„	23-7-91
	89 Mis.	„	15-2-94
	1226 S.	R. Jud.	25-10-92

FURTHER PAPERS.

G.O.	No.	Department.	Date.

CURRENT No. 1127

No. 3741 C.

Government of Madras,
P.W. DEPARTMENT.

MEMORANDUM.

Dated Madras, 26th August 1898.

The Superintending Engineer, IV circle, having reported that the estimate called for in G.O. No. 738, Educational, dated 14th December 1897, for extending the building occupied by the Government Training School, Salem, was transmitted through the Director of Public Instruction on the 12th March 1898, the undersigned has the honour to request that steps may be taken to expedite its submission to Government.

A. Russell.
Under Secretary.

E 8/9

To
The Educational Department.

[P. W. 41.
1,000—28-2-98.]

CURRENT No 1203

6

Office of the Director of
Public Instruction,
Madras, 16th ~~September~~ 1898.

VP

No. 10515

From

The Honorable Mr. D. DUNCAN, M.A., D.SC., LL.D.,
Director of Public Instruction,
Madras,

To

The SECRETARY TO GOVERNMENT,
~~Educational~~ Department,
Fort St. George.

Sir,

In returning endorsement No 1875 dated, 3rd instant, I have the honour, with reference to G.O. No 738, Educational of the 14th December 1897, to submit for favour of early sanction and transmission to the Public Works Department a plan, together with an estimate of Rs. 5100, for additions to the building occupied by the Government Training School, Salem. This building was handed over to Government by the District Board, Salem, with reference to G.O. No 916 L. Mis. of the 20th May 1895.

I have the honour to be,
Sir,
Your most obedient servant,
D Duncan
Director of Public Instruction.

Ed. Cor. 6 1,000—28-10 97