

28-1-20
15-5-43 (V)

W. V. S.

G.O., No.

1292 W
A

DATED 6 May 1899.

[Despatch Abstract.]

Appeal: Ordered that a telegram be sent to the Secy. Engrs. South Arcot Dist directing him to appeal against the District Engineer's decision in the Suit brought by Contractor Duraiswamy Naidu for the recovery from Govt. of Rs. 225 on account of lime supplied for work done on the Kala-Mandur tank.

245

11/8/99 16.5.99 16.5.99

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Very - M
CURRENT No. 3729
Very Urgent
and Telegram from the
Executive Com. S. Acad. D.
of 13 May 1899.

and Telegram from the
Executive Com. S. Acad. D.
of 13 May 1899.

12
B

No: 1292 W 3/16
Order A

Ordered that the following telegram be despatched to the Secy. S. Arct. Division: -

"Appeal against Munsif's judgment in Kalamarundu Tank case."

APK
10.5.99

Rm

Note

Phase give
From
The Supy Engineer
5-23 a number of the
16 5th Field

No. 249b.

Dated 9th May 1899.

Received

Registered } 8-8-99-4 P.M.

Enclosures 3

Spare copies

Reed S. 10 P. 11
8.5.99

SUBJECT.

Kalamander Lake Case

Note - A suit was brought by Doraiswamy Naidu, a contractor, against the Ex. Engr., S. Arcot Division, for the recovery of Rs 225 on account of lime supplied for work done on Kalavarudur Tank, S. Arcot. The lime was rejected because

Forwarding letter from the
Executive Exec South Area -
with a printed copy of the
judgment and copy of the
decree in the - & requests
to & move the Govt. to prevent
an appeal being made against
the S^t Municipal judgment

181

id-

0.5.93 16.5.99 R 16.5.99

BACK PAPERS.

FURTHER PAPERS.

No.	Date.	No.	Date.
it was of bad quality. The		2703 W	17. 10. 98
defence of the suit was sanctioned		2573 C	4. 5. 98
in G.O. No 2703 W of 17. 10. 98 p. 7.		1851 C	25. 3. 98
The District Munsif of Maddalare			
has however passed a decree			
for Rs 189-6-0 with proportionate			
costs in favour of the contractor.			
The Ex. Engr. applies for permission			
to appeal against the decree			
for the reasons detailed in			
his letter flagged D. & the Supt			
Engr. supports the request. An			
appeal is recommended, as the			
Munsif appears to have mis-			
-appreciated the evidence			
in the case.			
AKW			
10.5.99.			
The Executive Engineer was asked			
to consult the Cont. Phadar. That			
officer now reports that the Cont.			
Phadar recommends the appeal.			
The appeal has to be filed			
before 10 th inst			

To The Supt. Engr. Thiruv
with 3 enclos.
Examin. P. W. Anst
20 5/99

No. 279 W.

V Circle, Madras,

Chennai, 8th May 1899.

From

Colonel A.W. Smart R.E.
SUPERINTENDING ENGINEER,
V CIRCLE.

To

The Chief Engineer,
B. W. Department

SIR,

Enclosures.

- 1 Letter No. 276 SE from
Ex. Engr. South Arcot
2.5.99
- 1 Printed copy of judgment
- 1 copy of decree -
(for favour of return
when done with)

With reference to G.O. No. 2703 W. dated 17th
October 1898, I have the honour to forward letter No
276 SE. dated 2 May 1899, from the Executive Engineer,
South Arcot Division, in original, with a
printed copy of the judgment and copy of the
decree, in the Kalamasudus Tank case, and
to request that you will be so good as to move
Government to be pleased to permit an appeal
being made against the District Munsif's judg-
ment and that you will send orders to the
Executive Engineer by wire in regard to the
matter.

I have the honour to be Sir
Your most obedt. Servant

A. W. Smart Colonel R.E.
Superintending Engineer

25.5.99.

No. 1820 of 12/5/99

P. W. D.

Telegram

From

Madras Works

To

The Executive Engineer,
South Arcot Division

myself

Consent for the leader
a wire of am - he
Sanction of he
des from him
Wheel

your application
to appeal in Kala-
marudur tank
case. Will after
consulting Govern-
ment Pleader
whether he sees
grounds for appeal.

AKR
12.5.99

L. H. S.
12.5.99

Telegram despatched
12/5/99

W

Telegram

Public Works (189) Department.

CURRENT No. 3969

Order

From The Executive Engineer, South Arcot District
Cuddalore

No.

Dated 13th May 1899

Received

Registered

Enclosures

Spare copies.

SUBJECT.

Stating that the Gnt. Engineer
recommended to prefer appeal in Talamandalu
Tank case.

०८७

TO: *Mr. K. A. M. M. M.*

Office

Love

Words

Day.

Hour.

Minute.

Official

Fre

(Porton)

From
(Porton) E. Inger
L. Arcot

F. C. I.

LN

Sent 10

24

44

1000

41

1400

285

Biograph Master

P- No, 201 T-17 9 97 - 00.500.

OOTACAMUND 13-5-99