

Public Works (1899) Department.

G.O., No. 1722 W
173 }
DATED 19 Jan 1899.

[Despatch Abstract.]

Wire fencing

Letter from the D.S. of Shes. Indian Office, forwarding, with enclosures, Specifications, Estimate, for one mile of — 3' 6" high, wire fence from Messrs Morton & Co., Bainbridge Bay also Jones & Co. together with drawings received from the two latter firms, communicated to the S.C. Clerk and the D.S. of Shes., advised to be requested to supply one mile of Messrs Morton & Co.

Letter to the D.S. of Shes

Y (after despatch)
B

Baylis

AER
14.1.99.

G.O.	No.	Department.	Date.
	51172		17.11.78
	2721-22		19.10.78
			etc

Madras Provincial P.W.

Iron Branch.

No. 628.

£. s. d

Per yard

1.

72

2.

each
1.3.00

6.

18.6

Total say £6s f.o.b. London Liverpool
or Birkenhead

Specification

Strained Wire Fencing No. 1057, specification "E" (No. 1058 is obsolete) 3'6" high from ground, Standards $1\frac{1}{4}"$ x $1\frac{1}{4}"$ x $3/16"$ Angle Iron, 8 ft. apart, pointed, and punched for 5 lines Galvanized 7-ply Strand Wire Top No. 4, four lower No. 6 gauge, with sufficient wedges and 5 % over. Standards oiled and bundled and wire coils, also 8 Victoria Straining Pillars, viz: 2 terminals No. 326 F, and 6 Intermediate No. 327 FN, painted and sent away fitted. Wrought Iron Stays and plates loose, bundled, and otherwise as print No. 6365 herewith.

In the absence of plan, or instructions re number of Straining Pillars we have estimated for the above.

id Bayliss Jones
+ Bayliss

C No 159

Dr

With reference to para 2 of the letter from the D. G. of Stores flagged K, we directed that the D. G. be asked to defer supply of the 3'6" fencing ~~ordered~~ indented for, & to furnish a specification & an estimate of the cost of Morton's fencing.

The D. G. now forwards specifications & estimates from Morton & Co, Bain & Co, & Baylis Jones & Co.

Pending receipt of a further letter, the supply of the 3'6" fencing has been deferred.

~~For orders.~~

We are asked, for whether Morton's fencing, which is the lowest in price can be asked for.

SPECIFICATION OF FENCE.

5, Victoria Street, Westminster,

London, S.W.

Height above ground 4 ft. with five lines of Galvanised

7 ply strand, two top lines No.5, others No.6 - Standards

7 ft. apart and pillars at intervals of 120 yards.

List of Materials for one Mile.

7. Double Winding pillars 1 1/2 sqre. by 7 ft. with 24" x 18" x 1/4 sole

8. Resisting posts to match

15. Stays 1 1/4 sqre. x 6'3" with sole plate

740. T Iron Standards 1 1/2" x 1 1/2" x 1/4" x 6ft. 4 1/2"

2 Miles No.5 Galvanised 7 ply strand

3 " No.6 do. do.

7013

Price £88 London, L'pool, B'head
£04.6.0 Glasgow

GOVERNMENT CONTRACTORS.

17, Victoria Street,

Westminster, S.W.,

London,

6th December, 1898.

The Secretary of State for India in Council,

India Office,

Whitehall, S.W.,

re Your Enquiry D.O. 802 & S 12659.
Madras Provincial, P.W. Home No. 519

Sir,

In handing you herewith our tender for fencing,
we beg to state that the following is the specification we
quote for.

One mile of wire fence, our pattern No. 2 on page
5 of our catalogue No 13 A sent you herewith, to fix
3' - 6" high above ground, 5 lines of galvanized cable
strand, our No. $\frac{3}{3}$ - Twisted straight footed standards
 $1\frac{1}{4}" \times 1\frac{1}{4}"$ spaced 10 ft. apart, including to this length, 8 of
our wrought iron straining pillars, and stays (one per 220
yards). Pillars and stays to be painted one coat and
standards black varnished, all bundled in our usual
manner for shipment, and delivered f.o.b. Birkenhead.

s. d.
£33. 10 - 0 per 1760 yards, nett.

We

8, Victoria Street, Westminster,

London, S.W.,

25th November 1898.

The Director General of Stores,

India Office,

Whitehall, S.W.,

Sir,

Strained Wire Fencing.

Referring to your letter of 23rd instant, we beg
to enclose Tender along with tracing showing details of
fence as represented on page 19 of Catalogue D. We also
hand you on opposite page Specification and list of
materials that would be applied for one mile of fencing.
Trusting the prices named in Tender will prove satisfactory.

We are, Sir,

(Sd.) Wm. Bain and Co.,

155/59
155/59

633. 10 - 0 per 1760 yards, net.

manner for shipment, and delivered f.o.b. Bournemouth.

standards black varnished, all bundled in our usual

yards). Pillars and stays to be painted one coat and

our wire from straining pillars, and stays (one per 280

1 1/2" x 1/2" spaced 10 ft. apart, including to this length, 8 of

strand, our No. 3 - Twisted straight footed standards 1 1/2"

8' - 6" high above ground, 5 lines of galvanized cable

5 of our catalogue No. 13 A sent you herewith, to fix

One mile of wire fence, our pattern No. 2 on page

quote for.

we beg to state that the following is the specification we

In handing you herewith our tender for fencing.

Sir,

Madras Provincial, P.W. Home No. 519

re Your Enquiry D.O. 808 & 2 18889.

India Office, Whitehall, S.W.

The Secretary of State for India in Council,

6th December, 1898.

London,

Westminster, S.W.,

17, Victoria Street,

GOVERNMENT CONTRACTORS.

18th December 1898.

We could deliver in about 14 days from receipt

of order.

We are, &c.,

For Francis Morton and Co., Limited,

(Intld.) C.H.C.

specifications, estimates, and tenders for one mile of wire fence

and stays, as per your Enquiry D.O. 808 & 2 18889.

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

enclosed herewith, and we beg to state that the following is the specification we

It is requested that in any further communication on this subject the under-mentioned letter and number may be quoted, and the reply addressed to

The Director-General of Stores,
India Office,

Whitehall,

London, S.W.

S.12659.

India Office,

Whitehall,

London, S.W.

16th December 1898.

Sir,

As requested in your letter No. 2722 dated

19th October 1898, I have the honour to forward

specifications, & estimates, for one mile of wire fencing,

3'6" high, received from Messrs. Morton and Co., Bain and Co

and Bayliss Jones and Co., together with drawings received

from the two latter firms. - Catalogues of the above named

Contractors are also being sent by book post. Pending the

receipt of a further letter from you, the supply of this

item will be deferred.

Morton & Co. about

14 days,

Bayliss Jones & Co.

4 weeks,

Bain & Co.,

11 weeks.

The time required by each of the firms for

executing the work is noted in the margin.

Messrs. Morton and Co's offer (£33.10.0) is the

lowest.

I have the honour to be, Sir,

Your obedient Servant,

R. J. Crozier

Deputy Director-General of Stores.

The Secretary
to the Government of Madras,
Public Works Department.

*over
15/12/98*

SPECIFICATION OF FENCE.

Height above ground 4 ft. with five lines of Galvanised
7 ply strand, two top lines No.5, others No.6 - Standards
7 ft. apart and pillars at intervals of 120 yards.

List of Materials for one Mile.

7. Double Winding pillars $1\frac{1}{2}$ sqre. by 7 ft. with
24" x 18" x $\frac{1}{2}$ sole

8. Resisting posts to match

15. Stays $1\frac{1}{4}$ " sqre. x 6'.3" with sole plate

740.T Iron Standards $1\frac{1}{2}"$ x $1\frac{1}{2}"$ x $\frac{1}{4}"$ x 6ft. $4\frac{1}{2}"$

2 Miles No.5 Galvanised 7 ply strand

3 " No. 6 do. do.

Price £88 - London L'pool, B'Lead
- £84-6-8 Glasgow

SCHEDULE.

D.O. 802 & S 12659.

Madras Provincial P.W.

Home No. 519.

Annual P.W. Ind. 1 dated 9.3.98. & lre. from Sec. to Govt. of Madras, P.W. Dept., No. 2722 W. dated 19.10.98

Iron Branch.

1 enclosure.

£.s. d

1.628. Wire fencing No. 1057 to Specification "A" (page 45 of your catalogue) 1 mile Per yard 1. 7½

Terminal Pillars

2. 1.3.00 each

Intermediate Pillars

6. 18.6

Total say £61 for 6 London, Liverpool or Birkenhead

Specification

Strained Wire Fencing No. 1057, specification "E" (No. 1058 is obsolete) 3'6" high from ground, Standards 1½" x 1½" x 3/16"

Angle Iron, 8 ft. apart, pointed, and punched for 5 lines

Galvanized 7-ply Strand Wire Top No. 4, four lower No. 6

gauge, with sufficient wedges and 5 % over. Standards oiled and bundled and wire coils, also 8 Victoria Straining Pillars, viz:

2 terminals No. 326 P, and 6 Intermediate No. 327 FN, painted

and sent away fitted. Wrought Iron Stays and plates loose, bundled,

and otherwise as print No. 6365 herewith.

In the absence of plan, or instructions re number of Straining Pillars we have estimated for the above.

S^d/ Baylis Jones Baylis

SPECIFICATION OF FENCE.

Described to be built with five lines of Galvanized wire, 7 ft. apart, two top lines No. 4, others No. 6 - Standards

7 ft. apart and pillars at intervals of 120 yards.

List of Materials for one mile.

Terminal Pillars 2" x 18" x 4 coils

15. Strays 1½" x 1½" x 3/16" x 11½" x 11½" x 11½"

2 Miles No. 5 Galvanized 7 ply strand

Price £88 - lower 1 foot, 1 foot, 1 foot

GOVERNMENT CONTRACTORS

17, Victoria Street,

Westminster, S.W.,

London,

8th December, 1898.

The Secretary of State for India in Council,

India Office,

Whitehall, S.W.,

For Your Majesty's O.C. 808 & 81282.
Madras Provincial P.W. Home No. 512.

Sir,

In handing you herewith our tender for fencing,
we beg to state that the following is the specification we
quote for.

One mile of wire fence, our pattern No. 2 on page

2 of our catalogue No. 13 A and you herewith, to fix

3' - 6" high above ground, 5 lines of galvanised wire

strand, our No. 3 - Twisted straight twisted standards

1 1/2" spaced 10 ft. apart, including to this length, 8 of

our wire iron straining pillars, and stays (one per 200

yards). Pillars and stays to be painted one coat and

standards black varnished, all bundled in our usual

manner for shipment, and delivered f.o.b. Mizenhead.

Est. 10 - 0 per 1700 yards, etc.

We could deliver in about 14 days from receipt

of order.

We are, &c.,

For Francis Morton and Co., Limited,

(Intld.) C.H.C.

11545

DUPLICATE

S.12659.

16th December 1898.

Sir,

As requested in your letter No. 2722 dated 19th October 1898, I have the honour to forward specifications, & estimates, for one mile of wire Fencing 3'6" high received from Messrs. Morton and Co., Bain and Co and Bayliss Jones and Co., together with drawings received from the two latter firms - Catalogues of the above named Contractors are also being sent by book post. Pending the receipt of a further letter from you, the supply of this item will be deferred.

Morton & Co. about
14 days,
Bayliss Jones & Co.
4 weeks,
Bain & Co.,
11 weeks.

The time required by each of the firms for executing the work is noted in the margin.

lowest.

Messrs. Morton and Co's offer (£35.10.0) is the

I have the honour to be, Sir,

Your obedient Servant,

E. GRANT BURLS

The Secretary
to the Government of Madras,
Public Works Department.

Director-General of Stores.