blic Works (1899) Department.

G.O., No. 1952 W

DATED 26th July 1899.

[Despatch Abstract.]

Well:

Approving & returning to the S.E. III circle for sanction & execution the estimate of Rs 320 for sinking a ——— in the compound of the Collector's residence at Anantapur

I/B.

[P. W. 2 / 2,000—29-3-99.]

Indexed. 31/7

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Public Works (1899) Department.

CURRENT No. 1604

No: 1236 C d 27-2-99

From The Superintg: Engineer
3rd Circle
Bellary

~~**Order**~~

Recorded

AEK
27. 2. 99.
Dw.

No. 749 W

Maj

Dated 21 — 2 — 99

Received
Registered } 23. 2. 99

Enclosures

Spare copies

Re R C Smith

SUBJECT.

Well in the Compound of the Collectors Residence Anantapur: ——

States that the Exec. Engineer Bellary Dn will inspect the place and submit an estimate for sinking a ——

B / PB

28/2/99 HC

BACK PAPERS.

No.	Date.
2078W	13-8-98

FURTHER PAPERS.

No.	Date.

No. 749 W.

Superintending Engineer's Office,
3RD CIRCLE.
Bellary 21st February 1899.

FROM Lieut. Col. W. L. C. Baddeley R.E. ~~Esq.~~,
SUPERINTENDING ENGINEER,
IIIRD CIRCLE,
BELLARY.

To
THE Chief Engineer,
P. W. Department,
Madras.

Sir,

Enclosures.

With reference to your reminder No 2078W dated 13th February 1899, I have the honour to state that the Exe: Engineer Bellary Division reports that he will inspect the place personally, and submit as soon as possible an estimate for sinking a well in the compound of the Collector's residence, Anantapur.

I have the honour to be,
Sir,
Your most obedient servant,
W Baddeley Lieut. Col. R.E.
Supty: Engineer, III Circle.

20/2/99

From

The Superintending Engineer,
IIIrd Circle,
Bellary,

To

The

Dated
Received 189 .

Enclosures.

No.

Subject.

Public Works (1899) Department.

CURRENT No. 3129

From The Superintdg. Engineer
3 Circle
Bellary

Order

No. 1461 W

Dated 14 — 4 — 99

Received
Registered 15-4-99

Enclosures 5

Spare copies

SUBJECT.

Well in the Compound of the Collectors House Anantapur: —

Forwards an estimate Rs 320 for sinking a —

H.C.

O.L.S. 23 R. to C.E. 2/5/99 R 15/5 Sent again 8/6/99 R 16/5

BACK PAPERS.

No.	Date.
1236 C	27-2-88.
2078 W	13-8-98
2082 W	17-7-96
2362 C	29-5-96
1267 W	11-4-96
1010 W	20-3-96
2432 W	3-10-95
202 W	23-1-94
2431 W	3-10-95
2889 W	14-11-98
1087 W A	29-4-98
1687 C	20-3-99
	Y file

FURTHER PAPERS.

No.	Date.

No. 1461 W

Superintending Engineer's Office,
3RD CIRCLE.
Bellary 14th April 1899.

FROM Lieut. Col. W. L. C. Baddeley R.E.
SUPERINTENDING ENGINEER,
3RD CIRCLE,

To

THE Chief Engineer,
P. W. Department
Madras

Sir,

5 Enclosures.

1 Copy of letter No
2034
22-3-99
1 Report
1 [illegible]
1 Detail estimate
1 Abstract estimate

With reference to G. O. No. 2078 W dated 13th August 1898, I have the honour to submit an estimate amounting to Rs. 320 for sinking a well in the compound of the Collector's house at Anantapur; and to state that in consideration of the very high rent (viz 10 per cent of his salary) paid by the Collector, every reasonable improvements to the residence should be carried out at Government expense.

2. A copy of letter No. 2034 dated 22nd March 1899 from the Executive Engineer to the Collector is enclosed for your information.

I have the honour to be,
Sir,
Your most obedient servant,
W L C Baddeley Lieut. Col. R.E.
Supty. Engineer, III Circle.

From
The Superintending Engineer,
3rd Circle,

To
The——

Dated
Received
——189 .

Enclosures.
No.

Subject.

No. 2872C

C br. 3129

Gobernment of Madras.

DEPARTMENT.

Madras, 23 June 1899.

OFFICE NOTE.

From
W

To
C

Kindly see item 81. Capital and Revenue Accts of Govt buildings let or available for rent as residences for the year 1897-98 and quote the authority for fixing the normal rent of the building at Rs 244.

(Sd) H.E.C. (Sd) W. B. de W.
14/6/99.

The actual rent is Rs180 vide G.O. 2082 W dy 17-7-96.

D 26/6/99

27/6/99

Public Works (1899) Department.

CURRENT No. 5041

C/ No. 3036 C.d/ 5/7/99

From The Superintg. Engineer
3rd Circle
Bellary

No. 2372 W.

~~Order~~

Memo:

In reply to his letter No. 23[illegible] W. d/ 24th June 1899, the Supdg. Engineer III Circle is informed that the estimate for sinking a well in the compound of the Collector's residence at Anantapur is under the consideration of Govt. and that orders thereon will issue shortly.

2. The work cannot however be put in hand until the Govt. of India approves of the proposed expenditure, as it will increase the capital cost of the building & hence the rent. Let it be

H.G.
27/6

Dated 24—6—99
Received
Registered 26.6.99
Enclosures
Spare copies

SUBJECT.

Collector's house Anantapur:—

Requesting to pass early orders on S.E. 3rd C's No. 2372 W. d/ 24—6—99 regarding sinking a well in the compound of the

H.G.

Mis

6/7

6/7/99

To The S. E. III Circle

o L S. 239 11/7

BACK PAPERS.

No.	Date.
2872 C	23-6-99.
Nos 2889, 2890 W	14-11-98
1687 C	20-3-99
1225 C	27-2-99
1373 C	6-3-99
2365 C	4-5-98.
720 W	16-3-98.
1209 C	1-3-98.
1010 W	20-3-96
2632 W	24-10-95
202 W	23-1-94.
2774 W	31-10-93.
2775 W	31-10-93.
2219 W	30-8-93

file

FURTHER PAPERS.

No.	Date.

No. 2372 W.

Superintending Engineer's Office,
3RD CIRCLE.
Bellary 24th June 1899.

FROM Lieut. Col. W. L. C. Baddeley R.E.
SUPERINTENDING ENGINEER,
3RD CIRCLE,

To

THE Chief Engineer,
P. W. Department
Madras

Sir,

Enclosures.

2872 C
23-6-99

I have the honor to request that you will be good enough to obtain Early orders on this office No. 1461 W dated 14th April 1899 regarding sinking a well in the Compound of the Collectors house at Anantapur.

The Collector has asked the Executive Engineer to finish the work before the rains set in.

I have the honor to be,
Sir,
Your most obedient servant,

W L C Baddeley
Lieut. Col. R.E.,
Superintending Engineer,
III Circle

file
22-6-99.

From
The Superintending Engineer,
3rd Circle,

To

The

Dated
Received 189 .

Enclosures.

No.

Subject.

Public Works (1899) Department.

CURRENT No. 5216
545

1773

Order

From

The Examiner P.W. Accounts,
Madras & Coo

No. 817 S/A

Dated 28th June 1899
Received 29.6.99
Registered
Enclosures
Spare copies.

SUBJECT.

Collectors residence at Anant — Stating that the rent fo the — has been fixed in ac-cordance with the revised Dat Statement.

HC/0.

023253

BACK PAPERS.	
No.	Date.

FURTHER PAPERS.	
No.	Date.

EXAMINER,
P. W. ACCOUNTS.
27 JUN. 1899

No. 2872C

Government of Madras.

PUBLIC WORKS DEPARTMENT.

Dated 23rd June/99

OFFICE NOTE.

From W

To C

Kindly see item 81, Capital and Revenue Accounts of Government buildings let or available for rent as residences, for the year 1897-98, and quote the authority for fixing the normal rent of the building at Rs 244.

AL 14/6

P.K.S

14.6.99

The actual rent is Rs 480 vide G.O. 2082 W 17.7.96

M

No. 817 A/A dated 28th June 1899

To

W.

The normal rent Rs: 244/- entered in the remark column of Capital and Revenue Accounts of Buildings for 1897-98 against item 81 "Collector's -- residence Anantapur" is in accordance with the revised Data Statement submitted by the Executive Engineer which has been verified and returned to -- Superintending Engineer 3rd: Circle - with this office letter No.747 A/A dated 14th: June 1899 in view to his obtaining the sanction of Government.

2. In this connection please see E.W's No.2365 C dated 4th: May 1898. vide 2872 C dy 23-6-99

N. R

Offg: C.

NRS
28.6.99

E- No. 27.
1,000—16-5-98

KEEP-WITH

CURRENT NO.

dated 189 .

GOVT. OF MADRAS. } 1899 { P.W. DEPT.

EXAMINER, P. W. ACCOUNTS.

Madras, 5th July 1899

OFFICE NOTE No. 849 A/A

To

W.

In continuation of my Office Note No.817 A/A dated 28th: June 1899 I beg to state that a Data Statement - for Collector's residence at Anantapur has since been sanctioned by the Superintending Engineer, 3rd: Circle, and a copy forwarded to me with his No.2451 dated 30th: June 1899. The rent for the building according to the Data Statement now received has been fixed at -- Rs: 179/- per mensem and this figure is based on actual average cost of Repairs, viz: Rs: 541/-, whereas the rent originally calculated, viz: Rs: 244/- was based on an estimated cost of Repairs Rs: -- 1,325/-.

x No 5216/99 Linked with this case.

The rent of Rs: 179/- per -- mensem has been accepted by me.

N. R

Offg: C.

NR
5-7-99

Public Works (1899) Department.

CURRENT No. 5455
5216

No. 3103 cd 11/7/99

Office note

~~Order~~
To C

There is at present a proposal before Govt. to sink a well in the Compound of the Collector's residence at Anantapur at a cost of Rs 320-

2. The normal rent for the building calculated on the latest data available is reported in your office note No. 849 A/A dated 5th July 1899 to be Rs 179 per mensem, and the expenditure of Rs 320 now proposed will raise the rent to Rs 181. As this amount is less than 8 per cent of Rs 2,333

which

From
The Examiner P.W. Accounts,
Madras & Coorg

No. 849 A/A

Dated 5th July 1899
Received } 6-7-99
Registered }
Enclosures
Spare copies.

SUBJECT.

Collectors residence at Anantapur — States that the revised normal rent for — has been fixed @ Rs 179/- by Supdg. Engr. 3rd Circle and is accepted by C.

11/7/99

5216/33

HC

INDEXED

12/7

BACK PAPERS.

No.	Date.

which is the salary of the occupant, the sanction of the Govt. of India to the outlay of Rs 320 on sinking a well does not appear to be necessary. Please favour me with your opinion on the matter.

(Sd) H.E.C.

FURTHER PAPERS.

No.	Date.

C 20c ⓘ 12/7

EXAMINER,
P. W. ACCOUNTS.
12 JUL. 1899
No. 1343 A

a/2

No. 3103C

Government of Madras.

Public Works DEPARTMENT.

Madras, 11th July 1899.

OFFICE NOTE.

From
W.

To
C

There is at present a proposal before Government to sink a well in the compound of the Collector's residence at Anantapur at a cost of Rs.320.

2. The normal rent for the building calculated on the latest data available is reported in your office note No. 849 A/A dated 5th July 1899 to be Rs. 179 per mensem, and the expenditure of Rs.320 now proposed will raise the rent to Rs.181. As this amount is less than 8 per cent of Rs.2,333 which is the salary of the occupant, the sanction of the Government of India to the outlay of Rs.320 on sinking a well does not appear to be necessary. Please favour me with your opinion on the matter.

H.E.C.

H.E.C. 11/7
D.W.

[P. W. 48.
500- 24-3-98.]

No. 884 A/A dated 17th July 1899

To

W.

The Sanction of Govt. of India is not necessary

H R

C

Rea 14-7-99 [illegible]

17-7-99

Public Works DEPARTMENT. 8

READ the following:-

From the Superintending Engineer III Circle No 1461 W. dated 14-4-99

Circulated to ~~The Honourable Mr. [illegible]~~ H. E. The Governor

FOR ORDERS.

Flag X

To The Revenue Department for favour of counter-initials

In G. O. No. 3173 Mis Rev, dated 28th July 1898, the proposal of the Collector of Anantapur to sink a new well in the compound of his residence was approved, and the P. W. D was asked to arrange for the preparation of an estimate. The Superintending Engineer III Circle, was accordingly directed to submit the necessary estimate, vide G.O. No. 2078 W, dated 13th August, 1898.

Flag X

Flag J

2. With his letter No. 2034, dated 22nd March, 1899, the Executive Engineer Bellary Division forwarded an estimate of Rs 320 for the proposed well to the Collector of Anantapur for countersignature and remarked as follows:- "I think it right to point out that I see no reason to

P. W. 43
500-14-11-98.

to believe that the quality of the water will materially differ from that in the well near your stables. I believe that nearly all the wells in Anantapur are more or less brackish, Mr Hinkley's being a striking exception; and I think it much more likely that the water in the new well will resemble that in the well near it, than that in Mr Hinkley's which is much further off. I believe Mr Larminie the late Superintending Engineer expressed a similar opinion. I think it right to mention this in order that no blame may attach to this Department, should the well prove to be no better for drinking purposes than the existing ones."

3. The Superintending Engineer, in submitting the estimate for the sanction of Government, observes that in consideration of the very high rent (10 pc of salary amounting to Rs 208 a month) paid by the Collector every reasonable improvement should be carried out to his residence at the expense of Government

Board's Rev: B.P. No. 137/8.11.99.

(Linked file) (cw 24/48)

para 2 of Board's Ref No. 727/2.7.98
in G.O. 3173/28.7.98 H (in linked file)

Please see also B.P. No. 1208/6.5.98, stitched with the above

Government.

4. As the capital cost of the building already exceeds 8 p.c of the Salary of the Collector, the Sanction of the Government of India will be required to the proposed expenditure of Rs 320. Orders are requested as to whether this sanction may be applied for. It appears to be more than doubtful if the quality of the water will be ~~[illegible]~~ good enough for drinking purposes.

ASR
20.4.99

Circ
21/4/99 W

Mas

Revenue Department

To the Undersecretary.

Please see linked file in which the Board of Rev: requests that early orders may be issued in the P.W. Dept for the construction of the well. In proposing the sinking of the new well, the Board of Rev: stated that "it is reported that there is "every probability of finding good "drinking water in a well "sunk in front of the main "building, as there is already in

n existence lower down on
the same slope a well which
ceives an excellent supply."
e Executive Engineer however
nsiders that Mr Hinkley's
vell (apparently the well with
n excellent water supply
ferred to by the Board) is a
triking exception and that he
has no reason to believe that
the quality of the water in the proposed new well will
materially differ from that
in the well near the stables,
~~[illegible]~~ the water of which
is reported to be brackish.
Perhaps some trial borings
may be ordered to be made
in different parts of the bungalow
compound to see where good
water can be had. The sanction
of the Govt of India may, in the
meanwhile, be applied for to the
expenditure of Rs 320 required
for the sinking of the new well.

24.4.99

Secy

Perhaps the P.W.D.
cd arrange for a trial boring?

25/4/99

H.E. - For orders

[illegible] Dept for C. 22-4-99 H.E 4.5.99 R 6.5.99

If trial borings were
practicable the desirability
thereof could not have
been overlooked by the D.P.W.-

The estimate shows gravel
with boulders for 18 ft, & then
hard rock for 15 feet - The rock cannot be
pierced by a borer -

I know the place -
I think it very doubtful
whether sweet water will be
found; but the expense is
small, & the venture is worth
making - I wd. apply to the
Govt. of India for sanction

H.W.
29-4-99-

P.W.D. UO

A.S.H.
W 8.5.99
C 2894

P. W. DEPARTMENT.

C. No. 3129.

C.A.W.

Orders to take trial borings
& shd issue in S.E.'s letter.

2. It is not ap-
parent whether the ap-
plication to India for
sanction to estimate of
Rs 320 is to be made in
this Dept. If so, it shd
be drafted for H.E.'s ap-
proval.

A.K.
7.5.99.

D.W.

The note for orders has now been
circulated to H.E., who is also of opinion that India's
sanction should be applied for.

2. A draft G.O. approving the estimate, and
letter to India requesting its sanction to the proposed
expenditure will be drafted in this Dept.
A para will be added to the draft order
directing the S.E. to have trial borings taken.

3. As the capital cost of the building is not
known here, the file will be sent down to
Madras.

P.K.S.
11/5/99.

Very well.

A.K.
12.5.99.

H.C.

40,175
~~Rs 40,000~~

P. W. DEPARTMENT.

READ the following:—

Print

From the S. E. III Circle, No. 1461 W, dt 14 April 1899

Circulated to

His Excellency the Governor

ORDER.

The estimate of Rs. 320 for sinking a well in the Compoun of the Collector's residence at Anantapur is approved.

~~2. The Suptg. Engineer will arr to have trial borings made in different parts of the Compound of the building in order to see where good water can be had~~

3. As the expenditure already incurred on the building is i excess of the limit prescribed in para 17 (1), chapter X, Vol. I of the P.W. Code, the sanction of the Govt. of India will be applied for to the proposed expenditure of R. 320 in sinking a well.

Trial borings are impracticable in such a situation and this para may be deleted H.E.P. W.Hill 12.6.99

P.W. / W

To
The S. E. III Circle. with enclos.
" Examiner, P.W. Accounts
" Revenue Department.

W

[P. W. 42-A. / 1,000—2-3-99.]

(H.E. No. W, D7 1899)

To

The Joint Secy. to the Govt. of India,
P.W. Department.

Sir,

With reference to para 17(3), Chapter X, Vol. I of the P.W. Code, I am directed to forward a copy of the Proceedings of this Govt. No. W, D7 1899, and to request the sanction of the Govt. of India to an expenditure of Rs. 320 on sinking a well in the Compound of the Collector's residence at Anantapur.

2. The Construction of a residence for the Collector of Anantapur at a cost of Rs. 30,875 which included Rs. 8000 for site, was sanctioned by this Govt. in 1883 when the rules regulating the purchase and construction of quarters for Govt. officials were not in force. A revised estimate of Rs. 28,190 was sanctioned in 1886, and it was again raised to Rs. 34,246 in 1889. Since then, various minor improvements and additions, which were found absolutely necessary were carried out from time to time, raising the capital cost of the building to Rs. 40,175, inclusive of Establishment, Tools and Plant, charges. The rent calculated on this sum amounts to Rs. 244 per mensem but Rs. (233) only, being 10 per cent of the salary of the occupant which is the maximum leviable under Code rules, is charged.

G.O. No. 3010 W
24.10.83

G.O. No. 2196 W
3.5.86

Rs. 208
vide Collr's letter with G.O. No 2078 d/ 13-8-99 HL

3. The construction of the well will, if sanctioned, increase the capital cost of the building to Rs. 40,527 inclusive of Establishment, Tools and Plant charges, and the rent to Rs. 247 per mensem, but as the maximum that can be levied has already been reached, I am to request the sanction of the Govt. of India to the proposed expenditure of Rs. 320, which His Excellency the Governor in Council considers to be ~~absolutely~~ necessary in order to meet the requirements of an officer in the position of a Collector.

I have &c.

HL
12/6

Public Department.

No. 6150 W
14/7/98
2365 C 24/7/98

H.E.

I suppose the rent of this building had been reduced to Rs. 180 – Please look up. – In any case it is not so high as Rs 233. – So the statement must be altered. – I think the repairs were taken at less than 3 % of cost.

12/6

W/

The rent of this building was reduced to Rs 180 vide G. O. No. 2082 W dy 17. 7. 96 (Flag L).

2. Kindly see item 81. Capital and Revenue Accounts of Govt. buildings for 1897-98. (Flag M). The average cost of Repairs has been shown as Rs 1325 and

P. W. 2
2,000—29-3-89.

B 3/0

and the revised rent Rs 244. I have searched in vain for the G. O fixing the increased rate of Rs 244.

3. A draft office note to E requesting him to quote the authority is put up. The Madras office will be asked to look up again for the G. O before issuing the office note.

P. K. S
13/6.

Public Works (1899) Department.

CURRENT No. 584

C. No: 3129
" - 5216
" - 5455
" - 5840

B
From orders

From
The Examiner P. W. Accounts
Madras & Coorg

No. 884 A/A

Dated 17 July '99
Received 18-7-99
Registered
Enclosures Plans } total
others
Spare copies.

Order No. 1952 W dated 26-7-99

The estimate of Rs. 320 for sinking a well in the compound of the Collector's residence at Anantapur is approved and returned to the Supdg. Engr. III Circle for sanction and execution.

H.H.
2-7
H.H.
21.VII
W

Mas

To
The S. E. III Circle with 5 enclos.
" Exmr. P. W. Accts.
" Revenue Deptt.

D 27/7/99
T Ams
B
22/7

SUBJECT.

Sinking a well in the Compound of the Collector's Bungalow at Anantapur States that the Sanction of the Govt. of India is not necessary for ~~the~~ –

0 25307

HC

BACK PAPERS.

No.	Date.
3103 C	11-7-99
3036 C	5-7-99
2872 C	23-6-99
1236 C	27-2-99
2889-90 W	14-11-98
1087/A W	29-4-98
2078 W	13-8-98
2082 W	17-7-96
2262 C	29-5-96
1267 W	11-4-96
2432 W	3-10-95 + file

FURTHER PAPERS.

No.	Date.