Public Works (189) Department.

G.O., No. 762 & 763 S.

DATED 6 September ~~August~~ 1899

15/8/99

[Despatch Abstract.]

Head Sluice - Sanctioning, with remarks, the estimate of Rs 1619 for constructing a new — to Maruthuvakudi channel, on Veerasholan right bank, Tanjore Dn — & ordering that a copy of the proceedings be forwarded to the Govt of India

Head Sluice -

Forwarding a copy of the proceedings sanctioning an estimate of Rs 1619/- for constructing a new — to Maruthuvakudi Channel on Veerasholan bank, Tanjore D-

[P. W. 26. 200—19-7-99.]

2211 Rev. 9-99 1884

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

IRRIGATION.
ACCOUNT.

Government {1899} of Madras.

PUBLIC WORKS.

Recd. } 1899. *Enclosures*

Regd. *Spare copies*

G.O., Nos. 762, 763 I., 6th September 1899.

SEPTEMBER.

Head Sluice

Forwarding a copy of the proceedings sanctioning an estimate of Rs. 1,619 for constructing a new — to Maruthuvakudi channel on Veerasholam right bank, Tanjore division.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.
Account.

READ—the following papers:—

G.O., No. 111 I., dated 1st February 1897.
" " 249 I., " 14th March 1899.
From the Superintending Engineer, V Circle, dated 21st July 1899, No. 263 E.I.
To the Examiner of Public Works Accounts, " 31st " " " 244.
From the " " " 4th August 1899, No. 2589 B/A.

No. 164 I.

Note by the Chief Engineer for Irrigation.

In G.O., No. 111 I., dated 1st February 1897, the execution by the Public Works Department of a new head sluice to Maruthuvakudi channel, Cauvery delta system, was sanctioned, the interested ryots contributing the whole of the estimated cost of the work, viz., Rs. 1,619. The Superintending Engineer, V Circle, subsequently reported that the work was completed with an excess of Rs. 188-1-0 which could not be recovered from the ryots, and in G.O., No. 249 I., dated 14th March 1899, the excess was ordered to be debited to "42. Major Works (Working Expenses)," the amount being below the limit of Rs. 1,000 laid down in paragraph 36 (*a*), Chapter V, Volume II, Public Works Department Code. The Examiner of Public Works Accounts considers that it is necessary that the excess outlay referred to should be written back from "42. Major Works (Working Expenses)" to "49. Capital Expenditure not charged to Revenue." He states, "the original sanction fell under '49. Capital Expenditure not charged against Revenue' and although the outlay was met from contributions, it (*i.e.*, the outlay) will nevertheless have to be exhibited under '49. Capital,' in the Finance Accounts. It seems therefore wrong in principle to charge the excess outlay to '42. Major Works (Working Expenses).' The excess cannot be dealt with apart from the original sanction." As the estimate for the work was not originally sanctioned under "49. Capital Expenditure not charged to Revenue" and as the Government Order first quoted above merely authorized * the execution of the work as a contribution work, it is recommended that the whole cost of the work be now sanctioned under "49. Capital" in accordance with the suggestion of the Examiner of Public Works Accounts.

* Under paragraph 79, chapter IX, Vol. I, Public Works Department Code.

(Signed) W. HUGHES,
Chief Engineer for Irrigation.

14th August 1899.

ORDER—No. 762 I., dated 6th September 1899.

The following estimate is sanctioned, Rs. 1,619 * of the proposed outlay being met from contributions from the interested ryots:—

* Including establishment and tools and plant charges.

Capital Expenditure not charged to Revenue.
49. Irrigation.
Cauvery Delta System.
Open Capital Account.
I. Works.
3. Distributaries.
3. Works.
Unremunerative Work.
Constructing a new head sluice to Maruthuvakudi channel, on Veerasholam right bank, 6 2/6 miles.

		Rs.
Estimate—I. Works	...	1,488
II. Establishment	...	342
III. Tools and Plant	...	20
Total	...	1,850

2. This sanction is registered as No. 61 I. of 1899–1900 and will expire on the 31st March 1900.

3. G.O., No. 249 I., dated 14th March 1899, is cancelled.

4. Ordered that a copy of these proceedings be forwarded to the Government of India for information.

[Here enter No. 763 I., dated 6th September 1899.]

(True Extract.)

(Signed) W. HUGHES,
Joint Secy. to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation.
" Superintending Engineer, V Circle.
" Examiner, Public Works Accounts.

ENDORSEMENT—No. 763 I., dated 6th September 1899.

Forwarded.

(By order)

(Signed) W. HUGHES,
Joint Secy. to Government,
Irrigation Branch.

Exd. A. F. Eccleston.

Public Works (1899) Department.

CURRENT No. 6885

From The Chief Engineer for Irrigation

Order

No. 164 A

Dated 14—8—99

Received } 23-8-99

Registered }

Enclosures Plans Tbns } Total

Spare copies.

SUBJECT.

New Head Sluice to Maruthunadi Channel Cauvery Delta System — Note recommending that the whole cost of the work of Constructing the — be now sanctioned under "49 Capital" in accordance with the suggestion of the Examiner of P.W. Accounts

E.E.S / Kindly mark the paper "A" or "B" A 23/8/99 23/8/99 C.S.

BACK PAPERS.

No.	Date.

FURTHER PAPERS.

No.	Date.

PUBLIC WORKS DEPARTMENT,

IRRIGATION BRANCH.

H.E.

A 2 B

PROCEEDINGS OF THE MADRAS GOVERNMENT.

Constructing a new head sluice to Maruthuvakudi Channel.

UNDER date the

READ the following

G. O. No. 111. I. dated 1st February 1897.
G. O. No. 249. I. dated 14th March 1899.
From the Supg: Engineer 5th Circle — No 263 E. I. dy 21st July 99.
To the Examiner of P. W. Accounts — No 244 dy 31st July 99.
From the _____ do _____ No 2589 B/A dy 4th Aug: 1899.
No 1624 dt 14-8-99.

10

Note by the Chief Engineer for Irrigation

In G. O. No. 111. I. dated 1st February 1897, the execution by the P. W. D of a new head sluice to Maruthuvakudi Channel, Cauvery delta system, was sanctioned, the interested ryots contributing the whole of the estimated cost of the work, viz. Rs 1,619. The Supg: Engineer, 5th Circle, subsequently reported that the work was completed with an excess of Rs 188-1-0 which could not

Issue
17.8.99 MH
I

NBS
17.8.99

F.E.I.

be recovered from the ryots, and in G.O. No. 249 Jd/1 dated 14th March 1899, the excess was ordered to be debited to "42" "Major works (working expenses)", the amount being below the limit of Rs. 1000 laid down in paragraph 36 (a), Chapter V, Volume II, P.W.D. Code. The Examiner of P.W. Accounts considers that it is necessary that the excess outlay referred to should be written back from "42 Major works (working" "expenses)" to "49 Capital expendi-" "-ture not charged to Revenue". He states, "the original sanction" "fall under "49 Capital expendi-" "-ture not charged against" "revenue and although the" "outlay was met from contri-" "-butions, it i.e. the outlay" "will nevertheless have to be" "exhibited under 49 Capital," "in the Finance accounts. It" "seems therefore wrong in principle"

"to charge the excess outlay"
"to 42 Major works (working"
"expenses). The excess cannot"
"be dealt with apart from"
"the original sanction". As
the estimate for the work
was not originally sanction-
-ed under "49 Capital expendi-
-ture not charged to revenue"
and as the G.O. first quoted
above merely authorized
the execution of the work as
a contribution work it is
recommended that the whole
cost of the work be now
sanctioned under "49"
"Capital" in accordance
with the suggestion of the
Examiner of P.W. Accounts.

Order thereon

The following estimate is sanctioned, Rs 1619* of the proposed outlay being met from contributions from the interested ryots:-

+ Under para 79, chapter IX, Vol I, P.W.D Code.

9 W. G. 1st Sec. Act 9.94

* including establishment & tools & plant charges.

A.S.H.

Capital Expenditure not charged to Revenue.

49 Irrigation

Cauvery Delta system

Open Capital Account

I. Works.

3 Distributaries

3. Works.

Unremunerative work.

Constructing a new head sluice & Maruthuvakudi channel, on Veerasholam right bank 62/6 miles.

Estimate – I Works Rs 1488.
II Establishment 342.
III Tools & plant – 20
Total 1850.

2. This sanction is registered as No. 61 I of 1899-1900 and will expire on the 31st March 1900.

3. G.O. No. 249 I, dated 14th March 1899 is cancelled.

4. Ordered that a copy of these Proceedings be forwarded to the Government of India for information.

Endorsement
Forwarded.

No: 763 I D 6.2.99

D 15/2/99

To. The Chief Engr for Irrign
& Supdg: – do – 5th Circle
& Examiner P.W. Accounts

E. I. F. No. 1 (a) 200—27-3-99.

(Ans 1885 II)

CHIEF ENGINEER FOR IRRIGATION
No. 84

IRRIGATION.

Government {1897} of Madras.

PUBLIC WORKS.

18c

Recd. } 1897. Enclosures
Regd. } Spare copies

G.O., No. 111 I., 1st February 1897.

FEBRUARY.

Head Sluice

Sanctioning, with remarks, the execution, by the Public Works Department, of the work of constructing a new — with connecting channel, to Maruthuvakudi channel, on Veerasholam right bank, 62/6 miles, Tanjore division.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.

Read—the following paper :—

From Lieut.-Colonel C. C. RAWSON, R.E., Superintending Engineer, V Circle, to the Chief Engineer for Irrigation, dated Chepâk, 20th December 1896, No. 317 E.I.

Under paragraph 36 (*c*), chapter V, Volume II of the Public Works Code, I have the honour to submit for sanction, under the open capital account, the enclosed plans and estimate of Rs. 1,300 for constructing a new head sluice with connecting channel, to Maruthuvakudi channel, on Veerasholam right bank, 62/6 miles, in Kumbakónam taluk, Tanjore division.

2. The necessity for the work is explained in the report attached to the estimate.

3. The interested ryots have paid into the Kumbakónam taluk treasury Rs. 1,619, being the amount of estimate, *plus* the usual centage charges for establishment and tools and plant.

Under paragraph 79, chapter IX, Volume I of the Code, sanction is solicited to the work being undertaken by the department. The work can be completed by 31st March 1898 and is classed as unremunerative.

Enclosure.

Report to accompany the estimate for constructing a new head sluice to the Maruthuvakudi channel, on Veerasholam right bank, 62/6 miles.

	Rs.
Amount of estimate	1,619

The present head sluice of the Maruthuvakudi channel is in very good order (A on sketch), but is about seven miles from the lands which it commands. Between the head sluice and the point marked C, the channel receives a large amount of drainage water, to get rid of which there is an outfall sluice at C. At the point marked D, there is a second sluice, the object of which is to dam the water to a sufficiently high level to command the nunjah in the vicinity of Tondaroyampett village. It will thus be seen that the Maruthuvakudi ryots are at the mercy of those who have the control of the outfall sluice at C and the sluice at D.

The interested ryots therefore wish to have a sluice built at the site proposed (*vide* sketch) 62/6 with a small length of channel falling into old one, immediately below D, which will not only be under their own control, but save them a length of nearly two miles of channel which they have to periodically clear.

The sill of proposed sluice will be 12·00, while the bed of channel below the sluice D is about 11·83.

The work is one which I can strongly recommend for sanction.

(Signed) E. DADY,
Sub-Divisional Officer, Tanjore.

Order—No. 111 I., dated 1st February 1897.

The execution of the work by the Public Works Department is sanctioned.

2. The Superintending Engineer should arrange for reducing the present head sluice to actual requirements as soon as the new one is built.

(True Extract.)

(Signed) W. HUGHES,
Joint Secy. to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation.
" Superintending Engineer, V Circle, with six enclosures.
" Examiner, Public Works Accounts.

Exd. Shaik Karim.

IRRIGATION.
ACCOUNT.

Government {1899} of Madras.

PUBLIC WORKS.

IRRIGATION.
23 MAR 1899
1482.

Recd. } 1899. *Enclosures*

Regd. *Spare copies*

G.O., No. 249 I., 14th March 1899.

MARCH.

Maruthuvakudi Channel

Ordering that the excess outlay on the construction of a new head sluice to the — on Veerasholam right bank, Tanjore division, be charged to the grant for "42. Major Works (Working Expenses)—Extensions and Improvements"—Cauvery Delta System.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.
Account.

READ—the following papers:—

From the Superintending Engineer, V Circle, dated 10th February 1899, No. 57 E.I.
" " " V " " 18th " " " 74 E.I.

No. 51 I.

Note by the Chief Engineer for Irrigation.

In G.O., No. 111 I., dated 1st February 1897, the execution by the Public Works Department of a new head sluice to the Maruthuvakudi channel, on Veerasholam right bank, 62/6 miles, was sanctioned, the interested ryots contributing the whole of the estimated cost of the work, viz., Rs. 1,619. The work has been completed, and an excess has been incurred of Rs. 188-1-0 owing to inadequate provision in the estimate for screw-gearing shutter and land compensation. The ryots decline to pay the excess, and the Collector of Tanjore thinks that they should not, nor can they be compelled to, pay it. The money cannot possibly be recovered. Under G.O., No. 899 I., dated 15th November 1894, the head sluice is now the property of Government. In consideration of the fact that the ryots have paid for the whole work *plus* the charges for establishment and tools and plant less the excess, it is recommended that the excess may be met from Government funds.

(Signed) W. HUGHES,
1st March 1899. Chief Engineer for Irrigation.

ORDER—No. 249 I., dated 14th March 1899.

The excess referred to being below the limit of Rs. 1,000 laid down in paragraph 36 (*a*), Chapter V, Volume II, Public Works Department Code, will be charged to the grant for "42. Major Works (Working Expenses)—Extensions and Improvements"—Cauvery Delta System.

(True Extract.)

(Signed) W. HUGHES,
Joint Secy. to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation.
" Superintending Engineer, V Circle.
" Examiner, Public Works Accounts.

Exd. T. K. Narayana Aiyangar.

H.H.G'Connell

Public Works (1899) Department.

EXAMINER, W. ACCOUNTS. 3 AUG. 1899

CURRENT No. 657 T.

No 244 dy 31-7-99

I.C.

Order
Please say whether a mistake has not been made and whether the amount of Rs 1891- may not be charged to 42 — The original outlay of Rs 1619 not having been a charge to 49

31/7 Dy

From The Supdg Engineer 5th Circle

No. 263 E.I.

Dated 25/7 July 1899.
Received 26.-do-
Registered
Enclosures
Spare copies

SUBJECT.

Veeraholam Sluice for Maruthuvakudy Channel.

Requesting to obtain sanction for the write back of the excess outlay incurred on the work of reconstructing the sluice from 42 Extensions & Improvements to 49 Capital.

FEJ. 27.7.99

FOR IRRIGATION 5 AUG. 1899 161

No. 2589 B/A dated 4th August 1899.

To

E.I.

The original sanction fell under 49 Capital Expenditure not charged against revenue and although the outlay was met from contri-

Loss 26/7/99

BACK PAPERS.

No.	Date.
R1482	23-3-99.

contributions, i.e. the outlay will -- nevertheless have to be exhibited under 49 Capital, in the Finance Accounts. It seems therefore wrong in principle to charge the excess outlay to 42 Major -- Works Working Expenses.

The excess cannot be dealt with apart from the original sanction.

N.R

Offg: C.

4-8-99

FURTHER PAPERS.

No.	Date.

N.W. C'Connell Esq.

Copy of a letter from the Executive Engineer Tajore Division to the Superintending Engineer 5th Circle dated 11th July 1899 No. 3722.

EXAMINER, ACCOUNTS. 3 AUG. 1899

Kgs 379/Rev

26 JUL 1899 65 T.T.

I have the honor to inform you that under instructions contained in G.O. No 249 J. dated 14th March 1899, the excess outlay of Rs 188-1-0 on "constructing a "head Sluice for Marutheruvagudy Channel "Estimate Rs 1619" was charged in the Accounts for March 1899 to the grant- under 42 Major Works (Working expenses), Extensions and Improvements. The Examiner, Public Works Accounts, in para 15(a) of the audit note for March 1899, having requested to write back this outlay to 49 Capital Works, to which head the original outlay was charged, it was ~~originally~~ accordingly adjusted in the Supplemental accounts for March 1899. I request that you will be good enough to obtain the Sanction of Govt. for the same

4 AUG 1899

4/167

same, so that the objection of the Examiner Public Works accounts may be removed.

True Copy

No. 26382.

Submitted to the Chief Engineer for Irrigation for favour of obtaining the sanction of Government to the write back of the excess outlay incurred on the construction of a Head Sluice for Mayurakshi channel, from "42 Extensions and Improvements" to "49 Capital", as suggested by the Examiner P. W. Accounts.

Assistant Engr. P.W.D.

Supdg. Engineer 5th Circle

21/25 July 1899.

Pwd/ 6885/99

20.7.99

37