

Public Works (1899) Department.

G.O., No. 804 W

DATED 15 March 1899.

[Despatch Abstract.]

Glass

Letter to the D. S. of Stores stating
that the information given by him in regard to the cracks
in the — sent per S. S. "New" has been noted by the
S. S. Supt. of Stores, and the glass having been
destroyed by fire which he can't take place in the
D. S. Stores, ^{from it can} be sent for his attention.

B.

CURRENT No. 2009.

From The Lapp Legend.
5th Book.

Order Letter No: 804 w/ 15.3.99.

To

No. 157 *w*

The Director General of Stores
India Office,
London

Dated 4th March 1899.

Received } 7. 3. 99
Registered }

Registered }
Enclosures 4 2

Spare copies

SUBJECT.

Glass Plate —

Stating that the in-
formation given by
the Director General
of stores regarding
certain — will be

2. ~~As~~ All the glass about which the reference was made has been destroyed in a fire which recently ^{took place} ~~broke out~~ in the P.W. Stores at Madras, ^{thus} if it can be sent for inspection.

of stores regarding
certain — will be
noted —

AcW
9.3.99

BACK PAPERS.

No.	Date.
874 CD	9.2.99.
3246-7	Wd 22.12.98.

FURTHER PAPERS.

No.	Date.

It is requested that in any further communication on this subject the under-mentioned letter and number may be quoted, and the reply addressed to

The Director-General of Stores,
India Office,
Whitehall,
London, S.W.

S. 279.

India Office,

Whitehall,

London, S.W.

20th January 1899.

Sir,

Referring to your letter No.3247/W, dated 22nd December 1898, stating that 10 sheets of glass ex. S.S. "Rewa" had been received more or less cracked and cannot be issued, I have to observe that the glass supplied is a strong cast glass plate used for rough work, i.e. skylights and frames to doors.. In such kinds of glass cracks are very frequent; they are of no great depth, and do not spread; and as the glass is not a clear glass, it is not thought to be detrimental.

If it is considered to be worth while, I would suggest that one or two of the worst of the plates be sent home, for inspection, so that it may be determined whether the cracks complained of are of the kind referred to above.

I have the honour to be, Sir,

Your obedient Servant,



The Secretary to the
Government of Madras,
Public Works Department,
Madras.

Grant Dault

Director General of Stores.

Pathe W & B (189) Department.

CURRENT No. *1175*
1002/99



From
*The Director General
of Stores*

No: 874 C d 9 Feb: 99

No. 279

Referred to the Supt.
Engr, V Circle, for remarks.
with reference to S.O. No. 3246 W
of 22nd Decr. 1898.

Dated 20—1—99
Received } 8—2—99
Registered }
Enclosures
Spare copies.

Atk
8-2-99 *Anil Kumar* Col. R.E.
As Secretary B. G. Govt, P. W. D.

SUBJECT.

Informing that the glass
supplied is a strong cast glass
plate used for rough work

For
with R. G. Govt 1898
10/2/99
to P. W. D.
Forwarded to the Genl. Secy P. W. D.
with reference to this Office. At
56 P.W.D. dated 16th Decr. 1898 for
report and return.

→ This ref. is incorrect.
It sh^d be 54 No^s of 6-1-99

Anil Kumar
17.2.99 Colonel R.E.
Supt. Engr. V. Circle

D. W. S. 2
2007/99


Swat
24/2/99

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.



Copy of letter from H. A. Moss Esquire, General Superintendent, P. W. Stores, to the Suptg. Engineer, 5 Circle, N. S. 65 dated 25 February 1899. —

With reference to your endorsement No. 618 dated 17 February 1899, I have the honour to inform you that the information given by the Director General of Stores about the cracks in such glass will be noted for the purpose of answering objections which may be made in future by division officers to the issue of rough glass with these surface cracks.

To all the glass about which the reference was made was destroyed in the recent fire in the stores, none of it can be sent for inspection.

N. 15

Enclosure 1
EW N. 874 C.
7.2.99.

To the Chief Engineer, P. W. Department, with reference to his N. 874 C. dated 9 February 1899, herewith returned.

Aslam
4/2/99 Colonel Ab.
Suptg. Engineer 5 Circle

D. W. S. 1
2009/99.