

Public Works (1890) Department.

RAILWAY BRANCH.

G.O., No. 917 Ry

DATED 24th June

[Despatch Abstract.]

Coab on the South Indian Railway:—Letter from the Govt of India requesting to cancel its letter calling for results of trial of Singareni and other — as the report forwarded to it has been traced, recorded with reference to No 917 R, dated 24th June 1890.

Indexed.

BACK PAPERS.

FURTHER PAPERS.

20TH JANUARY 1890, No. 102 R., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Railway.

Read the following papers :—

G.O., dated 11th October 1889, No. 1095 R., Public Works.

Read—the following letter from Major M. C. BRACKENBURY, R.E., Under-Secretary to the Government of India, Public Works Department (Railway—Traffic), to the Joint Secretary to the Government of Madras, Public Works Department, Railway Branch, dated Simla, 23rd September 1889, No. 511 R.T. :—

It has been brought to the notice of the Government of India that owing to the recent rise in the price of English coal the subject of utilising country coal has been under consideration by the companies having their terminus at Bombay, and arrangements are contemplated between Messrs. Hoare Miller and Company of Calcutta and the Bombay-Baroda and Central India Railway Company for the conveyance of Bengal coal by sea from Calcutta to Bombay for use on the Bombay-Baroda and Central India Railway.

2. From the information at the disposal of the Government of India it appears that the Madras and South Indian Railway Companies use, on part of their systems, coal and patent fuel obtained from England; and, as Madras is nearer to the sources of Bengal coal than Bombay, I am directed to suggest that the use of Bengal coal in Madras might be considered, unless it has been established that Singareni coal is certainly cheaper than coal imported from Bengal.

3. I am to add that the Government of India will be glad to learn the results of any investigations which the Government of Madras may make on this subject.

Order—dated 11th October 1889, No. 1095 R., Public Works.

Communicated to the Consulting Engineer for Railways for report.

(True Extract.)

(Signed)

C. J. SMITH, Colonel, R.E.,
Joint Secy. to Govt., P.W.D.,
Railway Branch.

From the Consulting Engineer for Railways, dated Madras, 26th November 1889,
No. 476.

From the Agent and Manager, Madras Railway Company, to the Consulting Engineer
for Railways, dated Madras, 22nd November 1889, No. 4512/1299.

With reference to your letter No. 875, dated 21st October 1889, forwarding a copy of Government of India letter No. 511 R.T., dated 23rd September 1889, suggesting for the consideration of Railway Companies that Bengal coal might be used in

the place of patent fuel or other coal while English coal and patent fuel remain at their present prices, I have the honor to quote, for the information of Government, the following extract from a report which has been made by the Acting Locomotive Superintendent on Singareni coal as compared with patent fuel and wood:—

"I have pleasure in enclosing herewith a statement giving, in tabular form, the result of the trials with the Singareni coal.

"Three separate series of trials have been conducted as under:—

- A Series.*—Singareni coal burnt at Madras in engines working passenger and mail trains.
a Series.—Star patent fuel do. do. do. do.
B Series.—Singareni coal burnt at Madras in engines working heavy goods trains.
b Series.—Star patent fuel do. do. do. do.
C Series.—Singareni coal burnt at Raichur in engines working mail trains.
c Series.—Firewood do. do. do. do.

"In each series two engines have been employed, each of which engines has burnt each of the two kinds of fuel for half the total time of the trial, the final results quoted in the statement being therefore the averages of the work of two separate engines and men. Special Inspectors have travelled on the engines throughout the trials for the purpose of recording the several results, and the greatest care has been taken to ensure that the conditions under which the experiments have been conducted should be kept as nearly as possible similar.

"Taking the series *A a* it will be noticed that the consumption per train mile of the two fuels was 42.92 lb. for Singareni coal and 25.73 lb. for patent fuel, the consumption per ton mile being 195 lb. and 117 lb. respectively. The latter figures show that the consumption of Singareni coal was in this case 66 per cent. heavier than that of the patent fuel.

"In the *B b* series the figures are, for Singareni coal, consumption per train mile 55.74 lb. and per ton mile 13 lb., and for patent fuel, consumption per train mile 37.75 lb. and per ton mile 0.8 lb., the consumption of the former fuel being therefore still higher by 62 per cent. than that of patent fuel.

"Again comparing the trials *C* and *a*, the work done and the class of engines in these two cases being very similar, the consumption per ton mile of the Singareni coal works out to 70.9 per cent. heavier than that of patent fuel.

"A further comparison of the present trials with those conducted in 1879 and referred to in G.O., No. 113 R., dated 3rd February 1881, shows that the consumption per ton mile of the Godavari coal in the latter case was 196 lb. against 195 lb. the consumption in the present *A* series in which the coal was being burnt on the same piece of line and by the same engines as in 1879.

"The average evaporation of water per lb. of fuel in the present trials works out to Singareni coal 5.39 lb., patent fuel 8.28 lb., wood 3.05 lb., while the 1879 experiments give Godavari coal 8.67 lb., patent fuel 10.79 lb.

"These figures in both cases include all water lost by leakage, &c., and can therefore be only considered to be approximate, but, while the evaporation of water per lb. of patent fuel in the present trials is about 23 per cent. less than in 1879, the evaporative power of the present lot of Singareni coal seems to be 37 per cent. less than that of the Godavari sample.

"The close coincidence of the figures showing consumption per ton mile under such varying circumstances is remarkable, and goes far to prove the general accuracy of the results arrived at.

"On examining the figures of series *C c*, it will be observed that, as was only to be expected, the Singareni coal has the advantage in point of quantity consumed over the wood with which it is being compared, the consumption per ton mile being 2 lb. of coal against 356 lb. of wood, the consumption of wood being in this case 78 per cent. heavier than that of coal.

"Expressed in another way then, the experiments seem to show that:—

For light fast trains 1 ton patent fuel is equal to 3,733 lb. Singareni coal,

For heavy goods 1 ton patent fuel is equal to 3,640 lb. Singareni coal,

while, as compared with wood, 1 ton of wood is equal to 1,258 lb. of Singareni coal.

"The coal is reported to burn brightly and well and to give no difficulty in steaming, provided sufficient care is taken. It is very dirty, and during long trips, such as that from Madras to Jalápet, 132 miles, the fire-bars become covered, in some cases, 18" deep in clinker and ashes; when this was the case, of course some difficulty was found in keeping steam, but taking it on the whole, especially for short trips of 80 to 100 miles, the coal burnt satisfactorily and well.

"The whole matter is really therefore a question of price, and, calculating upon the results of the experiments now under review, the facts appear, after allowing for haulage charges in all cases, to be as follows:—

	RS.	A.	P.
At Madras, Singareni coal to be equal to patent fuel must be delivered at per ton	...	...	18 6 0
as compared with its actual price of	...	...	23 13 0

	RS.	A.	P.
At Raichur, Singareni coal to be equal to wood must be delivered at per ton	...	...	13 5 0
as compared with its actual price of	...	...	16 6 5
At Raichur, Singareni coal to be equal to patent fuel must be delivered at per ton	...	...	22 12 0
as compared with its actual price at that station of	...	...	16 6 5

"At Cuddapah the Singareni coal would be about on equal terms, at its present price, with patent fuel, as the cost, including loss by exchange, of a ton of patent fuel at Madras is Rs. 30-10-11 and the haulage charges upon it from Madras to Cuddapah would be Rs. 3-6-0, making the actual cost of a ton of patent fuel at that station Rs. 34-0-11. The cost at Raichur of 3,733 lb. of Singareni coal, which may be taken as the equivalent of one ton of patent fuel, is Rs. 27-5-4 and the haulage charges upon this quantity from Raichur to Cuddapah would be Rs. 6-7-11, making the cost of the 3,733 lb. of Singareni coal at Cuddapah Rs. 33-13-3, which is practically equal to that of the one ton of patent fuel, but, as we have hitherto been able to obtain wood on that district at Rs. 5-8-0 per ton or Rs. 2 less than the cost at Raichur, and as all engines there burn wood exclusively, the coal would be really at greater disadvantage at Cuddapah than at Raichur."

2. I beg to forward a copy of the tabular statement alluded to by the Acting Locomotive Superintendent, giving the result of the trials with Singareni coal, and may add that so long as we are able to obtain a sufficient supply of wood for the Cuddapah and Raichur Locomotive Depôts at the present rate, Singareni coal—the nearest country coal obtainable—will at its present cost be unable to compete with the wood fuel.

3. As regards the fuel used at Madras, I may state that I have made an offer to a Calcutta firm for 2,000 tons of Borakar coal as arranged at the official meeting held in my office last month, and have also communicated with Messrs. Hoare Miller and Company of Calcutta to ascertain at what price they can land Bengal coal of good quality in Madras.

ENCLOSURE.

MADRAS RAILWAY—LOCOMOTIVE DEPARTMENT.

Results of experiments to ascertain the comparative value of various descriptions of fuel for Locomotive purposes.

Trial.	Kind of fuel.	Date when the trials were made.	CONDITION OF TRIAL.										FUEL.		WATER.		ASHES.				Cost of fuel per ton at fueling station.	Cost of fuel per 100 miles run.										
			Total miles run during the trials.	4	5	Average length of each trip.	6	Average speed per hour.	7	Average number of vehicles.	8	Average gross weight of trains including engine and tender.	9	Average pressure in boiler per square inch.	Total consumption.	10	Consumption per train mile.	11	Consumption per ton mile.	12			Total consumption.	13	Evaporation per lb. of fuel burnt.	14	From smoke-box.	15	From ash-pan.	16	Total weight in lb.	17
A	Singareni coal	..	MLS.	237	112	24-34	16-5	220-58	115	153,832	42-92	LB.	195	82,940-0	5-39	7,634	51,345	38,979	25-34	LB.	23	13	0	45	10	1	RS. A. P.					
a	Star patent fuel	..	3,584	242	112	24-34	16-5	219-94	118	92,232	25-73	117	76,462-8	8-29	6,894	10,296	17,190	18-64	30	10	11	35	4	0	RS. A. P.							
b	Singareni coal	..	1,724	181	86	16-95	34-0	429-97	119	96,096	55-74	13	52,488-2	5-46	3,621	21,879	25,500	25-54	23	13	0	59	4	1	RS. A. P.							
c	Star patent fuel	..	1,718	183	86	17-24	36-5	469-02	120	64,848	37-75	08	53,630-0	8-27	3,048	8,617	11,665	17-99	30	10	11	51	1	3	RS. A. P.							
d	Singareni coal	..	2,632	197	94	26-18	14-0	201-81	119	106,036	40-29	2	56,386-2	5-32	5,934	19,516	25,450	24-00	16	6	5	29	8	0	RS. A. P.							
e	Wood	..	2,604	196	93	26-04	14-0	198-05	118	183,500	70-47	356	56,012-0	3-05	2,134	3,884	6,018	3-28	7	8	0	23	9	6	RS. A. P.							

A Series.—Singareni coal burnt in S C class engines (4 coupled 5—9 wheels, cylinder 17 and 22) working mail and passenger trains between Madras and Maras and Réaigunta.
a Series.—Star patent fuel ex "Hartington" burnt in do.
B Series.—Singareni coal burnt in K B-2 class engines (4 coupled 5—6 wheels, cylinder 18 X 24) working heavy goods trains between Madras and Maras and Réaigunta.
b Series.—Star patent fuel ex "Amoor" burnt in do.
C Series.—Singareni coal burnt in S B-1 class engines (4 coupled 5—0 wheels, cylinder 17 X 22) working mail trains between Raichur and Gooty.
c Series.—Wood fuel burnt in do.

NOTE.—At Madras, coal to be equal to patent fuel must be delivered at per ton ..
as compared with its actual price of ..
At Raichur, coal to be equal to wood must be delivered at per ton ..
as compared with its actual price of ..
At Raichur, coal to be equal to patent fuel must be delivered at per ton ..
as compared with its actual price at that station of ..

RS. A. P.

18 6 0

23 13 0

13 5 0

16 6 5

22 12 0

16 6 5

PERAMBUR WORKS,
9th November 1889.

(Signed) C. E. PHIPPS,
Ag. Locomotive Superintendent

From the Agent, South Indian Railway, to the Consulting Engineer for Railways,
dated Trichinopoly, 23rd October 1889, No. 1356.

Your letter No. 952 of the 21st instant. The question of utilizing Indian coal on this railway has, from time to time for some years past, been under our consideration. I attach hereto a statement giving the result of some recent trials of English, Australian and Indian coal, from which you will see that the Singareni and the Bengal coal show to much disadvantage when compared with the cost per train mile of English and Australian coal.

ENCLOSURE.
SOUTH INDIAN RAILWAY—LOCOMOTIVE DEPARTMENT.
Cambrian Patent Fuel per S.S. "Manitoba" from Gosman and Smith.
 Six trials made with mail trains from Madras to Cuddalore, 128 miles.

A Month and date.	B No. of engine.	C No. of vehicle.	D No. of miles.	E Gross weight of train.	F Weight of load.	COAL CONSUMED.				K Weight of 100 miles of coal consumed, column I.	L Ash per 100 miles of coal consumed, column I.	M Average pressure of steam per square inch.	N Water consumed in gallons.	O Water consumed in pounds.	P Pounds of water evaporated per lb. of coal, column G.	State of weather.
						G For journey.	H For lighting.	I Total.	J Per mile, column I.							

Llay Hall Brymbo Main Steam Coal per S.S. "Eastern Prince" from Howard Houlder & Co.

Three trials made with mail trains from Madras to Cuddalore, 128 miles.

January, 22	106	21	128	105 18 2 0	28 17 0 0	2,464	56	2,520	19.69	343	13.61	110	1,880	18,800	7.63	Strong wind blowing from north-east.
Do. 24	91	20	128	105 8 0 0	27 11 0 0	2,800	112	2,912	22.75	337	11.57	105	2,065	20,650	7.37	Strong side head winds.
Do. 27	106	19	128	100 11 2 0	27 11 0 0	2,464	56	2,520	19.69	409	16.23	110	1,920	19,200	7.79	Do.
Total	3	60	..	311 18 0 0	83 19 0 0	7,728	224	7,952	62.13	1,089	41.41	325	5,865	58,650	22.79	Do.
Average	..	20	128	103 19 1 9.33	27 19 2 18.66	2,576.00	74.66	2,650.66	20.71	363.00	13.80	108.33	1,955.00	19,550.00	7.59	Do.

Singareni Coal received from Messrs. Parry & Co. of Madras.

Four trials made with trains from Madras to Cuddalore, 128 miles.

February, 5	106	19	128	98 5 2 0	27 11 0 0	2,912	112	3,024	23.63	708	23.41	110	1,980	19,800	6.80	Fair weather.
Do. 10	106	20	128	103 8 3 0	28 15 0 0	2,800	112	2,912	22.75	610	20.95	110	1,870	18,700	6.68	Do.
Do. 15	106	20	128	99 4 1 0	26 5 0 0	2,912	112	3,024	23.63	600	19.84	110	1,800	18,000	6.62	Do.
Do. 21	98	20	128	106 4 3 0	29 13 0 0	3,024	112	3,136	24.50	513	16.36	120	1,880	18,800	6.22	Do.
Total	4	79	..	407 3 1 0	112 4 0 0	11,648	448	12,096	94.51	2,431	80.56	450	7,630	76,300	26.22	Do.
Average	..	19.75	128	101 15 3 7.00	28 1 0 0	2,912.00	112.00	3,024.00	23.63	607.75	20.14	112.50	1,907.50	19,075.00	6.55	Do.

Bersham Wrexham North Wales Steam Coal per S.S. "Magrager" from Gosman and Smith.

Three trials made with mail trains from Madras to Cuddalore, 128 miles.

February, 7	91	20	128	106 14 3 0	27 3 0 0	2,352	112	2,464	19.25	254	10.31	110	1,830	18,300	7.78	Fair weather.
Do. 12	91	20	128	104 6 1 0	28 8 0 0	2,128	112	2,240	18.38	253	10.76	110	1,920	19,200	8.26	Do.
Do. 17	91	20	128	103 9 3 0	29 19 0 0	2,240	112	2,352	18.38	259	11.01	110	1,780	17,800	7.94	Do.
Total	3	60	..	314 10 3 0	86 1 0 0	6,832	336	7,168	56.01	766	32.08	330	5,460	54,600	23.98	Do.
Average	..	20.00	128	104 16 3 18.66	28 13 2 18.66	2,277.33	112.00	2,389.33	18.67	255.33	10.69	110.00	1,820.00	18,200.00	7.99	Do.

West Hartley Main large Steam Coal per S.S. "Tiverton" from Howard Houlder & Co.

Four trials made with mail trains from Madras to Cuddalore, 128 miles.

March, 27	106	20	128	105 3 0 0	28 7 0 0	2,352	112	2,464	19.25	336	13.64	110	1,930	19,300	8.20	Strong side winds.
Do. 28	106	22	128	115 3 0 0	28 8 0 0	2,128	56	2,184	17.06	295	13.50	110	1,920	19,200	9.02	Fair weather.
Do. 28	98	20	128	105 3 0 0	28 7 0 0	2,404	112	2,516	19.66	251	9.98	110	1,800	18,000	7.49	Strong head & side winds.
Do. 29	98	20	128	104 18 0 0	28 3 0 0	2,432	112	2,544	19.87	201	7.90	110	1,810	18,100	7.44	Fair weather.
Total	4	82	..	430 7 0 0	113 5 0 0	9,316	392	9,708	75.84	1,083	45.02	440	7,460	74,600	32.15	Do.
Average	..	21.00	128	107 11 3 0	28 6 1 0	2,329.00	98.00	2,427.00	18.96	270.75	11.25	110.00	1,865.00	18,650.00	8.04	Do.

Hastings Hartley Steam Coal per S.S. "Starthlane."

Six trials made with mail trains between Madras and Cuddalore, 128 miles.

April, 16	106	20	128	103 2 1 0	31 3 0 0	2,352	112	2,464	19.25	220	8.92	110	1,820	18,200	7.73	Strong head & side winds.
Do. 17	106	20	128	102 14 2 0	31 3 0 0	2,128	56	2,184	17.06	223	10.21	110	1,770	17,700	8.31	Do.
Do. 17	98	19	128	99 16 3 0	31 11 0 0	2,464	112	2,576	20.12	275	10.67	110	1,750	17,500	7.10	Fair weather.
Do. 17	98	20	128	105 11 0 0	32 7 0 0	2,464	112	2,464	19.25	204	8.28	110	1,700	17,000	6.90	Do.
Do. 18	92	19	128	95 19 0 0	28 11 0 0	2,240	112	2,352	18.37	134	5.69	110	1,720	17,200	7.67	Do.
Do. 19	92	18	128	95 4 2 0	29 3 0 0	2,352	..	2,352	18.37	192	8.16	110	1,810	18,100	7.69	Do.
Total	6	116	..	602 8 0 0	183 18 0 0	14,000	392	14,392	112.42	1,248	51.93	660	10,570	105,700	45.40	Do.
Average	..	19.33	128	100 8 0 0	30 13 0 0	2,333.33	65.33	2,398.66	18.74	208.00	8.65	110.00	1,761.66	17,616.66	7.56	Do.

South Bulli Coal per S.S. "Cloncurry."

Four trials made with mail trains between Madras and Cuddalore, 128 miles.

May, 7	98	20	128	103 10 2 0	31 3 0 0	2,352	112	2,464	19.25	391	15.86	110	1,950	19,500	14.42	Fair weather.
Do. 8	99	19	128	99 7 0 0	31 11 0 0	2,240	..	2,240	17.50	286	12.76	110	1,750	17,500	7.81	Do.
Do. 8	92	20	128	103 16 0 0	33 3 0 0	2,464	112	2,576	20.12	409	15.87	110	1,980	19,800	8.07	Do.
Do. 9	92	20	128	104 5 2 0	33 3 0 0	2,240	..	2,240	17.50	364	16.25	110	1,970	19,700	8.79	Do.
Total	4	79	..	410 19 0 0	129 0 0 0	9,296	224	9,520	73.47	1,450	60.74	440	7,660	76,600	39.09	Do.
Average	..	19.75	128	102 14 3 0	32 5 0 0	2,324.00	56.00	2,380.00	18.37	362.50	15.18	110.00	1,915.00	19,150.00	9.77	Do.

Bengal Coal per "S.S. Umballa."
Five trials made with mail trains between Madras and Cuddalore, 128 miles.

A	B	C	D	E	F	COAL CONSUMED.				K	L	M	N	O	P	State of weather.
						G	H	I	J							
Month and date.	No. of engine.	No. of vehi. cles.	No. of miles.	Gross weight of train.	Weight of load.	For journey.	For light-ing.	Total.	Per mile, column I.	Weight of ashes.	Ash per 100 lbs. of coal consumed, column I.	Average pressure of steam per square inch.	Water consumed in gallons.	Water consumed in pounds.	Pounds of water evaporated per lb. of coal, column G.	
1889.																
June, 5	106	20	128	TONS. CWT. QRS. LB.	TONS. CWT. QRS. LB.	LB.	LB.	LB.	22.75	LB.	25.85	LB.	2,200	LB.	7.85	Strong side winds.
Do. 6	98	20	128	8 0 0	30 7 0	2,800	112	2,912	25.37	753	26.38	110	2,000	22,000	6.88	Fair weather.
Do. 7	98	20	128	9 3 0	36 1 0	3,135	112	3,248	24.50	857	27.00	110	1,850	18,500	6.89	Do.
Do. 8	92	20	128	10 12 2	33 3 0	3,360	112	3,472	27.12	874	28.17	110	2,200	22,000	6.55	Do.
Do. 9	92	20	128	10 1 0	31 3 0	3,360	112	3,472	26.25	698	20.77	110	2,130	21,300	6.34	Do.
Total ..	5	100	512	520 0 0 0	159 17 0 0	15,792	336	16,128	125.99	4,029	125.17	500	10,380	1,03,800	33.01	
Average ..	..	20.00	128	104 0 0 0	31 19 1 16.80	3,158.40	67.20	3,225.60	25.19	805.80	25.03	100.00	2,076.00	20,760.00	6.60	

April, 3	92	20	128	105 5 0 0	33 3 0 0	3,992	112	4,104	32.06	112	2.73	110	1,510	15,100	3.78	Strong side winds
Do. 6	106	20	128	105 8 2 0	29 3 0 0	4,297	112	4,409	34.45	131	2.97	110	1,830	18,300	4.23	Strong head & side winds.
Do. 7	98	20	128	105 10 2 0	33 3 0 0	4,403	112	4,515	35.27	220	4.87	110	1,750	17,500	3.97	Very heavy head and side winds.
Do. 8	92	20	128	103 16 3 0	33 3 0 0	3,920	112	4,032	31.50	122	3.03	110	1,700	17,000	4.49	
Do. 11	106	20	128	104 19 1 0	29 3 0 0	4,200	112	4,312	33.68	200	4.64	110	1,700	17,000	4.05	
Total ..	5	100	512	525 0 0 0	157 15 0 0	20,812	560	21,372	166.96	785	18.24	550	8,556	85,560	20.54	
Average ..	..	20.00	128	105 0 0 0	31 11 0 0	4,162.40	112.00	4,274.40	33.39	157.00	3.65	110.00	1,710.00	17,100.00	4.11	

Average result of trials made of Patent Fuel, South Bulli, Bersham Wrexham North Wales Steam, Hastings Hartley Steam, West Hartley Main large Steam, Llay Hall Brymbo Main Steam, Singareni, Bengal Coal and Firewood.

Patent Fuel ..	20.00	128	103	1 2 18.66	29 16 0 18.66	2,025.33	112.00	2,137.33	16.70	253.83	11.94	110.83	1,774.16	17,741.66	8.79	
South Bulli Coal ..	19.75	128	102	14 3 0	32 5 0 0	2,324.00	56.00	2,380.00	18.37	362.50	15.18	110.00	1,915.00	19,150.00	9.77	
Bersham Wrexham North Wales Steam ..	20.00	128	104	16 3 18.66	28 13 2 18.66	2,277.33	112.00	2,389.33	18.62	255.33	10.69	110.00	1,820.00	18,200.00	7.99	
Hastings Hartley Steam ..	19.33	128	100	8 0 0	30 13 0 0	2,333.33	65.33	2,398.66	18.74	208.00	8.65	110.00	1,761.66	17,616.66	7.56	
West Hartley Main ..	21.00	128	107	11 3 0	28 6 1 0	2,329.00	98.00	2,427.00	18.96	270.75	11.25	110.00	1,865.00	18,650.00	8.04	
Llay Hall Brymbo Main ..	20.00	128	103	12 1 9.33	27 19 2 18.66	2,576.00	74.66	2,650.66	20.71	363.00	13.80	108.33	1,955.00	19,550.00	7.59	
Steam Coal ..	19.75	128	101	15 3 7.00	28 1 0 0	2,912.00	112.00	3,024.00	23.63	607.75	20.14	112.50	1,907.50	19,075.00	6.55	
Singareni Coal ..	20.00	128	104	0 0 0	31 19 1 16.80	3,158.40	67.20	3,225.60	25.19	805.80	25.03	100.00	2,076.00	20,760.00	6.60	
Bengal Coal ..	20.00	128	105	0 0 0	31 11 0 0	4,162.40	112.00	4,274.40	33.39	157.00	3.65	110.00	1,710.00	17,100.00	4.11	
Firewood ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	

Cost per mile, Rs. As. P. 0 2 1.79

(Signed) C. E. CRIGHTON,
Locomotive and Carriage Superintendent.

NEGAPATAM,
19th July 1889.

Submitted for transmission to the Government of India with reference to its No. 511 R.T., dated 23rd September 1889, embodied in G.O., No. 1095 R., dated 11th October.

2. The Agent and Manager, Madras Railway, states that Singareni coal at its present price compares unfavorably with patent fuel received from England. He has arranged for a supply of 2,000 tons of Borakar coal, and is in communication with Calcutta on the subject of a supply of Bengal coal for experimental purposes.

3. The Agent, South Indian Railway, forwards the results of recent trials of English, Australian and Indian coal, showing—first, that Bengal coal is less expensive per mile than Singareni; second, that English coal is cheaper than Bengal or Singareni coal; third, that next to firewood, patent fuel is the cheapest for train use.

4. The following table summarises the results of the various experiments made in Madras with country coal in comparison with patent fuel or English coal:—

Name of Railway.	Date.	Nature of fuel.	Average weight of train.	Average speed.	Consumption of fuel per train mile.
			TONS.	MILES.	LB.
Madras ..	1879	Godavari coal ..	171.63	25.41	33.48
Do. ..	..	Patent fuel ..	182.78	26.49	24.58
Do. ..	1889	Singareni coal ..	220.58	24.34	42.92
Do. ..	..	Patent fuel ..	219.94	24.34	25.73
Do. ..	..	Singareni coal ..	429.97	16.95	55.74
Do. ..	..	Patent fuel ..	469.22	17.24	37.75
Do. ..	..	Singareni coal ..	201.81	26.18	40.29
Do. ..	..	Patent fuel ..	103	Not given.	16.70
South Indian ..	..	North Wales coal ..	104	..	18.62
Do. ..	..	West Hartley coal ..	107	..	18.96
Do. ..	..	Singareni coal ..	101	..	23.63
Do. ..	..	Bengal ..	104	..	25.19
Do. ..	..	Singareni coal ..	198.5	24.48	33.47
His Highness the Nizam's ..	..	..	..	..	..

It will be noticed that the results of the trials of Singareni coal on His Highness the Nizam's State Railway do not agree very closely with the results recently obtained with the same coal on the Madras Railway with fast trains.

5. The Madras Railway find that with fast trains the consumption of Singareni coal is about 66 per cent. heavier than that of patent fuel. Whilst the figures given by His Highness the Nizam's State Railway tend to show, after correcting for difference of weight in the trains, that the consumption with Singareni coal is only 44.4 per cent. heavier than the consumption with patent fuel in the trains on the Madras Railway.

6. The results obtained on the South Indian Railway tend to show that the consumption with Singareni coal is about 41.5 per cent. heavier than with patent fuel and thus agree with the results obtained on His Highness the Nizam's State Railway.

7. It is noticeable also that the results of the latest trials of Singareni coal on the Madras Railway are not quite so favorable as those obtained in 1879 with Godavari coal.

8. The report of trials of Singareni coal on the Nizam's Guaranteed State Railway, kindly furnished by the Locomotive Superintendent of that line, is submitted for comparison with a request that it may be returned.

ORDER—dated 20th January 1890, No. 102 R., Public Works.

Ordered to be forwarded to the Government of India with reference to its letter No. 511 R.T., dated 23rd September 1889.

(Here enter No. 103 R., dated 20th January 1890.)

(True Extract.)

(Signed) C. J. SMITH, Colonel, R.E.,
Joint Secy. to Govt., P.W.D.,
Railway Branch.

To the Consulting Engineer for Railways.

ENDORSEMENT—dated 20th January 1890, No. 103 R., Public Works.

Forwarded.

(By Order.)

(Signed) C. J. SMITH, Colonel, R.E.,
Joint Secy. to Govt., P.W.D.,
Railway Branch.

RAILWAY.

Govt. of {1890} Madras.

PUBLIC WORKS.

Dated January, 20th.

Recd.

Encl.

G.O., 20th Jan. 1890, Nos. 102 R.,
103 R.

JANUARY.

Coal

Forwarding reports from Agents, Madras
and South Indian Railways, of experiments
made on different kinds of coal, patent fuel,
&c.

29TH APRIL 1890, No. 585 R., PUBLIC WORKS.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Railway.

Read the following papers :—

From the Consulting Engineer for Railways, dated Madras, 21st April 1890, No. 279.

From the Agent, South Indian Railway, to the Consulting Engineer for Railways,
dated Trichinopoly, 1st October 1889, No. 1250.

Referring to your letter, No. 656; of 24th September 1888, I have the pleasure
to send you, herewith, two printed statements showing the result of some comparative
trials of Singareni and other descriptions of coal.

ENCLOSURE.
SOUTH INDIAN RAILWAY—LOCOMOTIVE DEPARTMENT.
Cambrian Patent Fuel per S.S. "Manitoba" from Gosnam and Smith.
Six trials made with mail trains from Madras to Cuddalore, 128 miles.

A Month and date.	B No. of engine.	C No. of vehicle.	D No. of miles.	E Gross weight of train.	F Weight of load.	COAL CONSUMED.				K Weight of ashes, column I.	L Ash per 100 miles of coal consumed, column I.	M Average pressure of steam per square inch.	N Water consumed in gallons.	O Water consumed in pounds, column G.	P Pounds of water evaporated per lb. of coal, column G.	State of weather.
						G For journey.	H For lighting.	I Total.	J Per mile, column I.							

1889.																
January, 21	106	20	128	97 18	0 0	2,016	112	2,128	16.62	262	12.31	115	1,760	17,500	8.68	Fair weather.
Do. 22	91	20	128	103 17	0 0	2,240	112	2,352	18.38	242	10.28	105	1,765	17,600	7.88	Do.
Do. 23	106	20	128	105 10	0 0	1,904	112	2,016	15.75	263	13.05	115	1,760	17,600	9.24	Do.
Do. 26	91	20	128	103 2	2 0	1,960	112	2,072	16.19	255	12.31	110	1,760	17,600	8.98	Fair up to Villupuram.
Do. 28																Head wind from Villupuram to Cuddalore.
Do. 31	106	20	128	103 19	3 0	1,904	112	2,016	15.75	266	13.19	110	1,780	17,800	9.35	Fair weather.
February, 2	91	20	128	104 2	3 0	2,128	112	2,240	17.50	235	10.49	110	1,880	18,300	8.59	Do.
Total ..	6	120	..	618 10	0 0	12,152	672	12,824	100.19	1,523	71.63	655	10,645	106,450	52.72	
Average ..	..	20	128	103 1	2 18.66	2,025.33	112.00	2,137.33	16.70	253.83	11.94	110.83	1,774.16	17,741.66	8.79	

Llay Hall Brymbo Main Steam Coal per S.S. "Eastern Prince" from Howard Houlder & Co.

January, 22	106	21	128	105 18	2 0	2,464	56	2,520	19.69	343	13.61	110	1,880	18,800	7.63	Strong wind blowing from north-east.
Do. 24	91	20	128	105 8	0 0	2,800	112	2,912	22.75	337	11.57	105	2,065	20,650	7.37	Strong side head winds.
Do. 27	106	19	128	100 11	2 0	2,464	56	2,520	19.69	409	16.23	110	1,920	19,200	7.79	Do. side winds.
Total ..	3	60	..	311 18	0 0	7,728	224	7,952	62.13	1,089	41.41	325	5,865	58,650	22.79	
Average ..	..	20	128	103 19	1 9.33	2,776.00	74.66	2,650.66	20.71	363.00	13.80	108.33	1,955.00	19,550.00	7.59	

Singareni Coal received from Messrs. Parry & Co. of Madras.

February, 5	106	19	128	98 5	2 0	2,912	112	3,024	23.63	708	23.41	110	1,980	19,800	6.80	Fair weather.
Do. 10	106	20	128	103 8	3 0	2,800	112	2,912	22.75	610	20.95	110	1,870	18,700	6.68	Do.
Do. 15	106	20	128	99 4	1 0	2,912	112	3,024	23.63	600	19.81	110	1,900	19,000	6.52	Do.
Do. 21	98	20	128	106 4	3 0	3,024	112	3,136	24.50	513	16.36	120	1,880	18,800	6.22	Do.
Total ..	4	79	..	407 3	1 0	11,648	448	12,096	94.51	2,431	80.55	450	7,630	76,300	26.22	
Average ..	..	19.75	128	101 15	3 7.00	2,912.00	112.00	3,024.00	23.63	607.75	20.14	112.50	1,907.50	19,075.00	6.55	

Four trials made with trains from Madras to Cuddalore, 128 miles.

Bersham Wrexham North Wales Steam Coal per S.S. "Macgregor" from Gosnam and Smith.

February, 7	81	20	128	106 14	3 0	2,352	112	2,464	19.25	254	10.31	110	1,830	18,300	7.78	Fair weather.
Do. 12	91	20	128	104 6	1 0	2,240	112	2,352	18.38	253	10.76	110	1,850	18,500	8.26	Do.
Do. 17	91	20	128	103 9	3 0	2,240	112	2,352	18.38	259	11.01	110	1,780	17,800	7.94	Do.
Total ..	3	60	..	314 10	3 0	6,832	336	7,168	56.01	766	32.08	330	5,460	54,600	23.98	
Average ..	..	20.00	128	104 16	3 18.66	2,277.33	112.00	2,389.33	18.67	255.33	10.69	110.00	1,820.00	18,200.00	7.99	

West Hartley Main large Steam Coal per S.S. "Tiverton" from Howard Houlder & Co.

March, 27	106	20	128	105 3	0 0	2,352	112	2,464	19.25	336	13.64	110	1,930	19,300	8.20	Strong side winds.
Do. 28	106	22	128	115 3	0 0	2,128	56	2,184	17.06	295	13.50	110	1,920	19,200	9.02	Fair weather.
Do. 28	98	20	128	105 3	0 0	2,404	112	2,516	19.66	251	9.98	110	1,800	18,000	7.49	Strong head & side winds.
Do. 29	98	20	128	104 18	0 0	2,432	112	2,544	19.87	201	7.90	110	1,810	18,100	7.44	Fair weather.
Total ..	4	82	..	430 7	0 0	9,316	392	9,708	75.84	1,083	45.02	440	7,460	74,600	32.15	
Average ..	..	21.00	128	107 11	3 0	2,329.00	98.00	2,427.00	18.96	270.75	11.25	110.00	1,865.00	18,650.00	8.04	

Haslings Hartley Steam Coal per S.S. "Starbriane."

April, 16	106	20	128	103 2	1 0	2,352	112	2,464	19.25	220	8.92	110	1,820	18,200	7.73	Strong head & side winds.
Do. 17	106	20	128	102 14	2 0	2,128	56	2,184	17.06	223	10.21	110	1,770	17,700	8.31	Do.
Do. 17	98	19	128	99 16	3 0	2,464	112	2,576	20.12	275	10.67	110	1,750	17,500	7.10	Fair weather.
Do. 18	98	20	128	105 11	0 0	2,464	112	2,576	19.25	204	8.28	110	1,700	17,000	6.90	Do.
Do. 18	92	19	128	95 19	0 0	2,240	112	2,352	18.37	134	5.69	110	1,720	17,200	7.67	Do.
Do. 18	92	18	128	95 4	2 0	2,352	112	2,464	19.87	182	8.16	110	1,810	18,100	7.69	Do.
Do. 19	..	..	..	602 8	0 0	14,000	392	14,392	112.42	1,248	51.93	660	10,570	105,700	45.40	
Total ..	6	116	..	100 8	0 0	2,333.33	65.33	2,398.66	18.74	208.00	8.65	110.00	1,761.66	17,616.66	7.56	
Average ..	..	19.33	128	100 8	0 0	2,333.33	65.33	2,398.66	18.74	208.00	8.65	110.00	1,761.66	17,616.66	7.56	

South Bulli Coal per S.S. "Cloncurry."

May, 7	98	20	128	103 10	2 0	2,352	112	2,464	19.25	391	15.86	110	1,950	19,500	14.42	Fair weather.
Do. 8	99	19	128	99 7	0 0	2,240	56	2,296	17.50	286	12.76	110	1,750	17,500	7.81	Do.
Do. 8	92	20	128	103 16	0 0	2,464	112	2,576	20.12	409	15.87	110	1,990	19,900	8.07	Do.
Do. 9	92	20	128	104 5	2 0	2,240	112	2,352	18.37	364	16.25	110	1,970	19,700	8.79	Do.
Total ..	4	79	..	410 19	0 0	9,296	224	9,520	73.47	1,450	60.74	440	7,660	76,600	39.09	
Average ..	..	19.75	128	102 14	3 0	2,324.00	56.00	2,380.00	18.37	362.50	15.18	110.00	1,915.00	19,150.00	9.77	

Four trials made with mail trains between Madras and Cuddalore, 128 miles.

Bengal Coal per S.S. "Umballa."

Five trials made with mail trains between Madras and Cuddalore, 128 miles.

A	B	C	D	E	F	COAL CONSUMED.			K	L	M	N	O	P	State of weather.
Month and date.	No. of en- gine.	No. of No. of veh- cles.	No. of miles.	Gross weight of train.	Weight of load.	G	H	I	J	Weight of ashes consumed, column I.	Ash per 100 miles of coal consumed, column I.	Average pressure of steam per square inch.	Water con- sumed in pounds.	Pounds of water evaporated per lb. of coal, column G.	
1889.				TONS. CWT. QRS. LB.	TONS. CWT. QRS. LB.	LB.	LB.	LB.	LB.	LB.	LB.	LB.	LB.	LB.	
June, 5	106	20	128	103 8 0 0	29 7 0 0	2,800	112	2,912	22-75	753	25-85	60	2,200	7-85	Strong side winds.
" 6	98	20	128	106 9 3 0	36 1 0 0	3,136	112	3,248	25-37	857	26-38	110	2,000	6-38	Fair weather.
" 7	98	20	128	102 19 2 0	29 3 0 0	3,136	112	3,136	24-50	847	27-00	110	1,850	5-89	Do.
" 7	92	20	128	103 12 2 0	33 3 0 0	3,360	112	3,472	27-12	874	25-17	116	2,200	6-55	Do.
" 8	92	20	128	103 10 1 0	31 3 0 0	3,360	..	3,360	26-35	698	20-77	110	2,130	6-34	Do.
Total ..	5	100	..	520 0 0 0	159 17 0 0	15,792	336	16,128	125-99	4,029	125-17	500	10,380	33-01	
Average ..	..	20-00	128	104 0 0 0	31 19 1 16-80	3,158-40	67-20	3,225-60	25-19	805-80	25-03	100-00	2,076-00	6-60	

Firewood.

Five trials made with mail trains between Madras and Cuddalore, 128 miles.

Five trials made with mail trains between Madras and Cuddalore, 1881.																								
April, 3	92	20	128	105	5	0	0	33	3	0	0	3,992	112	4,104	32-06	112	2-73	110	1,510	15,109	3-78	Strong side winds.		
Do. 6	106	20	128	105	8	2	0	0	29	3	0	0	4,297	112	4,409	34-45	131	2-97	110	1,830	18,300	4-25	Strong head & side winds.	
Do. 7	98	20	128	105	10	2	0	0	33	3	0	0	4,403	112	4,515	35-27	220	4-87	110	1,750	17,500	3-97	Very heavy head and side winds.	
Do. 8	92	20	128	103	16	3	0	0	33	3	0	0	3,920	112	4,032	31-50	122	3-03	110	1,760	17,600	4-49		
Do. 11	105	20	128	104	19	1	0	0	29	3	0	0	4,200	112	4,312	33-68	200	4-64	110	1,700	17,000	4-05		
Total ..	5	100	..	525	0	0	0	157	15	0	0	20,812	560	21,372	166-96	785	18-24	550	8,550	85,500	20-54			
Average ..	..	20-00	128	105	0	0	0	31	11	0	0	4,162-40	112-00	4,274-40	33-39	157-00	3-65	110-00	17,100-00	17,100-00	4-11			
															Hastings Hartley Steam								West Hartley Main	

Average result of trials made of Patent Fuel, South Bulli, Bersham Wrexham, North Wales Steam, Hastings Hartley Main, West Hartley Main, Llay Hall Brymbo Main Steam, Singapore, Bengal Coal and Firewood.

Between Madras and Cuddalore, 128 miles.

Patent fuel	20-00	128	103 1 2 18-66	29 16 0 18-66	2,025-33	112-00	2,137-33	16-70	253-83	11-04	110-83	1,774-16	17,741-66	8-79		
South Bulli coal	19-75	128	102 14 3 0	32 5 0 0	2,324-00	56-00	2,380-00	18-37	362-50	15-18	110-00	1,915-00	19,150-00	9-77		
Bersham Wrexham coal	20-00	128	104 16 3 18-66	28 13 2 18-66	2,277-33	112-00	2,389-33	18-62	255-33	10-69	110-00	1,820-00	18,200-00	7-99		
North Wales steam coal	19-33	128	100 8 0 0	30 13 0 0	2,333-33	65-33	2,398-66	18-74	208-00	8-65	110-00	1,761-66	17,616-66	7-56		
Hastings Hartley steam coal	21-00	128	107 11 3 0	28 6 1 0	2,329-00	98-00	2,427-00	18-96	270-75	11-25	110-00	1,865-00	18,650-00	8-04		
West Hartley Main large steam coal	20-00	128	103 19 1 9-33	27 19 2 18-66	2,576-00	74-66	2,650-66	20-71	353-00	13-80	108-33	1,955-00	19,550-00	7-59		
Llay Hall Brymbo Main steam coal	19-75	128	101 15 3 7-00	28 1 0 0	2,912-00	112-00	3,024-00	23-63	607-75	20-14	112-50	1,907-50	19,075-00	6-55		
Singapore coal	20-00	128	104 0 0 0	31 19 1 16-80	3,158-40	67-20	3,225-60	25-19	805-80	25-03	100-00	2,076-00	20,760-00	6-60		
Bengal coal	20-00	128	105 0 0 0	31 11 0 0	4,162-40	112-00	4,274-40	33-39	157-00	3-65	110-00	1,710-00	17,100-00	4-11		
Firewood	..	..	..	..	..	..	..	..	..	..	..	..	..	..		

(Signed) C. E. ORIGHTON,
Locomotive and Carriage Superintendent.NEGAPATAM,
19th July 1889.From the Agent, South Indian Railway, to the Consulting Engineer for Railways,
dated Trichinopoly, 16th April 1890, No. 522.

In continuation of my letter, No. 1250, dated 1st October 1889, I beg to send you, herewith, two copies of a statement showing the result of trials made with Australian coal.

ENCLOSURE.

SOUTH INDIAN RAILWAY—LOCOMOTIVE DEPARTMENT.

The Scottish Australian Lambton Coal per S.S. "Cloncurry."

Six trials made with mail trains from Madras to Cuddalore, 128 miles.

A	B	C	D	E	F	COAL CONSUMED.			K	L	M	N	O	P	State of weather.
Month and date.	No. of engine.	No. of vehicles.	No. of miles.	Gross weight of train.	Weight of load.	G	H	I	J	As per 100 miles of coal consumed, column L.	Average pressure of steam, per square inch.	Water consumed in gallons.	Water consumed in pounds.	Pounds of water evaporated per lb. of coal, column G.	
1890.															
January, 7	105	19	128	TONS. CWT. QRS. LB.	TONS. CWT. QRS. LB.	LB.	LB.	LB.	LB.	LB.	LB.	LB.	LB.	LB.	Moderate.
Do. 9	98	20	128	101 12 2 0	27 8 0 0	2,128	112	2,240	17 50	259	11 56	1,820	18,200	8 55	Strong wind.
Do. 10	109	20	128	104 18 2 0	34 1 0 0	2,800	112	2,912	22 75	312	10 71	1,870	19,700	7 03	Fair.
Do. 12	105	20	128	106 7 2 0	31 1 0 0	2,352	112	2,464	19 25	292	11 85	1,490	14,900	6 33	Do.
Do. 14	98	20	128	106 7 2 0	25 3 0 0	2,352	112	2,464	19 25	287	9 61	1,750	17,500	7 44	Do.
Do. 15	109	20	128	101 19 0 0	31 3 0 0	2,464	112	2,576	20 12	240	9 31	1,700	17,000	6 89	Do.
Total ..	119	119	624	13 2 0	177 19 0 0	14,428	672	15,100	117 96	1,598	63 59	10,240	102,400	42 71	Do.
Average ..	19 83	128	104	2 1 0	29 13 0 18 66	2,404 63	112 00	2,516 66	19 66	266 33	10 59	1,706 66	17,066 66	7 12	

The Australian Lambton Coal per S.S. "New Guinea."

Six trials made with mail trains from Madras to Cuddalore, 128 miles.

January, 17	105	20	128	105 9 2 0	33 3 0 0	2,128	112	2,240	17 50	245	10 93	1,700	17,000	7 98	Fair.
Do. 18	92	20	128	105 14 1 0	33 3 0 0	2,352	112	2,464	19 25	312	12 66	1,810	18,100	7 69	Do.
Do. 20	109	20	128	104 8 2 0	30 19 0 0	2,240	112	2,352	18 37	258	9 73	1,570	15,700	7 37	Do.
Do. 23	92	20	128	104 7 3 0	33 3 0 0	2,464	112	2,576	20 12	291	12 46	1,820	18,200	7 38	Do.
Do. 22	105	20	128	104 15 0 0	31 3 0 0	2,352	112	2,464	19 25	250	10 15	1,710	17,100	7 27	Do.
Do. 29	106	20	128	98 13 1 0	28 3 0 0	2,352	112	2,464	19 25	284	10 71	1,900	19,000	8 07	Do.
Total ..	120	120	623	8 1 0	189 14 0 0	13,776	672	14,448	112 87	1,613	66 64	10,510	105,100	45 76	Do.
Average ..	20 00	128	103	18 0 4 66	31 12 1 9 33	2,256 00	112 00	2,408 00	18 81	268 83	11 10	1,751 66	17,516 66	7 62	

The best screened Australian Lambton Coal per S.S. "Rhine."

Six trials made with mail trains from Madras to Cuddalore, 128 miles.

January, 27	105	20	128	104 2 3 0	30 16 0 0	2,128	112	2,240	17 50	266	11 87	1,750	17,500	8 22	Fair.
Do. 28	92	20	128	105 6 3 0	33 3 0 0	2,240	112	2,352	18 37	289	12 28	1,850	18,500	8 25	Do.
February, 1	105	20	128	104 2 2 0	31 3 0 0	2,240	112	2,352	18 37	258	10 96	1,750	17,500	7 81	Do.
Do. 2	92	20	128	105 13 2 0	33 3 0 0	2,240	112	2,352	18 37	280	12 32	1,830	18,300	8 16	Do.
Do. 3	106	20	128	102 4 1 0	29 3 0 0	2,352	112	2,464	19 25	281	11 40	1,865	18,650	7 92	Do.
Do. 8	106	20	128	102 8 0 0	29 3 0 0	2,352	112	2,464	19 25	265	10 75	1,920	19,200	8 16	Do.
Total ..	120	120	623	17 3 0	186 11 0 0	13,552	672	14,224	111 11	1,699	69 58	10,965	109,650	48 52	
Average ..	20 00	128	103	19 2 14 00	31 1 3 9 33	2,258 66	112 00	2,370 66	18 52	283 16	11 59	1,827 50	18,275 00	8 08	

The best screened Scottish Australian Lambton Coal per S.S. "Falls of Clyde."

Six trials made with mail trains from Madras to Cuddalore, 128 miles.

February, 7	92	20	128	105 18 0 0	33 3 0 0	2,464	112	2,576	20 12	390	15 13	1,900	19,000	7 71	Fair.
Do. 12	106	20	128	106 12 0 0	36 1 0 0	2,464	112	2,576	20 12	365	14 16	1,885	18,850	7 65	Do.
Do. 13	106	20	128	103 1 2 0	28 11 0 0	2,352	112	2,464	19 25	260	10 14	1,860	18,600	7 90	Do.
Do. 18	106	20	128	104 8 0 0	29 11 0 0	2,464	112	2,576	20 12	265	10 28	1,890	18,900	7 67	Heavy side wind.
Do. 26	105	20	128	110 2 1 0	29 11 0 0	2,464	112	2,576	20 12	304	11 30	1,750	17,500	7 10	Moderate
March, 3	105	20	128	103 5 1 0	29 3 0 0	2,352	112	2,464	19 25	305	12 37	1,800	18,000	7 65	Fair.
Total ..	121	121	633	7 0 0	185 12 0 0	14,560	672	15,232	118 98	1,879	73 88	11,085	110,850	45 68	
Average ..	20 16	128	105	11 0 18 66	30 18 2 18 66	2,426 66	112 00	2,538 66	19 83	313 16	12 31	1,847 50	18,475 00	7 61	

Average result of trials made of best screened Australian Lambton, Australian Lambton, Scottish Australian Lambton and best screened Scottish Australian Lambton Coals.

Between Madras and Cuddalore, 128 miles.

The best screened Australian Lambton coal.	20 00	128	103	19 2 14 00	31 1 3 9 33	2,258 66	112 00	2,370 66	18 52	283 16	11 59	1,827 50	18,275 00	8 08	Cost per mile. Rs. A. P. 0 2 2 53
The Australian Lambton coal.	20 00	128	103	18 0 4 66	31 12 1 9 33	2,296 00	112 00	2,408 00	18 81	298 83	11 10	1,761 66	17,616 66	7 62	0 1 10 98
The Scottish Australian Lambton coal.	19 83	128	104	2 1 0	29 13 0 18 66	2,404 66	112 00	2,516 66	19 66	266 83	10 59	1,706 66	17,066 66	7 12	0 2 2 49
The best screened Scottish Australian Lambton coal.	20 16	128	105	11 0 18 66	30 18 2 18 66	2,426 66	112 00	2,538 66	19 83	313 16	12 31	1,847 50	18,475 00	7 61	0 1 11 80

(Signed) C. E. CRIGHTON,
Locomotive and Carriage Superintendent.

NEGAPATAM,
13th March 1890.

Submitted to Government in continuation of this office endorsement, No. 476, dated 26th November 1889.

2. With the exception of firewood, Australian coals appear to be the cheapest fuel experimented with; but in evaporative power per lb. of fuel is lower than patent fuel and English coals. The experiments with wood were made under very adverse conditions of weather, yet it worked 8.67 pies per mile lower than the cheapest fuel.

ORDER—dated 29th April 1890, No. 585 R., Public Works.

Ordered to be forwarded to the Government of India in continuation of Public Works Department docket No. 103 R., dated 20th January 1890.

(Here enter No. 586 R., dated 29th April 1890.)

(True Extract.)

(Signed) SIDNEY SMITH, Major, R.E.,
Under-Secy. to Govt., P.W.D.,
Railway Branch.

To the Consulting Engineer for Railways.

ENDORSEMENT—dated 29th April 1890, No. 586 R., Public Works.

Forwarded.

(By order.)

(Signed) SIDNEY SMITH, Major, R.E.,
Under-Secy. to Govt., P.W.D.,
Railway Branch.

RAILWAY.

Govt. of {1890} Madras.

PUBLIC WORKS.

Dated April, 29th.

Recd.

Encl.

G.O., 29th Apr. 1890, Nos. 585 R.,
586 R.

APRIL.

Coal

Forwarding statements showing result of
trials made with different kinds of — on
the South Indian Railway.

No. 36 R. 5.

GOVERNMENT OF INDIA.

PUBLIC WORKS DEPARTMENT.

RAILWAY Stores.

All communications
should be addressed
to the Secretary.

To The Joint Secretary to the Government
of Madras.
Railway Branch
Public Works Department

Simla, the 16th May 1890.

Sir,

I am directed to acknowledge
the receipt of your No. 586 R. dated 29th April
1890, forwarding copy of correspondence from
the Agent South Indian Railway with two
printed statements shewing the comparative
results of trials of Singareni and other descrip-
tions of Coal, and in reply to request the
favour of being furnished with a copy of
your No. 103 R. dated 20th January 1890, mentioned
in your docket under reference, as it does
not appear to have been received in this Office.

I have the honour to be
Sir

Your most obedient servant.

M. S. S. S. S. Major, R. E.

Documents Accompanying -
lib. Under Secretary -

No. 787R

Government of Madras.

PUBLIC WORKS DEPARTMENT,

RAILWAY BRANCH.

To

The Secretary to the Govt. of India

P. W. Department

Simla

7th June 1890.

SIR,

With reference to your letter No. 36 R. S. of 16th May 1890, I am directed to forward a copy of the Progs. of this Government No. 102-3R dated 20th January 1890 embodying reports from the Agents, Madras & South Indian Railways of experiments made on different kinds of coal re., and to state that the ^{original} ~~copy~~ together with 35 spare copies of these Progs. were forwarded to the Government of India on the 30th January 1890..

*Wd
5 June*

*P. W. D.
to be kept
in file*

*Info despatched to India
with L. O. 102-3R of 20-1-90.
7-6-90.*

B

P. W. C. No. 4870

Recd. 23-5-90.

*Ans 585.86 R of 29.4.90
102-10329 20.1.90*

*29/5
off 28.5.90
M. 30.5.90
2.9.6.90
4/6. R 5-6-90*

Handwritten: H. 1487 R. 27 June 1890

All communications
should be addressed
to the Secretary.

No. 53 R. S.
GOVERNMENT OF INDIA.
PUBLIC WORKS DEPARTMENT.
RAILWAY *Stores*.

To
The Joint Secretary to the Govt of Madras
Public Works Department, Railway Branch.

Simla, the 11th June 1890.

Sir,

I am directed to request that Public
Works Department letter N^o 36 R.S. of 16th May
1890 may be considered as cancelled, as
your N^o 103 R. dated the 20th January 1890
communicating the results of the trials
of Singareni and other descriptions of
coal on the South Indian Railway,
has now been traced.

I have the honour to be,
Sir,
your most obed^t servant,

M. Macpherson Major, R.E.

Under Secretary.

Documents accompanying
Nil

Handwritten: H. 12/6/90

Handwritten: rec 9/6 16/6

No 587 R of 7-6-90

585-6 R of 27-4-90

102-3 R of 20-1-90

P. W C No. 5774

No. 917 R of 24 June 90.

Rd. 19-6-90

Recorded with

Recorded with

reference to P. H. D. letter

No. 787 R dated 7 June 1897.

No. 787 R, dated 7 June 190.

Quam
23-6-90

W. J. R

B. No. 917 R of 24 June 90

20/6 226 6.90

R