

1. Number of copies 6
2. Date 24.4.37
3. M.R. O. 1-89,000-16-10-29
7

MADRAS RECORD OFFICE.

Government of Madras.

Public

DEPARTMENT.

G.O. No.	1245	Press
		Mis.
Dated	7-10-1870	

Not to be folded or roughly handled

7/10/37

*Proceedings of the Madras Government, Public Department,
7th October 1870.*

No. 20. Read the following letter from the Officiating President of the Municipal Commission, Madras, to the Chief Secretary to Government, Fort Saint George, dated Madras, 20th September 1870, No. 535:—

In reply to Government Order, No. 1133, dated 7th September 1870, calling for information concerning the proposed experiment of sub-soil irrigation on the Monument Esplanade, I have the honour to report that the drain tiles have been laid for some time in a plot of ground measuring 100 square feet, but irrigation has not been commenced, as the Sanitary Commissioner asked to see the experiment tried under his personal inspection.

2. The sewage will be raised in an air tight chamber, and will on no account be exposed to the atmosphere. Every precaution will be taken to prevent it becoming a nuisance, and the experiment will be stopped should there be signs on the surface of decomposed sewage.

No. 21. ORDER THEREON, 7th October 1870, No. 1245.

Ordered to be recorded.

2. The result will, in due course, be reported to Government.

(True Extract.)

Chief Secretary.

To the Officiating President of the Municipal Commission, Madras.

Edw. J. Wright.

C. N. 535.

Madras Municipality.
Executive Engineer's Office

Madras, 20 September 1870

From

Mr. G. B. Bowen

President Municipal Comm.
Madras

To The Hon. R. S. Ellis Esq.

Chief Secretary to Government
Madras

In reply to Government Order
No. 100 of 1870, dated 10 September 1870, calling
for information regarding the progress
of the experiment of artificial irrigation on the
Municipal Esplanade, I have the honor
to report that the drain tiles have been
laid for some time in a plot of ground
measuring 100 square feet, but irriga-
tion has not been commenced, as
the Sanitary Commissioner asked to see
the experiment tried under his personal
inspection.

2 The sewage will be raised in an
air tight chamber and will on no ac-
count be exposed to the atmosphere.
Every precaution will be taken to
prevent it becoming a nuisance, and
the experiment will be stopped should
there be signs on the surface of decom-
posed sewage.

I

Boat. of 1870 Madras.

PUBLIC.

To
THE OFFG. PRESIDENT OF THE
MUNICIPAL COMMISSION,
Madras.

Dated October, 7th.

Recd.

Encl.

G. O., 7th October 1870, No. 1245.

OCTOBER.
Nos. 20-21.

Recording letter from the Officiating President,
furnishing information called for in G. O., dated
7th September 1870, No. 1133, concerning the
proposed experiment of sub-soil irrigation on the
Municipal Esplanade.

I have the honor to be
 Sir,
 Your most Obedt^d Servant

J. M. McKim

Off^r President
 Museum of Art

For Mr. McKim's
 from

The Off^r President
 Museum of Art
 President

Booked as Sept 17/90
 Dec 17-30

Booked as Sept 17/90
 Dec 17-30

No 535

Contributing explanation
 called for in C. B. A. 11/33
 dated 17-4/10/90-

No 1245 7 Oct/90

1. Ordered to be recorded.
2. The result with, of course, be reported to Govt.

H. S.

The Off^r Mr. McKim 11/10

C. B. A. 11/33

Compd. Mr. McKim
 with an Order

Public
To the ~~Off.~~ Pres. Council. Comm.
Madrid.

Oct. 7.

7 Oct. 1844

21.

Resolving the form of the
monument.
Furnishing information called
for in G. O. of Sept. 17, 1843.
Concerning the proposed ex-
penditure of sub-soil irrigation
on the monument. Explain and