

1. Number of copies 4
2. Date of receipt 23.3.37
M.R.O. 1-20,000-18-10-20

MADRAS RECORD OFFICE.

Government of Madras.

Police DEPARTMENT.

G.O. No.	1364	Press
		~~Mis~~
Dated	25-10-1870.	

Not to be folded or roughly handled

No. 184. Read the following letter from the Sanitary Commissioner for Madras, to the Chief Secretary to Government, Fort Saint George, dated Madras, 14th October 1870, No. 910:—

I have the honour, with reference to Proceedings of Government as per margin, to request that I may be permitted to incur the small expense of about 120 Rupees in the purchase of apparatus needed for testing the theory of Professor Pettenköfer in a few stations where it is most desirable that no time should be lost in conducting the observations.

2. At Combaconum, in the Civil Dispensary compound, there is a well already sunk, which can be covered in and given up for the purpose.

Combaconum is an excellent station for observation in regard to the subsoil water of the Cauvery Delta, and the Medical Officer of the Civil Dispensary is prepared to make the daily observations.

At Negapatam, there is a well in the Civil Dispensary compound, which might be used in a similar way, as the people do not get their drinking water from it.

At Salem, there is a well available in the Cutcherry compound, in the printing office, near the river, adapted for these observations.

At Madura, one of the wells in the new jail yields bad water, and, being of no use as a source of drinking supply, might be fitted up with the apparatus.

At Calicut and Cochin, wells in the Civil Dispensary compounds might be fitted up.

3. In the stations I have named, I propose to send out the copper floats and chains, with instructions, for fixing the wood work, and the whole cost of each apparatus will not, I think, amount to more than 20 Rupees.

I may add that, owing to reductions in my office establishment, there will be a considerable saving on the sanctioned budget grant for the current year.

No. 185. ORDER THEREON, 25th October 1870, No. 1364.

Sanctioned.

(True Extract.)

Chief Secretary.

To the Sanitary Commissioner.

„ Accountant-General.

Exd. J. H. Burns.

*one of the wells in the new jail
yields bad water and being of no use as a source*

Govt. of 1870} Orders.

PUBLIC.

To

THE SANITARY COMMISSIONER,
Secy. &c., &c.

Dated October, 25th.

Recd.

Encl.

G. O., 25th October 1870, No. 1364.

OCTOBER
Nos. 184-185.

Sanctioning the expenditure of Rupees 120 for the purchase, by the Sanitary Commissioner, of apparatus needed for testing Professor Petten-Köfer's theory of cholera in a few stations.

No. 910.

OFFICE OF SANITARY COMMISSIONER,

Madras, 14th October

1870.

From

To

Sanitary Commissioner for Madras,

The Chief Secretary to Government.
Public Department.
Fort Saint George.

SIR,

N^o 1237 dated 6th
October 1870. in
Public Deptt.
Enclosures.

I have the honor with reference to Proceedings of Government, as per margin, to request that I may be permitted to incur the small expense of about 120 Rupees in the purchase of apparatus needed for testing the theory of Professor Pettenkofer in a few stations where it is most desirable that no time should be lost in conducting the observations.

2. At Combaconum, in the Civil Dispensary compound, there is a well already sunk, which can be covered in, and given up for the purpose.

Combaconum is an excellent station for observation in regard to the subsoil water of the Cauvery delta, and the Medical officer of the Civil Dispensary is prepared to make the daily observations.

At Negapatam there is a well in the Civil Dispensary compound which might be used in a similar way, as the people do not get their drinking water from it.

At Salem there is a well available in the Butcherry compound in the printing office, near the river adapted for these observations.

At Madurai one of the wells in the new jail

of drinking supply might be fitted up with the apparatus.

At Calicut and Kochin wells in the Civil Dispensary compounds might be fitted up.

In the stations I have named I propose to send out the copper floats and chains with instructions for fixing the wood work, and the whole cost of each apparatus will not, I think, amount to more than 20 Rupees.

I may add that owing to reductions in my office establishment there will be a considerable saving on the sanctioned budget grant for the current year.

I have the honor to be,

Sir,

Your most obedt. Servant.

M. Govind S. R. B. S.
Sanitary Commissioner
for Madras

Ans: 6th Oct-90 Oct-1237 Public Dept.

From

The San'y Comm^r
for Madras.

To

The Chief Secy. to Govt.
Public Dept.
Port of George.

Dated 14th
Sept 1890 } October 1890.

No 10. 40785.

Requests the sanction of
Rs 120. for the purchasing
of apparatus needed for test-
ing Professor Pettenkofer's theory
of Cholera in a few stations.
Order - 25th Oct-90/20/90

JOS Sanctioned
JRL

20/10/90 { The San'y Commission
- - - - -

Court of 1870 Madras.

Public

The Laundry Committee

Dated Oct. 25.

Recd.

Encl.

G. O. 27 Oct. 1870, No. 104

Nos. 104-105.

Sanctioning the expenditure
of Rs. 120 for the purchase
by the Laundry Committee of ap-
paratus needed for testing
the strength of Professor Little's
Hoffman's in a few stations.