

for urgent repairs if the building is
to be saved from ~~ruin~~ ruin.

It is requested that Government
be moved to take the matter in
hand and sanction the amount
required by the Public Works depart-
ment from whom an estimate
should be urgently required.

The temple is No 49 on Mr
Rea's list.

(Signed) W. E. Gardine
Head Ass. Collector

(True Copy)
A. H. Annay.
C. H. 98.
For Collector

Mr
(Copy of letter)

1893
Pub. Works Dept.
Enclosures 3
To 150
C. No. 444

Ref No. 1191

CURRENT NO. 42

BELLARY COLLECTOR'S OFFICE.
Dated 4th April 1893.

FROM
W. E. Gardine Esquire
Ag. Head Ass. COLLECTOR OF
BELLARY.
In charge.

To

THE Chief Secretary to Government
Public Department
Madras.

SIR.

It has been brought to notice that
one Rattamara Temple in Kadagalli is
out of repairs and that repairs to it
are urgently needed. The Executive
Engineer was requested to prepare an
estimate for same but he replied
that it was not possible to make a
correct estimate and that it would
require Rs 100. A copy of the
Executive Engineer's letter with the
Head Assistant Collector's recommendation

ation thereon is submitted for the
information of Government. The
temple has much of Archaeological
grandeur about it. It is No 49
on Mr. Rea's list recently published.
(1891).

Under these circumstances, I have
the honor to request that sanction of
Government be obtained for Rs 100
required for repairing the temple
as pointed out by the Executive
Engineer.

I have the honor to be
Sir

Your most obedient servant
A. S. Banerjee.
6.4.93
For Collector

ASB
ma

CURRENT No. 1050
422

Public
Political Dept.
REVENUE DEPARTMENT.

FROM

THE COLLECTOR OF

BELLARY.

To

THE

Chief Secretary
to Government
Political Department
Madras
Ref. No. 1191

Dated

Despatched

Received

Enclosures. 1.

Abstract.

Requesting the Government
to sanction Rs 100 for the
repairs to Rattomara
Temple in Kadagalli.

1893

Date

Encls. No.

To

1137

Dated 12th April 1893 No. 676
Referred to the Superin-
tendent, Archaeological
Survey, for early report
Indruchiee
Chief Secy.

Archaeological Survey, Madras,

Camp. Mercara.

16th April 1893.

No. 160

From

A. REA, ESQUIRE,

SUPERINTENDENT, ARCHAEOLOGICAL SURVEY,

MADRAS,

To

The Chief Secretary
to the Government
of Madras.

SIR,

Adverting to Reference in the Public
Department, No 676 dated 12th April 1893,
I have the honor to report that the small
temple at Mirahadagalli is one of the best
pieces of architecture I have seen in the
Presidency. The urgency of repairs was
mentioned in my List. The amount
mentioned, is sufficient to effect all
repairs necessary.

I have the honor to be
Sir,

Yours Most Obedient Servant
A. Rea

SUPERINTENDENT

From

THE SUPERINTENDENT,

ARCHAEOLOGICAL SURVEY,

Madras,

To

THE

Chief Secretary
to Government,
Madras

Dated 16

Despd. 16

Recd. 19

Regd 20th

ENCLOSURE

11 APR 93

No. 160

Subject.

Reports that the amount
proposed to be expended
in repairs to the temple
at Kinnahadagalli is
sufficient, and the building
worthy of it.

H M
ms

ORDER

dated 25th April 1893 No. 32

As

23/4/93

Communicated to the

P. W. Dept with the request
that the necessary orders may
for the repair of the temple may
be issued at an early date.

Ct
10/4

J.P.
21/4/93

P.W.D.

Suplt. Archaeological Survey

6-11 of Bellary

DESPATCHED

11/4/93

IN M.S.

Copied
29/4

AD AGAIN ORDER OF GOVERNMENT, DATED
18, No. , MISCELLANEOUS.

OSURES.

ENT No.

-1050

1137

STATEMENT WITH DITTO.

ORDER OF GOVERNMENT.

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL (not paged).

N.B.—

A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only.

BACK PAPER, No.

OF 18

FURTHER PAPER, No.

OF 18

876

876

876

A

A

ORDINARY, MS.

Public DEPARTMENT.
G.O., DATED *25-4-93*
No. *329*

INDEXED.

When given for copying.

[Despatch Abstract.]

Copy to the P.W.
dept. correspondence is
giving the status-
via temple with
request that the ne-
cessary orders for its
repair may be issued
at an early date.

No 4960

Executive Engineer's Office

Bellary 6th March 1893.

From

C. J. Peters Esquire.

Executive Engineer

Bellary Division.

The Head Assistant Collector

Bellary

Sir,

With reference to your letter Ref. No 8172
21st February 1893, I have the honor to
inform you that it is not possible to
make any accurate estimate but, I
should say it would not cost more
than Rs 100 to underpin the parts now
without support with plain stone
work and replace as far as possible
the stones that have got out of line.

I am Sir,

(Yours) C. J. Peters.

Executive Engineer

Ref No. 931
13.3.93

Forwarded to the Collector. A.
Photograph privately sent shows the
beauty of the structure and the neces.