

ORDINARY, PRINTED.

Public DEPARTMENT.  
G.O., DATED 30. 11-93.  
No. 973

**INDEXED.**

First copy sent to Press. 1-12. 93.

Returned for signature. —

Despatched in print. 12-12

[Despatch Abstract.]

Civil hospitals and  
dispensaries

Enclosed to the  
Govt of India a  
note comparing the  
statistics of —  
in this Presidency  
for the years 1890-  
1891 & 1892

No. 604

From

SURGEON MAJOR-GENERAL W. F. DEFABECK, M.D.

SURGEON-GENERAL WITH THE

GOVERNMENT OF MADRAS,

Madras,

To

Honble  
THE Chief Secretary to Government  
Public Department.

SIR,

In compliance with O.G. No. 867 of  
26<sup>th</sup> ultimo, I have the honor to submit the  
required notes comparing the statistics for  
1892 with those of the preceding two years.

Number of Hospitals  
and Dispensaries

Exclusive of the State Hospitals in the  
town of Madras, there were 443 Hospitals  
and Dispensaries at work during the year  
against 426 in 1891 and 410 in 1890.

Statistics of  
Sick.

The subjoined statement compares the  
Statistics of the In and out patients for the  
triennial period.

| years | Total<br>In-patients | In patients |          |            |           |      | Out patients                |                           |        | Total<br>In and Out<br>patients |         |
|-------|----------------------|-------------|----------|------------|-----------|------|-----------------------------|---------------------------|--------|---------------------------------|---------|
|       |                      | Admitted    | Released | Discharged | Otherwise | Died | Admitted<br>by<br>ambulance | Admitted<br>by<br>friends | Total  |                                 |         |
| 1890  | 34382                | 22279       | 5056     | 3352       | 2460      | 715  | 2264                        | 315                       | 331490 | 2595805                         | 2630187 |
| 1891  | 37532                | 22972       | 5912     | 3685       | 3558      | 948  | 2351                        | 879                       | 385991 | 2737870                         | 2775402 |
| 1892  | 39741                | 23914       | 6319     | 4458       | 3714      | 935  | 2622                        | 118                       | 444527 | 3066645                         | 3106386 |

It will be seen from the above table that there has been a steady increase both under In and Out patients - The in-patients rose from 34382 in 1890 to 39741 in 1892 and out-patients from 2595805 to 3066645. This increase has been due both to the growth of Medical Centres and to the popularity of the institutions at work.

The following statement contrasts the daily average number of in-patients with the number of beds available in the Hospitals.

| years | Daily Average |         |          |         | Number of beds |         |
|-------|---------------|---------|----------|---------|----------------|---------|
|       | males         | Females | Children | Total   | males          | Females |
| 1890  | 1050.49       | 442.77  | 76.19    | 1569.45 | 1659           | 1153    |
| 1891  | 1113.68       | 475.58  | 84.85    | 1674.11 | 1762           | 1233    |
| 1892  | 1165.26       | 515.56  | 103.08   | 1783.90 | 1749           | 1236    |

Concurrently with the increase in the number of patients, there has been a steady and continuous advance in the Daily average sick among In- and Out-patients among both sexes as will be seen from the following abstract.

| Average  | 1890    |         |          |          | 1891     |         |          |          | 1892     |         |          |          |
|----------|---------|---------|----------|----------|----------|---------|----------|----------|----------|---------|----------|----------|
|          | men     | Women   | Children | Total    | men      | Women   | Children | Total    | men      | Women   | Children | Total    |
| In       | 1050.49 | 442.77  | 76.19    | 1569.45  | 1113.68  | 475.58  | 84.85    | 1674.11  | 1165.26  | 515.56  | 103.08   | 1783.90  |
| Out      | 8639.38 | 3802.99 | 4838.48  | 17280.85 | 9021.45  | 3869.62 | 5027.36  | 17918.43 | 9711.60  | 4151.13 | 5624.59  | 19487.32 |
| In & Out | 9689.87 | 4245.76 | 494.67   | 18850.30 | 10135.13 | 4345.20 | 5112.21  | 19592.54 | 10876.86 | 4666.69 | 5727.67  | 21271.22 |

The annexed statement gives the ratio per cent. of daily attendance on the average number of men, women and Children. These figures call for no special remarks as they do not show any material variation among them during the three years under comparison.

| years | Ratio per cent. of Daily attendance on the average number of |       |          |       |
|-------|--------------------------------------------------------------|-------|----------|-------|
|       | Men                                                          | women | Children | Total |
| 1890  | 51.40                                                        | 22.52 | 26.08    | 100   |
| 1891  | 51.73                                                        | 22.18 | 26.09    | 100   |
| 1892  | 51.13                                                        | 21.94 | 26.93    | 100   |

The following abstract compares the classes of patients treated during 1890-92.

| Years | Europeans | Eurarians | Hindus  | Muslimans | Other Classes |
|-------|-----------|-----------|---------|-----------|---------------|
| 1890  | 6699      | 38687     | 1935959 | 370398    | 278444        |
| 1891  | 8170      | 41125     | 2043014 | 398409    | 284684        |
| 1892  | 9444      | 45925     | 2318049 | 413492    | 319476        |

As usual the largest number of admissions consisted of Hindus being nearly 74 per cent

of the total treated.

Diseases treated - The following is a summary of the diseases treated during the triennial period with the number under each.

| Diseases                                     | 1890    | 1891    | 1892    |
|----------------------------------------------|---------|---------|---------|
| Small Pox                                    | 404     | 848     | 1119    |
| Cholera                                      | 8851    | 21641   | 13493   |
| Dysentery                                    | 36375   | 44249   | 44780   |
| Malarial Fevers                              | 217725  | 194409  | 243089  |
| Primary Syphilis                             | 10847   | 11179   | 12867   |
| Secondary do                                 | 18808   | 19322   | 20170   |
| Gonorrhoea                                   | 17706   | 20754   | 23181   |
| Scurvy                                       | 146     | 213     | 282     |
| Worms                                        | 142781  | 159026  | 170543  |
| Debility                                     | 31211   | 36404   | 41863   |
| Rheumatic affections                         | 119245  | 136010  | 149143  |
| Tubercular                                   | 3916    | 3407    | 3470    |
| Leprosy                                      | 4471    | 5132    | 4996    |
| Veneral diseases other than those in Group A | 6072    | 9106    | 10320   |
| All other general diseases                   | 132882  | 106022  | 130239  |
| Diseases of the nervous system               | 79819   | 83324   | 91273   |
| Do - Eye                                     | 341518  | 300494  | 372939  |
| Do - Ear                                     | 144276  | 146039  | 159154  |
| Do - Nose                                    | 7337    | 9099    | 10507   |
| Do - Circulatory system                      | 3141    | 3938    | 4286    |
| Lungs / diseases of                          | 16502   | 15483   | 16093   |
| Other diseases of the respiratory system     | 81231   | 82223   | 98599   |
| Diarrhoea                                    | 47141   | 60456   | 61094   |
| Dyspepsia                                    | 92546   | 102979  | 111350  |
| Diseases of the Liver                        | 5203    | 6114    | 6611    |
| Other diseases of the digestive system       | 258059  | 274160  | 305717  |
| Gastric                                      | 140     | 556     | 1748    |
| Spleen / diseases of                         | 5131    | 5911    | 5106    |
| Diseases of the lymphatic system             | 10856   | 11542   | 12306   |
| Do - Urinary system                          | 15763   | 15786   | 17419   |
| Labour Natural                               | 1268    | 714     | "       |
| Diseases of the generative system            | 24170   | 28422   | 28709   |
| Do organs of locomotion                      | 10469   | 10127   | 12651   |
| Do connective tissue                         | 87649   | 102858  | 110123  |
| Do Skin                                      | 244591  | 279067  | 299540  |
| Ulcers                                       | 259520  | 312535  | 343515  |
| Prisons                                      | 10547   | 11246   | 11234   |
| General Injuries                             | 10037   | 10043   | 10432   |
| Local do                                     | 121763  | 134564  | 147999  |
| Total number of In & Out Patients            | 2630187 | 2775402 | 3106386 |
| Major Operations                             | 3675    | 3649    | 4391    |
| Minor do                                     | 76489   | 90222   | 108149  |

Judging from the figures in the above table small pox appears to have been more prevalent during 1892 and Cholera less prevalent than in 1891. Dysentery and Diarrhoea show a very large increase over 1890 - being 304183 in 1892 against 264866. Syphilis both primary and Secondary show a steady rise as also cases of Gonorrhoea under treatment. The admissions for other forms of Venereal diseases have also become more numerous.

Surgical Operations. - The number of major operations, as will be seen from the accompanying abstract, has varied but little for the last 3 years, but there has been a large and continuous increase in the number of minor operations.

### Surgical Operations

| Years | Major | Minor  | Total  |
|-------|-------|--------|--------|
| 1890  | 3675  | 76489  | 80164  |
| 1891  | 3649  | 90222  | 93871  |
| 1892  | 4391  | 108149 | 112540 |

Finance

Finance. — Owing to the changes introduced in the form of Financial Statements in 1891 the statistics of 1890, 1891 and 1892 cannot admit of easy comparison with one another in all their details. Accordingly the Income during the 3 years is tabulated below under the three main heads.

| Years | From Government | From Municipal and Local Funds | From Other Sources | Total        |
|-------|-----------------|--------------------------------|--------------------|--------------|
| 1890  | 76773-9-2       | 648767-2-4                     | 44365-4-8          | 769905-12-2  |
| 1891  | 81055-6-3       | 712286-5-6                     | 56043-15-2         | 849385-10-11 |
| 1892  | 84789-6-8       | 742525-4-3                     | 63868-11-3         | 891183-2-2   |

It will be observed from the above that there is a steady and normal increase under each head of receipts - a result which should necessarily follow the increase in the number of Medical institutions at work.

The

The annexed Statement gives the Expenditure for the 3 years.

| Years | Establishment | Medicines Country & European | Diet        | Investment | All other Sources | Total        |
|-------|---------------|------------------------------|-------------|------------|-------------------|--------------|
| 1890  | 431411-4-10   | 127392-5-2                   | 81876-12-1  | 1963-7-4   | 127262-3-2        | 769905-12-2  |
| 1891  | 467066-13-0   | 143097-4-4                   | 87531-4-8   | 7660-13-3  | 144029-11-8       | 849385-10-11 |
| 1892  | 491513-2-1    | 148198-8-1                   | 99812-10-11 | 348-15-11  | 151309-13-4       | 891183-2-2   |

As under "Income", the increase under each head is regular and is apparently due to more work done year after year. The increase in Hospitals and Dispensaries should necessarily affect the cost of Establishment while increase in the Daily average sick treated both of In and Out patients raise the cost of Country and European drugs. The diet cost is also greater and is explained by the increase in the Daily average number of in-patients dined and the general rise in the articles of food. At the end of 1892 the amount of invested capital was Rs 390377-8-9 against Rs 404856-7-1 in 1890.

J

I have the honor to be  
Sir

Your most Obedt. Servant

W. H. Duckworth Esq. M. G.

Surgeon General with the  
Govt. of Madras

D.

Public (1893) DEPARTMENT.

Sub go N<sup>o</sup> 8672, 16-10-9304  
" " 5929322-893  
" " 486-87217-6-913

From

SURG. MAJOR-GEN. W. F. DEFABECK, M.D.,

SURGEON-GENERAL WITH THE

GOVERNMENT OF MADRAS,

Madras,

No. 604

Dated 21<sup>st</sup> November 1893

Recd. 22<sup>nd</sup>  
Reg<sup>d</sup> 22

No.



Subject.

Submitting the required  
notes comparing the statistics  
for 1892 with those of the pre-  
ceding 2 years.

Despatched  
12/12/93

N<sup>o</sup> 973

3<sup>rd</sup> Nov 93  
Public Dept

To the Secy to the G. O. D.

Home Dept (Medical)

Sir,

I am directed to for-  
ward herewith a note  
comparing the statistics  
of civil hospitals and  
dispensaries in this  
Presy. for the years 1890-  
1891 & 1892, as requested  
in para: 3 of Mr. Fuson's  
letter N<sup>o</sup> 640 of the 11<sup>th</sup>  
Oct. last.

J. S. B.

24/11.

28/11/93

Copy to the Surg. Genl. 6 Dec 12/12/93

Cal 973 of 30/11

30TH NOVEMBER 1893, No. 973, PUBLIC.

PUBLIC DEPARTMENT.

LETTER—from

THE CHIEF SECRETARY TO THE GOVERNMENT OF  
FORT ST. GEORGE,

To

THE SECRETARY TO THE GOVERNMENT OF INDIA,  
HOME DEPARTMENT (MEDICAL).

SIR,

I am directed to forward herewith a note comparing the statistics of civil hospitals and dispensaries in this Presidency for the years 1890, 1891 and 1892, as requested in paragraph 3 of Mr. Lusson's letter, No. 640, of the 11th October last.

I have the honour to be,

Sir,

Your most obedient servant,

FORT ST. GEORGE,  
30th November 1893.

*Chief Secretary.*

Copy to the Surgeon-General.

[Appendix.

## APPENDIX.

From Surgeon-Major-General W. F. deFABECK, M.D., Surgeon-General with the Government of Madras, to the Chief Secretary to Government, dated Madras, 21st November 1893, No. 604.

In compliance with G.O., No. 867, of 26th ultimo, I have the honour to submit the required notes comparing the statistics for 1892 with those of the preceding two years.

*Number of Hospitals and Dispensaries.*—Exclusive of the State hospitals in the town of Madras, there were 443 hospitals and dispensaries at work during the year, against 426 in 1891 and 410 in 1890.

*Statistics of Sick.*—The subjoined statement compares the statistics of the in and out patients for the triennial period:—

| Years.  | In-patients.       |        |           |                       |       |                    | Out-patients.        |                         |           | Total.               |
|---------|--------------------|--------|-----------|-----------------------|-------|--------------------|----------------------|-------------------------|-----------|----------------------|
|         | Total in-patients. | Cured. | Relieved. | Discharged otherwise. | Died. | Rate of mortality. | Attended personally. | Represented by friends. | Total.    | In and out patients. |
| 1890 .. | 34,382             | 22,279 | 5,056     | 3,352                 | 2,460 | 7.15               | 2,264,315            | 331,490                 | 2,595,805 | 2,630,187            |
| 1891 .. | 37,532             | 22,972 | 5,912     | 3,685                 | 3,558 | 9.48               | 2,351,879            | 385,991                 | 2,737,870 | 2,775,402            |
| 1892 .. | 39,741             | 23,914 | 6,319     | 4,458                 | 3,714 | 9.35               | 2,622,118            | 444,527                 | 3,066,645 | 3,106,386            |

It will be seen from the above table that there has been a steady increase both under in and out patients. The in-patients rose from 34,382 in 1890 to 39,741 in 1892 and out-patients from 2,595,805 to 3,066,645. This increase has been due both to the growth of medical centres and to the popularity of the institutions at work.

The following statement contrasts the daily average number of in-patients with the number of beds available in the hospitals:—

| Years.       | Daily average. |          |           |         | Number of beds. |          |
|--------------|----------------|----------|-----------|---------|-----------------|----------|
|              | Males.         | Females. | Children. | Total.  | Males.          | Females. |
| 1890 .. .. . | 1050.49        | 442.77   | 76.19     | 1569.45 | 1,659           | 1,153    |
| 1891 .. .. . | 1113.68        | 475.58   | 84.85     | 1674.11 | 1,762           | 1,233    |
| 1892 .. .. . | 1165.26        | 515.56   | 103.08    | 1783.90 | 1,749           | 1,236    |

Concurrently with the increase in the number of patients, there has been a steady and continuous advance in the daily average sick among in and out patients among both sexes, as will be seen from the following abstract:—

| Daily average. | 1890.   |         |           |          | 1891.    |         |           |          | 1892.    |         |           |          |
|----------------|---------|---------|-----------|----------|----------|---------|-----------|----------|----------|---------|-----------|----------|
|                | Men.    | Women.  | Children. | Total.   | Men.     | Women.  | Children. | Total.   | Men.     | Women.  | Children. | Total.   |
| In ..          | 1050.49 | 442.77  | 76.19     | 1569.45  | 1113.68  | 475.58  | 84.85     | 1674.11  | 1165.26  | 515.56  | 103.08    | 1783.90  |
| Out ..         | 8639.38 | 3802.99 | 4838.48   | 17280.85 | 9021.45  | 3869.62 | 5027.36   | 17918.43 | 9711.60  | 4151.13 | 5624.59   | 19487.32 |
| In & Out.      | 9689.87 | 4245.76 | 4914.67   | 18850.30 | 10135.13 | 4345.20 | 5112.21   | 19592.54 | 10876.86 | 4666.69 | 5727.67   | 21271.22 |

The annexed statement gives the ratio per cent. of daily attendance on the average number of men, women and children. These figures call for no special remarks, as they do not show any material variation among them during the three years under comparison:—

| Years.       | Ratio per cent. of daily attendance on the average number of |        |           |        |
|--------------|--------------------------------------------------------------|--------|-----------|--------|
|              | Men.                                                         | Women. | Children. | Total. |
| 1890 .. .. . | 51.40                                                        | 22.52  | 26.08     | 100    |
| 1891 .. .. . | 51.73                                                        | 22.18  | 26.09     | 100    |
| 1892 .. .. . | 51.13                                                        | 21.94  | 26.93     | 100    |

The following abstract compares the classes of patients treated during 1890-92:—

| Years.       | Europeans. | Eurasians. | Hindus.   | Mussalmans. | Other classes. |
|--------------|------------|------------|-----------|-------------|----------------|
| 1890         |            |            |           |             |                |
| 1891 .. .. . | 6,699      | 38,687     | 1,935,959 | 370,398     | 278,444        |
| 1892 .. .. . | 8,170      | 41,125     | 2,043,014 | 398,409     | 284,684        |
|              | 9,144      | 45,925     | 2,318,049 | 413,492     | 319,476        |

As usual the largest number of admissions consisted of Hindus, being nearly 74 per cent. of the total treated.

*Diseases treated.*—The following is a summary of the diseases treated during the triennial period, with the number under each:—

| Diseases.                                            | 1890.     | 1891.     | 1892.     |
|------------------------------------------------------|-----------|-----------|-----------|
| Small-pox .. .. .                                    | 404       | 848       | 1,119     |
| Cholera .. .. .                                      | 8,851     | 21,641    | 13,493    |
| Dysentery .. .. .                                    | 36,375    | 44,249    | 44,780    |
| Malarial fevers .. .. .                              | 217,725   | 194,409   | 243,089   |
| Primary syphilis .. .. .                             | 10,847    | 11,179    | 12,867    |
| Secondary do. .. .. .                                | 18,808    | 19,322    | 20,170    |
| Gonorrhœa .. .. .                                    | 17,708    | 20,754    | 23,181    |
| Scurvy .. .. .                                       | 146       | 213       | 282       |
| Worms .. .. .                                        | 142,781   | 159,026   | 170,543   |
| Debility .. .. .                                     | 31,211    | 36,404    | 41,863    |
| Rheumatic affections .. .. .                         | 119,245   | 136,010   | 149,143   |
| Tubercular .. .. .                                   | 3,916     | 3,407     | 3,470     |
| Leprosy .. .. .                                      | 4,471     | 5,132     | 4,996     |
| Veneral diseases other than those in Group A .. .. . | 6,072     | 9,106     | 10,320    |
| All other general diseases .. .. .                   | 132,882   | 106,022   | 130,239   |
| Diseases of the nervous system .. .. .               | 79,819    | 83,324    | 91,273    |
| "  "  eye .. .. .                                    | 341,518   | 300,494   | 372,939   |
| "  "  ear .. .. .                                    | 144,276   | 146,039   | 159,154   |
| "  "  nose .. .. .                                   | 7,337     | 9,099     | 10,507    |
| "  "  circulatory system .. .. .                     | 3,141     | 3,938     | 4,286     |
| Lungs (diseases of) .. .. .                          | 16,502    | 15,483    | 16,093    |
| Other diseases of the respiratory system .. .. .     | 81,231    | 82,223    | 98,599    |
| Diarrhœa .. .. .                                     | 47,141    | 60,456    | 61,094    |
| Dyspepsia .. .. .                                    | 92,546    | 102,979   | 111,350   |
| Diseases of the liver .. .. .                        | 5,203     | 6,114     | 6,611     |
| Other diseases of the digestive system .. .. .       | 258,059   | 274,160   | 305,717   |
| Goitre .. .. .                                       | 140       | 556       | 174       |
| Spleen (diseases of) .. .. .                         | 5,131     | 5,911     | 5,106     |
| Diseases of the lymphatic system .. .. .             | 10,856    | 11,542    | 12,306    |
| "  "  urinary system .. .. .                         | 15,763    | 15,786    | 17,419    |
| Labour, natural .. .. .                              | 1,268     | 714       | ..        |
| Diseases of the generative system .. .. .            | 24,170    | 28,422    | 28,709    |
| "  "  organs of locomotion .. .. .                   | 10,469    | 10,127    | 12,651    |
| "  "  connective tissue .. .. .                      | 87,649    | 102,858   | 110,123   |
| "  "  skin .. .. .                                   | 244,591   | 279,067   | 299,540   |
| Ulcers .. .. .                                       | 269,520   | 312,635   | 343,515   |
| Poisons .. .. .                                      | 110,547   | 11,246    | 11,234    |
| General injuries .. .. .                             | 10,037    | 10,043    | 10,432    |
| Local .. .. .                                        | 121,763   | 134,564   | 147,999   |
| Total number of in and out patients .. .. .          | 2,630,187 | 2,775,402 | 3,106,386 |
| Major operations .. .. .                             | 3,675     | 3,649     | 4,391     |
| Minor operations .. .. .                             | 76,489    | 90,222    | 108,149   |

Judging from the figures in the above table, small-pox appears to have been more prevalent during 1892 and cholera less prevalent than in 1891. Dysentery and diarrhœa show a very large increase over 1890, being 304,183 in 1892 against 264,866. Syphilis, both primary and secondary, show a steady rise, as also cases of gonorrhœa under treatment. The admissions for other forms of venereal diseases have also become more numerous.

*Surgical Operations.*—The number of major operations, as will be seen from the accompanying abstract, has varied but little for the last three years, but there has been a large and continuous increase in the number of minor operations:—

| Years.       | Surgical operations. |         |         |
|--------------|----------------------|---------|---------|
|              | Major.               | Minor.  | Total.  |
| 1890 .. .. . | 3,675                | 76,489  | 80,164  |
| 1891 .. .. . | 3,649                | 90,222  | 93,871  |
| 1892 .. .. . | 4,391                | 108,149 | 112,540 |

*Finance.*—Owing to the changes introduced in the form of financial statements in 1891, the statistics of 1890, 1891 and 1892 cannot admit of easy comparison with one another in all their details. Accordingly, the income during the three years is tabulated below under the three main heads:—

| Years.       | From Government. | From Municipal and Local Funds. | From other sources. | Total.         |
|--------------|------------------|---------------------------------|---------------------|----------------|
|              | RS. A. P.        | RS. A. P.                       | RS. A. P.           | RS. A. P.      |
| 1890 .. .. . | 76,773 9 2       | 6,48,767 2 4                    | 44,365 0 8          | 7,69,905 12 2  |
| 1891 .. .. . | 81,055 6 3       | 7,12,286 5 6                    | 56,043 15 2         | 8,49,385 10 11 |
| 1892 .. .. . | 81,789 6 8       | 7,42,525 0 3                    | 63,868 11 3         | 8,91,183 2 2   |

It will be observed from the above that there is a steady and normal increase under each head of receipts—a result which should necessarily follow the increase in the number of medical institutions at work.

The annexed statement gives the expenditure for the three years:—

| Years.       | Establishment. | Medicines, country and European. | Diet.        | Investment. | All other sources. | Total.         |
|--------------|----------------|----------------------------------|--------------|-------------|--------------------|----------------|
|              | RS. A. P.      | RS. A. P.                        | RS. A. P.    | RS. A. P.   | RS. A. P.          | RS. A. P.      |
| 1890 .. .. . | 4,31,411 0 10  | 1,27,392 5 2                     | 81,876 12 0  | 1,963 7 0   | 1,27,262 3 2       | 7,69,905 12 2  |
| 1891 .. .. . | 4,67,066 13 0  | 1,43,097 4 4                     | 87,531 0 8   | 7,660 13 3  | 1,44,029 11 8      | 8,49,385 10 11 |
| 1892 .. .. . | 4,91,513 2 0   | 1,48,198 8 0                     | 99,812 10 11 | 348 15 11   | 1,51,309 13 4      | 8,91,183 2 2   |

As under "Income," the increase under each head is regular and is apparently due to more work done year after year. The increase in hospitals and dispensaries should necessarily affect the cost of establishment, while increase in the daily average sick treated, both of in and out patients, raise the cost of country and European drugs. The diet cost is also greater and is explained by the increase in the daily average number of in-patients dieted and the general rise in the articles of food. At the end of 1892 the amount of invested capital was Rs. 3,90,377-8-9 against Rs. 4,04,856-7-0 in 1890.

Regr. No.

HOME 1893 DEPT.

[ ]

From the Government of  
Fort St. George.

Issued

Recd.

Encl.

Letter, 30th Nov. 1893, No. 973.

NOVEMBER.

### Civil Hospitals and Dispensaries.

Forwarding to the Government of India a note comparing the statistics of — in this Presidency for the years 1890, 1891 and 1892.

BACK PAPER, No.

OF 18

READ AGAIN ORDER OF GOVERNMENT, DATED  
18 , No.

FURTHER PAPER, No.

OF 18

ENCLOSURES.

CURRENT NO.

STATEMENT WITH REF.

Letter  
ORDER OF GOVERNMENT - A.

1893-60-3137-a

PAPERS KEPT OUT OF FILE FOR DESPATCH IN ORIGINAL  
(not pagged).

NUMBER OF COPIES REQUIRED. { Order complete.  
Letter only. in the file. 1893-60-3137-a  
Order complete with Letter.

N.B.—

A = Print in full.  
B = Not to be printed.  
P = Print abstract only.  
Q = Print heading only.  
R = Print, but not for monthly volume.