

Public (897) Department.

ORDINARY MS.

G.O., No. 526

DATED 7-5-97

[Despatch Abstract.]

Decl. of 4. 1. 1897. In the present case - 6
Para. 9 of 1871. In the present case - 6
both proposed by the Government; and the
and the present case of the Government
has been the subject of the present case.

Public (189) Department.

CURRENT No.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.
Cm 118998 (59)							

Order

No.


Dated

Received

Registered

Enclosures

Spare copies



SUBJECT.

BACK PAPERS.

G.O.	No.	Department.	Date.
Jo.	278	Pub	11-3-97

FURTHER PAPERS.

G.O.	No.	Department.	Date.

[1]

No.

OFFICE OF SURGEON-GENERAL
WITH THE GOVERNMENT OF MADRAS,
Madras, 20 1896.

From

SURGEON-MAJOR-GENERAL C. SIBTHORPE, F.R.C.S.,
SURGEON-GENERAL WITH THE

GOVERNMENT OF MADRAS,

To

THE HON'BLE THE CHIEF SECRETARY TO GOVERNMENT,


DEPARTMENT,

SIR,

Y

Public (1897) Department.

CURRENT No.



From

*the Hon. Secy. of the Navy
Washington
D.C.*

No. *241*

Dated *11th April 1897.*

Received

Registered

Enclosures

Spare copies

SUBJECT.

*Referring to the above as
which was sent to you 278
and which was sent to you 277
and which was sent to you 276
and which was sent to you 275*

Order

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

OFFICE OF SURGEON-GENERAL.

WITH THE GOVERNMENT OF MADRAS.

Madras, 21st Decr 1896.

No. 20

From

SURGEON-MAJOR GENERAL J. SHETHBORI, B.M.S.

SURGEON-GENERAL WITH THE

GOVERNMENT OF MADRAS.

To

THE HON'BLE THE CHIEF SECRETARY TO GOVERNMENT.

DEPARTMENT.

SIR,

I have the honor to acknowledge the receipt of your letter of the 19th inst. in relation to the above subject, and to inform you that the same has been forwarded to the proper authorities for their consideration.

Yours faithfully,
J. Shethbori

Public (1899) Department.

CURRENT NO.



From

The Secretary,
Sanitary Board

Order

To

Order

Received

Registered

Enclosures

Copy to copies

SUBJECT.

Superior design of book for
the Sanitary Board

Informing that a set of —
with 100 pages and 20 illustrations
of the Sanitary Board

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

No.

GOVERNMENT OF MADRAS.

Sanitary Department.

Chennai

189

From

THE SECRETARY

SANITARY BOARD.

Chennai.

To


Sd/-

I have the honor to acknowledge the receipt of your letter of the 10th inst. regarding the design of hospital buildings for the consideration of the Sanitary Board and the same has been forwarded to the Board for their consideration.

The only plans of this nature which have been submitted to the Board for their consideration are those of each is submitted.

I am, Sir, very respectfully,
Yours faithfully,
The Secretary for General and Children
in the Sanitary Department.

I have the honor to acknowledge the receipt of your letter of the 10th inst. regarding the design of hospital buildings for the consideration of the Sanitary Board and the same has been forwarded to the Board for their consideration.



D.R.A.S.
SANITARY BOARD

TYPE DESIGN FOR CHOLERA HOSPITAL

Approved by the Sanitary Board in Proceedings
No. 319 S dated 8th December 1896.


DESIGN. No. 52

SCALE—




BLOCK N°10

SECTION ON A-B




SECTION ON C-D




BLOCK N°8

SECTION ON A-B




ELEVATION




NOTE—The walls of buildings Nos. 2, 3, 4, 5, 6, 7, 8, 9 & 10 to be of jungle or bamboo posts and framed matting. The roofs of such buildings Nos. 2, 3, & 4, 5, 6, 7, 8, 9 & 10 to be of bamboo rafters, mats and thatch.


BLOCK N°5




SECTION ON A-B



BLOCK N°4



SECTION ON A-B






AS APPROVED BY S.B.
APPROVED BY SANITARY BOARD

THE SANITARY BOARD
TO GOVT.


THE SANITARY BOARD
TO GOVT.

GOVERNMENT OF MADRAS
SANITARY ENGINEER'S DEPARTMENT


STANDARD PLAN OF DISPENSARY FOR
WOMEN AND CHILDREN
APOTHECARY'S QUARTERS




SECTION ON FF.



PLAN OF ARRANGEMENT FOR WATER SUPPLY AND DRAINAGE IN OPERATION AND DISPENSING ROOMS.




SCALE.



SCALE FOR DETAILS.



SECTION ON AA.



OFFICE OF SANITARY ENGINEER,
FORT SAINT GEORGE OCT: 1896.

The image contains two architectural drawings. The top drawing is a cross-section of a building, showing the roof structure, walls, and floor. It includes a legend with the following items:

- Roof
- Wall
- Floor
- Foundation
- Basement
- Garage
- Driveway
- Walkway
- Staircase
- Elevator
- Shaft
- Room
- Corridor
- Entrance
- Exit
- Door
- Window
- Doorway
- Staircase
- Elevator
- Shaft
- Room
- Corridor
- Entrance
- Exit
- Door
- Window
- Doorway

The bottom drawing is a plan view of the building, showing the layout of the rooms and corridors. It includes a legend with the following items:

- Room
- Corridor
- Entrance
- Exit
- Door
- Window
- Doorway
- Staircase
- Elevator
- Shaft
- Room
- Corridor
- Entrance
- Exit
- Door
- Window
- Doorway

Architectural drawings of a building, including a cross-section and a plan view. The cross-section shows a roof structure with a chimney and a gabled roof. The plan view shows a rectangular building footprint with a chimney on one side. The drawings are labeled with 'A' and 'B'.

Architectural drawings of a building. The top drawing is a cross-section showing a roof structure with a chimney and a gable end. The bottom drawing is a plan view showing a rectangular building footprint with a chimney on one side. The drawings are labeled with 'A' and 'B'.

Architectural drawings of a building. The top drawing is a cross-section showing a roof structure with a chimney and a gable end. The bottom drawing is a plan view showing a rectangular building footprint with a chimney on one side. The drawings are labeled with 'A' and 'B'.

Public

6-12-13

64 1814 80
93 24

2/6/93 morning
m/s
p/e/g

5,000--14-8-99.

Press
Miscellaneous No. 506, dated
Routine

189 .

ROUTINE				FOR WHAT PURPOSE.		Initials of clerk taking the paper or of attender	Date returned.	Initials of attender
Date taken out.	Department.	C. No.	Year					
7-8-99	Pub	2169	01					

INDIAN TELEGRAPHS.

Station
Number.

Telegraphic

Words.	Day.	Hour.	Minute.
	16	16	33

Instructions.

From

(Location)

64 WOL 2

F. O. 2.

Send form

IN.

IN.

Mr.

Mrs. by

Mr.

Mrs. by

Telegraph Master.

Code.
Class.

INDIAN TELEGRAPHS. Month
Number.

To
(Office)

Telephone

From
(Office)

Words

Day.

Hour.

Minute.

17 13 17

To

(Person)

C. A

chf sect

From

(Person)

The only standard
dispensaries are the
design for civil Disp
G.O. no 114 of 15-1-
design for municipal
civil G.O. no 174 of 2

Recd. from

I.N.

Sent to

I.N.

By

Hrs.

Mts. by

At

H.

Telegraph Master

Public Dept.
C no 1236 of 1897

O. M. No 797 of 1897

W-2
24/2/97

The Secretary to the
Sanitary Board is re-
quested to be so good as
to furnish a copy of the
standard plan for
hospitals (as also of any
other institutions with
which the Pub Dept
is concerned) sanctioned
by the Sanitary Board.

There will be no charge
if we send them
Please make it a
separate question
JK

Secy, Sanitary Bd.

O. M. No 797 of 1897
Adverting to his letter 171 of
25/3/97 The Surp Genl
is requested to forward
for reference and
return the enclosures
sent with No. 278 of
d/16. 3. 97

Corr'd 3/16

Surp Genl dec'd
2/4/97

NOTE FOR THE UNDER SECRETARY.

C. 1501

In reply to O.M. 776 d/2.4.97,
the Secy, Surg. Bt., states that a
set of type designs for hospital
building is under consideration
but will not be ready for
issue for some time. He has
a copy of such as have already
issued viz^t V. 26 Dispensary
for women, children's
apothecaries quarters (2) 32
Cholera Hospital.

C. 1475

The Surgeon General returns
the enclosures sent him
with J.O. 278 sub d/18.3.97 and
calls d for in O.M. ⁷⁹⁷2.4.97.
Among them is the proposed
plan of the Dispensary
building.

Plan V. 26 I see
has only one dressing
room and may be
the plan you refer to
in your note d/18.3.97
in J.O. 278. I have
my own ^{note} draft for an

time he found
has got out.
with the delay
writing this
I have only
it. The paper
and by some
from amongst
of others which
it is as
only.

C. Parsons
Secty. S. R.
to Mr. W.

There are
for for' d'ne
Please se

Subd that there is no
standard plan for
household penance
V. L. M.
1612/97

CA: Please see attached
question & answer.

Para 2 of the note
for notes refers to
an existing Standard
Plan.

AK.

10/4/87

Ad: I have ascertained
from O.W.D. that no
standard plan was
issued in 1896. Please
pass draft ref: on the C.

2 DB 17/2/97

Ref

① The A. S. say certain telephones he seem to have been mislaid. Please say what you know of this and ask H.C.

② Please draft a short one to the key say that asking for the plan referred to in the letter.

Who is the key, say you know Mr. Hanson.

Q.

(1) Ask the telephones

available for use.

H.C. does not know what has become of the plan

(2) Perhaps Mr. Parsons plus
not 1/27/97

Asst
NOTE FOR THE ~~CHIEF~~ SECRETARY.

Please say
whether you want
the plan ~~described~~
sanctioned by
the Sundry Board.
Sent for. It is
not available
here — nor

is the Hospital
Asst's letter
referred to in
your note of
5/3/97

Yes — please.

Asst
30/3/97 The various telephones
+ notes on this subject
seem to have been mistand.
The P.W.D. who asked
+ knew nothing of any
standard plan: the

*How available
have been
perhaps*

Pub Ref

Please flag

the references in
the Ass't Sec'y's
note in fo. 278

797 av.
28/4/11

Flagged. The
info is not
available. The Secy
Sary BD will be able
to furnish a copy.

Wm.

28/4/11

Pub Ref

10/1/11

E. J. [unclear]
M. J. [unclear]

C-21079
R61710

F

[G.]
[25]
500-23-11-96.

G. No

SUBJECT

~~H. E. THE GOVERNOR.~~

THE HON'BLE MR. BLISS, C.I.E.

Hosp

~~THE HON'BLE MR. GROSE, C.I.E.~~

FOR ORDERS

[Faint, mostly illegible handwritten notes in the left margin.]

A

reconsid
272 Publ
fusing t
proposed
veram of
ing room

was pass
is unnece
ing room
at a pla
Surgeon
of the
conside
that th
Sanitar
dressin

*"The Surgeon General now
sends a different 'Standard
Plan', & points out that
it contains a verandah &
separate dressing room for
females*

"standar
arison.
plan he
dressin

in his letter No. 74/7, dated 3rd February 1897 (disposed of in G.O. No. 278 dated 16th March 1897) the Surgeon-General referred to "the standard plan", he was asked, ^{to say} in O.M. No. 443, ^{to say} to which plan he referred. He replied that he referred to the plan "sanctioned by the Sanitary Board". The Board was then asked for a copy of this and the plan received was put up with the note for orders in G.O. No. 278. *referred to above.*

When the present current was received ^{which to above} that plan had been returned to the Sanitary Board. The Board was therefore asked to send it back. It now replies that only two ^{*} plans have been issued by it, viz. one for a women and children's dispensary and one for a cholera hospital. The ~~former~~ ^{are} is submitted.

The Surgeon-General in the ^{encloses a plan} current ^{it} states that in ~~the standard plan which he encloses~~ there are two dressing rooms: that plan is however not one "sanctioned by the Sanitary Board," (the description of the "standard plan" given by the Surgeon-General in his letter No. 98, dated 26th February 1897) but merely one prepared by the Sanitary Engineer. The Surgeon-General's wrong description of the plan to which he referred has thus given rise to the present confusion.

It is submitted that the use of the term "standard plan" as applied to any design which has not received the

*Letter
just before*

[Neither of these plans seems to be that put up with the note for orders in G.O. no 278, as far as my recollection goes; yet the Sanitary Board say that they have no idea. There has been a great deal of correspondence on this subject, but it does not appear what the plan was which was submitted with the previous note for orders.]

sanction of Government is objectionable and should be discontinued. —

— If the present practice is continued there seems no reason why different "standard" plans prepared by the Sanitary Engineer and the Sanitary Board respectively should not be in existence at once, leading to the greatest confusion.

The Surgeon-General states now ~~(2)~~ that the verandah is required as a waiting room for patients, who without it would be exposed to sun and rain. It is observed that this use of the verandah has not been mentioned before.

Orders are solicited as to whether under these circumstances any modification of the previous order is required.

As for the dressing room the Surgeon-General insists that separate dressing rooms for males and females are necessary and prefers to ~~the~~ so-called "standard" plan prepared by the Sanitary Engineer. That plan contains two dressing rooms, but it is intended for a far larger institution than that at Polavaram: it devotes one side of the building to males and the other to females.

It is submitted that in a small dispensary arrangements can easily be made for ^{treating at a separate hour} ~~visiting~~ ~~visiting~~ ~~visiting~~ the few females who present themselves, and that no reconsideration

be read in proceedings:—

189 , No.

189 , No.

ated 25/3, from The Surgeon Genl

" 12/4, " do

" 14/4, " The Secy, San'y Bd.

ORDER. No 5268 7 May 1897

ed for The foot does not, for financial reasons, feel justified in reconsidering G.O. No. 278 Subdy 16.3.97. In a small dispensary such as that required at Polavarani arrangements could easily be made for treating at a separate hour the few females who may present themselves.

2. The use of the term "standard plan" as applied to any design which has not received the sanction of foot is objectionable and should be avoided.