

Public (1899) Department.

ORDINARY MS.

G.O., No. 1161

Dated 12-10-99

INDEXED.

[Despatch Abstract.]

Reviewing publication in the Fort St George
Gazette of the description of the revised boundaries
of the cantonment of St Thomas' Mount.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

ICue 320/00 - 80.151-2
10-2-1900

0
18 4,000-18-10-98.

Public Revenue (1899) Department.

CURRENT No. 2705

CHIEF SECRETARY
29 SEP 1899

CURRENT NO.

Order No. 1363 of 26th Sept. 99

From

The Secy of India,
Military Dept.

Transferred to the Public
Department.

No. 2805 N.W.

Illustration under

By. Under Secretary to Govt.
Ota command.
26-9-99

Dated - 26 Sept. 1899

Received 14th - do -

Registered - do -

Enclosures 5.

Spare copies.

Note. Please see Public Memo No. 301 of 21-1-98.

SUBJECT.

Forwarding for information
for necessary action copy of a
letter addressed to the Secretary
General, Commanding the Forces,
Madras, approving of the revised
ground plan of the Cantonment
of St. Thomas Mount with the
request for a description of the
may be submitted in the Fort
St. Thomas, etc.

80
19/9/99
19/9/99
19/9/99

BACK PAPERS.

G.O.	No.	Department.	Date.
20	23		
	990	Pub.	5.9.88
	19578	Rev.	14.8.88
	1072	"	8.6.88

FURTHER PAPERS.

G.O.	No.	Department.	Date.

ARMY FORM A. 2.
Supplied gratis.

PROCEEDINGS of a Committee

*N.B.—The Form being applicable to any Board of Officers or Committee, or Court of Inquiry, this blank to be filled in accordingly.

The Signature of each Officer composing the Board, &c., should be attached at the end of the Proceedings.

assembled at Saint Thomas' Mount

on the 22nd August 1898

by order of H.E. the Lt. Genl. Comdg. the Forces Madras, as conveyed in D.A. G.O. No. 8/B7109 of the 5th May 1897 for the purpose of considering a proposal

to extend the Cantonment boundaries of St. Thomas' Mount.

PRESIDENT:

Brigdr. Genl J. T. Lunnies D.S.O.
Comdg. Madras Dt.

MEMBERS:

- ✓ Surgn. Col W.E. Johnson, P.M.O. Madras Dt.
- D. W. G. Cowie Esq., Collector of Chingleput Dt.
- ✓ Major A. J. Kelly R.E., Ex. Inqtr. Madras Dt. Inf. Works
- Surgn. Major H. Thompson M.B., D.P.H. Ag. San'y Commr. of Madras.
- In attendance, Major C. de Jersey R.A.
- Cdr J. A. Smith of the 1st Coy. Buffs. in the Committee.

The Committee having assembled pursuant to order, proceed to consider the proposed extension and the members concur unanimously in recommending its adoption. Full details of this extension are given in the attached plan, and detailed specification

specification of magnetic bearings.

Received

Brigade Genl
Commanding Madras Dt.

H. E. Johnson Esq.
Surgeon C.O. I.M.S.
P. M. O. Madras Dt.

Dwight Comd

Ag. Collector of Chingleput

A. J. Kelly Major R.E.
Ex. Engr. Madras D. Inf. Works

N. Thomson.

Surgeon Major I.M.S.
Ag. Sany Commr of Madras

L. de Jersey Major R.A.
Commanding 33rd Field Bn.
in attendance

Submit Captain

Copy to Capt. L. de Jersey

4
CURRENT No. 2308


M. D. 18.

No. 2308 M. W.

GOVERNMENT OF INDIA.

MILITARY DEPARTMENT.

Simla, the 7th September 1899.



To

THE LIEUTENANT-GENERAL

COMMANDING THE FORCES,

Simla.

SIR,

Gar. Trenchments

Boundaries

It is requested that the above heading, with number and date of this communication, may be quoted in any subsequent correspondence on this subject.

Copy to be returned

In reply to your letter No. 3454 in date 1st March 1899. I am directed to say that the Government of India approve of the fixed boundaries of the Cantonment of St. Leon as shown in the map to be returned hereafter. The description is submitted.

a. The Government of India as will be asked to publish the description in the local Gazette.

I have the honor to be

Yours most obedient servant

Ed James Dallas

Secretary to the Govt. of India.


Copy to be returned


copy, together with the description in original forwarded to the Secretary, to the Government of Madras, Revenue Department, for information, with reference to your letter No. 2958 dated the 14th August 1899, and for necessary action with reference to paragraph above.

Ed James

Mun Dallas

in sur/94





Ootacamund, October 12, 1899.

No. 498.—Under section 4 (2) of Act XIII of 1889, and with the sanction of the Governor-General in Council, the following description of the revised boundaries of the Cantonment of St. Thomas' Mount is published :—

Cantonment Boundary.

No. 1 Boundary Pillar is situated south-west of butt and north of road to Neendambakkam temple bearing S.E. to N.W. corner of Protestant Cemetery = $145^{\circ} 28' 0''$.

No. 1 Boundary Pillar is situated south to Mount old flag staff = $178^{\circ} 43' 10''$, bearing S.W. to N.E. corner of a potter's pukka house = $244^{\circ} 16' 50''$ distance 303 feet, bearing S. to a well = $184^{\circ} 28' 20''$ distance 367 feet.

Magnetic variation is $50'$ East.

Boundary stone No.	Description.	Forward bearings from M.N.	Horizontal distance in feet.
		DEG. M. S.	
1 to 2	From pillar No. 1, the boundary runs in a northerly direction west of cart-track crossing Neendambakkam parashary road to pillar No. 2	4 46 30	1,693
2 to 3	From pillar No. 2, which is south of ruined tangal bund and west of cart-track, the boundary runs in a northerly direction to pillar No. 3	4 2 0	1,811
3 to 4	From pillar No. 3, which is south of Adyar river, west of cart-track, the boundary continues with the same bearing ($4^{\circ} 2' 0''$) to the centre of Adyar river, and follows the centre of the stream to a point 130 feet, and bearing ($190^{\circ} 15' 50''$) from pillar No. 4, the boundary turns at this point to pillar No. 4. From pillar No. 3 to pillar No. 4 the bearing and distance are	77 36 0	2,092
4 to 5	From pillar No. 4 which is south of Adyar river, bearing to spire of Pallavaram bungalow ($214^{\circ} 30' 0''$), the boundary runs in a southward direction to pillar No. 5	190 15 50	3,238
5 to 6	From pillar No. 5 which is situated north of cart-track from Neendambakkam to Ikkattu tangal, the boundary runs in a southerly direction crossing the track to Ikkattu tangal to pillar No. 6	185 30 20	1,596
6 to 7	From pillar No. 6 which is situated west of Ikkattu tangal shrotriern village, the boundary runs in a south-east direction crossing a path from cemetery to Ikkattu tangal shrotriern village through a mango tope to pillar No. 7	115 36 0	1,051
7 to 8	From pillar No. 7, the boundary runs in a south-east direction crossing Ikkattu tangal catchment bank and its tangal bund to pillar No. 8	125 3 0	2,409
8 to 9	From pillar No. 8 which is situated 176 feet west of 13' diameter well, the boundary runs in a south-east direction crossing cultivation, the Tannery road and the main road at Kathipara to pillar No. 9	111 30 30	1,512

Boundary stone No.	Description.	Forward bearings from M.N.	Horizontal distance in feet.
9 to 10	From pillar No. 9 which is situated at east side of the junction of the four roads from Madras, Saidapet, Chinglepet and St. Thomas' Mount, the boundary runs in a south-east direction to pillar No. 10	DEG. M. S. 144 13 20	536
10 to 11	From pillar No. 10 which is situated near the demarcation stone No. 112 of South Indian Railway line next Guindy station, the boundary runs along the northern demarcation line of railway from 7 miles 45 chains to 10 miles 22 chains crossing the St. Thomas' Mount station at 8 miles 55 chains to pillar No. 11		14,278
11 to 12	From pillar No. 11 which is situated near the South Indian Railway demarcation stone No. 128 and at the south-west corner of cantonment, the boundary runs in a north-west direction crossing a pond to pillar No. 12		
12 to 13	From pillar No. 12 the boundary runs in a north-west direction crossing the road from Pallavaram to St. Thomas' Mount to pillar No. 13	347 30 0	882
13 to 14	From pillar No. 13, the boundary runs in a north-west direction along the hedge of Meenambakkam village to pillar No. 14	305 12 10	1,093
14 to 15	From pillar No. 14, the boundary runs in a north-east direction along the palmyra hedge of Voollavaram village and crossing a nullah to pillar No. 15	301 6 30	789
15 to 16	From pillar No. 15, the boundary runs in a north-west direction crossing four (4) nullahs and the cart-track to Bettai Gundoo to pillar No. 16	142 9 0	1,762
16 to 17	From pillar No. 16 which is situated north of cart-track to Bettai Gundoo bearing to south-west corner of Royal Artillery barrack No. 6 is 66°45'0", the boundary takes north-east direction cutting the Adyar river at 673 feet and then takes its course from 1,533 feet along the middle of the river leaving the direct line to pillar No. 17 as shown in dotted line on the plan	341 47 10	1,635
17 to 18	From pillar No. 17 which is situated about 140 feet east of boundary line from the middle of Adyar river and 14 feet east and 23 feet west of rocks marked thus Δ , the chain line runs in a north-east direction crossing the three gullies leaving the boundary line in the middle of the Adyar river to pillar No. 18	41 19 20	1,973
18 to 19	From pillar No. 18 which is situated 533 feet north-west of cinerator and 320 feet centre of the stream to a point with same bearing (68°2'0") and follows the boundary line in a north-east direction crossing a track to pillar No. 19	27 17 40	1,692
19 to 20	From pillar No. 19 the bearing to the spire of Pallavaram bungalow is 210°47'20" the boundary runs in a north-east direction crossing a Karokapally tope to pillar No. 20	68 2 0	730
20 to 21	From pillar No. 20 bearing to the spire of Magazine 148°42'0" the boundary runs north-east direction south of well to pillar No. 21	65 50 48	1,348
21 to 22	From pillar No. 21 the boundary runs in north-east direction to pillar No. 22	59 53 50	1,193
22 to 23	From pillar No. 22 which is situated 322 feet east side of well in the water spread of Nundambakkam tank bearing 317°53'20", the boundary runs in a north-east direction crossing a tope and the road from Poonamallee to Mount to pillar No. 23	39 36 0	840
23 to 1	From pillar No. 23 which is situated 109 feet north-west of telegraph post with a bearing of 135°33'30" the boundary runs in a northern direction crossing two roads to pillar No. 1	40 52 0	773
		11 17 0	963

St. Thomas' Mount Bazaar Boundary.

Stone No. 1 is situated at the foot of the hill and south-west of Mount bazaar bearings to Church spire 110°47'30", monument on hill 235°32'0", the boundary runs in a south-east direction to stone No. 2:—

Boundary stone No.	Description.	Forward bearings from M.N.	Horizontal distance in feet.
1 to 2		DEG. M. S. 137 30 0	180
2 to 3		51 0 0	335
3 to 4		92 0 0	142
4 to 5		62 30 0	111
5 to 6		22 30 0	301
6 to 7		275 0 0	18
7 to 8		27 32 0	172
8 to 9		110 5 0	86
9 to 10		17 7 0	325
10 to 11		357 30 0	243
11 to 12		4 22 0	139
12 to 13		87 30 0	14
13 to 14		0 7 0	192
14 to 15		297 30 0	138
15 to 16		2 0 0	161
16 to 17		277 30 0	64
17 to 18		4 0 0	230

Boundary stone No.	Description.	Forward bearings from M.N.	Horizontal distance in feet.
18 to 19		DEG. M. S. 87 0 0	414
19 to 20		81 35 0	380
20 to 21		3 15 0	712
21 to 22		326 0 0	132
22 to 23		324 0 0	581
23 to 24		273 30 0	270
24 to 25		357 0 0	158
25 to 26		273 30 0	277
26 to 27		179 0 0	1,200
27 to 28		200 0 0	90
28 to 29		266 0 0	156
29 to 30		249 0 0	188
30 to 31		244 0 0	137
31 to 32		294 30 0	68
32 to 33		257 35 0	235
33 to 34		234 30 0	117
34 to 35		322 15 0	46
35 to 36		9 30 0	458
36 to 37		6 30 0	796
37 to 38		2 15 0	408
38 to 39		303 0 0	245
39 to 40		182 15 0	560
40 to 41		186 50 0	1,285
41 to 42		108 30 0	164
42 to 43		222 30 0	1,005
43 to 44		129 30 0	175

Note.—The bearing from bazaar boundary stone No. 39 to cantonment boundary stone No. 23 is 326°45' and the distance 396 feet.

N.B.—The boundary at stone No. 44 joins the St. Thomas' Church hill boundary between stones 12 to 13. The western bazaar boundary from this point of stone No. 44 to stone No. 1 is represented by the St. Thomas' Church hill boundary stones.

The Boundary of Bengalee Bazaar.

Commenced from pillar No. 9 of Cantonment boundary which is situated at the junction of 4 roads (i.e.), from Madras, Saidapet, Chingleput and Mount and 243 feet north-east corner of Choultry stone No. 2, with a bearing of (219°27'0") and 90 feet south-west corner of well bearing (95°30'0") the boundary runs in a south-west direction to bazaar stone No. 2.

Boundary stone No.	Description.	Forward bearings from M.N.	Horizontal distance in feet.
1 to 2		DEG. M. S. 247 0 0	273
2 to 3		201 0 0	320
3 to 4		95 15 0	225
4 to 5		192 0 0	424
5 to 6		262 15 0	1,216
6 to 7		2 20 0	120
7 to 8		277 45 0	123
8 to 9		187 20 0	125
9 to 10		258 20 0	147
10 to 11		348 15 0	472
11 to 12		244 0 0	576
12 to 13		241 36 0	90
13 to 14		173 15 0	583
14 to 15		169 45 0	256
15 to 16		270 30 0	179
16 to 17		179 15 0	90
17 to 18		266 25 0	222
18 to 19		177 20 0	92
19 to 20		265 46 0	139
20 to 21		179 0 0	865
21 to 22		272 30 0	176
22 to 23		182 30 0	24
23 to 24		271 0 0	48
24 to 25		259 36 0	100
25 to 26		181 0 0	289
26 to 27		271 40 0	106
27 to 28		178 30 0	255
28 to 29		272 0 0	76
29 to 30		177 45 0	292
30 to 31		266 30 0	700
31 to 32		180 45 0	424
32 to 33		267 50 0	173
33 to 34		177 15 0	98
34 to 35		267 30 0	411
35 to 36		262 45 0	838
36 to 37		258 45 0	752
37 to 38		252 30 0	1,045
38 to 39		243 45 0	692
39 to 40		238 20 0	389
40 to 41		162 10 0	326
41 to 42		252 30 0	527
42 to 43		194 10 0	1,260

The boundary at stone No. 43 joins the Cantonment boundary where marked by the northern demarcation line of Railway between pillars 10 and 11. Southern and eastern boundary of the bazaar are limited by the Cantonment boundary line.

Note.—The boundary runs along the church boundary stone.

Boundary stone No.	Description.	Forward bearings from M.N.	Horizontal distance in feet.
1 to 2		DEG. M. S.	
2 to 3		221 45 0	946
3 to 4		230 15 0	216
4 to 5		241 15 0	263
5 to 6		228 0 0	146
6 to 7		279 20 0	152
7 to 8		332 25 0	154
8 to 9		1 0 0	680
9 to 10		324 0 0	230
10 to 11		358 30 0	361
11 to 12		41 0 0	372
12 to 13		44 15 0	344
13 to 14		66 0 0	773
14 to 15		12 55 30	180
15 to 16		34 3 20	226
16 to 17		91 13 20	175
17 to 18		34 23 30	198
18 to 19		116 46 10	403
19 to 20		159 45 0	174
20 to 21		163 30 0	123
21 to 22		182 20 0	113
22 to 23		162 45 0	269
23 to 24		241 0 0	84
24 to 25		310 0 0	95
25 to 26		206 32 0	144
26 to 27		175 15 0	165
27 to 28		205 40 0	121
28 to 29		219 20 0	94
29 to 30		217 20 0	184
30 to 31		228 43 0	183
31 to 1		223 10 0	172
		204 25 0	130

1,000-25-5,99.

DEPARTMENT

” ” ” ” ” 189 .

order no. 1161 of 12-10-98
min

The following note:
Printers will be published
in the Fort St. George Gazette

"under Sec: 4 (2) of Act XIII of 1989, and with the sanction of the Governor and in Council, the following description of the revised boundaries of the Cantonment of St. Thomas' Mount, is published :-

(Here enter description of
commodities)

Volume 27. art. 5. $\left. \begin{array}{l} \text{Ayer} \\ \text{and} \end{array} \right\}$ $\frac{C_{11}}{11.10.97.}$ $\frac{11.10.97.}{11.10.97.}$ $\frac{11.10.97.}{11.10.97.}$

[illegible]

When given for copying _____
 When copied _____
 When examined _____
 When signed _____

189

READ AGAIN G.O., No. _____, DATED
 189

CURR

ENCLOSURES TO U. No.

ORDER OF GOVERNMENT

A A A A A A A

LETTER OF GOVERNMENT

STATEMENT WITH DICTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
 IN ORIGINAL.

N.B.—

- A = Copy in full.
- B = Not to be copied.
- P = Copy abstract only.
- Q = Copy heading only

25/10/88

9-6-09. — for Em. C. no. 2116
1909

17-6-27 BI

22-1-24 BIV

27-24 BIV

4-7-28 m