

11236

Public Works (1896.) Department.

G.O., No. 1048. I.

DATED 12. December

14/12/96

[Despatch Abstract.]

Current meters. The value of the — used in the
Cauvery Delta, ordered ^{with remarks} to be written back
from the Kodavari to the Cauvery Delta system.

60
3

T.C.
12/12

P. W. 25
1,000-10-19-96

INDEXED 12/12

The value of the — used in the Cauvery delta, ordered with remarks to be written back from the Gódávári to the Cauvery delta system.

24/11

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation,
Account.

READ—the following papers:—

From J. C. LARMINIE, Esq., M.I.C.E., Superintending Engineer, I Circle, to the Chief Engineer for Irrigation, dated Dowlaishweram, 27th October 1896, No. 1589 G.D.

I have the honour to state that two of the current meters (Pilot's tubes) purchased by Colonel Smart, R.E., Superintending Engineer, are intended for use in the Gódávári divisions—*vide* correspondence noted in the margin.

G.O., No. 3230 W., dated 17th Dec. 1894.
 " " 484 W., " 8th Feb. 1896.
 " " 836 W., " 7th Mar. "
 " " 420 I., " 13th May "

2. Colonel Smart, R.E., in the enclosed copy of his letter No. 585, dated the 19th September 1896, to the Executive Engineer, Gódávári Eastern division, states that the meters are in his use and cannot be spared.

3. The supply of electric current meter ordered in G.O., No. 532 I., dated the 24th June 1896, communicated with your memo. No. 1/72 G.D., dated the 3rd August 1896, is in addition to the two meters referred to above.

4. The remark against item 4 in the last unanswered reference list, that the current meters were received, is a mistake.

5. The value of three meters was debited to the Gódávári Eastern division—*vide* copy of the Gódávári Eastern Division officer's letter No. 2376, dated 3rd September 1896, to Colonel Smart, R.E., herewith enclosed, and, if the meters cannot be spared, the debit should not be made to this system.

ENCLOSURES.

From A. G. ROMILLY, Esq., Executive Engineer, Gódávári Eastern Division, to the Superintending Engineer, on Special Duty, Cauvery Delta, Tanjore, dated 3rd September 1896, No. 2376.

In reference to your letter No. 536, dated 14th August 1896, I have the honour to state that the value of three Hydrotachy meters said to have been received from England for Gódávári delta system was debited to this division by the Tanjore Division officer, with the intimation that two are with you and one with the Superintending Engineer, IV Circle.

2. The Superintending Engineer, IV Circle, reports in his No. 314 M., dated 11th August 1896, that the one in his charge was handed over to you.

3. I have therefore the honour to request you will be good enough to let me know whether you can arrange to send to me the remaining meters as the one in your use cannot be spared till the end of the year as stated in your letter under reference.

From Lieutenant-Colonel A. W. SMART, R.E., Superintending Engineer, on Special Duty, Tanjore, to the Executive Engineer, Gódávári Eastern Division, dated 19th September 1896, No. 585.

With reference to your No. 2376, dated 3rd September 1896, I have the honour to state that I am sending one of the smaller Pilot's tubes to the Executive Engineer, South Arcot division. I have with me one small one and one large which are in use and cannot be spared.

2. I do not know why the instruments were charged to the Gódávári.

Office-note to the Examiner, Public Works Accounts, dated Madras, 16th November 1896, No. 364.

The value of the current meters referred to by the Superintending Engineer, I Circle, is reported to have been debited to the Gódávári delta system though the meters are for the present being used in the Cauvery delta system and will eventually be used in other systems. Please say whether the debit to the former should be written back to the latter system, and when the meters are no longer required in the Cauvery delta system whether the charge should be transferred to those systems in which they will be subsequently used. This seems to be an inconvenient arrangement. Cannot the meters be brought on the list of tools and plant of the Gódávári delta system and sent to any other system which may require their use.

Office-note from the Examiner, Public Works Accounts, dated 20th November 1896, No. 4013 D./A.

[Your office-note No. 364, dated 16th November 1896.]

Please see Code, ii, iii, 121, according to which the cost of the current meters should be charged to the system on which they are used as Capital and Revenue accounts are kept for both the systems referred to, viz., Gódávári and Cauvery delta systems.

ORDER—No. 1048 I., dated 12th December 1896.

The value of the current meters referred to will be written back from the Gódávári to the Cauvery delta system. On their transfer to other systems their value will be written back to the systems concerned.

(True Extract.)

Under Secretary to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation.
 „ Superintending Engineers of Circles.
 „ the Superintending Engineer, Special Duty,
 Cauvery Completion Estimates.
 „ the Examiner, Public Works Accounts.

Exd. J. Henriens.

N^o 1048 of 12.12.96
PROCEEDINGS OF THE MADRAS GOVERNMENT.

1st Dec
UNDER date the

READ the following

From Supplg. 1st Div. N^o 1589 of 27.10.96
Office Note C N^o 364 of 16.11.96
D^o from C - 4013D of 20.11.96

The value of the ^{assigned to} current meters, will be written back from the Godavari to the Canary Delta system. On their transfer to other systems their value will be written back to the systems concerned.

J.H.
4.12.96

Issue

J.H.
10/11/96

J.H.
24/11/96

W.H.
27/11

To The Chief Eng. to S.
Supplg. of Circle
Supplg. Eng. Special Duty,
Canary Completion & Transfer
S. D. W. R.

7/11/17

W.H.
24/11/96

KEEP-WITH

CURRENT No.

GOVT.
MADRAS.

1896.

P. W.
DEPT.

EXAMINER, P. W. ACCOUNTS,

dated

189 .

Madras, 20 November 1896.

OFFICE NOTE No. 1013 G.A.

To

E.I.

Your Office Note No 364

dated 16th November 1896.

Please see code ii.iii.121
according to which the cost of
the current meters should be
charged to the system on which
they are used as Capital and
Revenue accounts are kept for
both the systems referred viz
Godavari and Cauvery delta system.

[Signature]
19.11

7-2-1
B.R. 20.11.96

[Signature]
21/11

H.E. 3.12.96

KEEP-WITH

CURRENT No.

GOVT.
MADRAS.

1896.

P. W.
DEPT.

dated

189

EXAMINER, P. W. ACCOUNTS,

Madras, 20 November 1896.

OFFICE NOTE No. 1013 of 1896.

10489

To

R 247

Former Case

Ofi 364 of 16.11.96

R 209 SA - 27.10.96

E. I.

Your Office Note No 364

dated 16th November 1896.

Please see code ii.iii.121
according to which the cost of
the current meters should be
charged to the system on which
they are used as Capital and
Revenue accounts are kept for
both the systems referred viz
Godavari and Cauvery delta system.

YCS
C.

19.11

7-2-1

BRB
20.11.96

HE. 3.12.96

1000
Sub 20/11

CHIEF ENGINEER FOR IRRIGATION.

Madras, 16th Nov 1896.

OFFICE NOTE No. 364

Circulation Register.

To	From	Despatch Date.	Receipt Date.
C	S.E.		

KEEP-WITH.

No. , dated 189 .

The value of the current metres referred to by the S.E. First Circle, is reported to have been debited to the Godavari Delta System though the meters are for the present being used in the Cauvery Delta System and will eventually be used in other systems. Please say whether the debit to the former should be written back to the latter system and when the meters are no longer required in the Cauvery Delta System whether the charge should be

be transferred to those Systems
in which they will be subse-
quently used. This seems to
be an inconvenient arrange-
ment. Cannot the meters
be brought on the list of
tools & plant of the Godavari
Bella System and sent to
any other system which
may require their use.

/s/ J.G.W.

D.E.L.

Depd 16 11 96

Lathi Jare
R ofu 267/96.

Public Works (1896) Department.

CURRENT No. 11236

Order

From J.C. Larmine Esq.
Supg. Engr. I. Circle.
To The Chief Engineer
for Irrigation.
No. 1589 G.D.

Dated 27.10.96.

Received 5-11-96 11.12.96

Enclosures 2.3

Spare copies

SUBJECT.

Current meters — States that the
"Electric Current Meter order in
G.O. No. 532 D." is in addition to the
two — purchased by Col. Smart R.E.
Supg. Engr. for use in the Godavari
Divisions

5-11-96

MR
10.11

BACK PAPERS.

FURTHER PAPERS.

G.O. Receipt	No.	Department.	Date.
R	367	I	7.7.96
I	72	Ind.	3.8.96
I	8-I		19.8.96
Issue	304		16.11.96
Receipt	247		20.11.96

G.O.	No.	Department.	Date.
R	247		20.11.96

Letter from A.G. Romilly Esq
 Ec. Esq. for Esq. to Lieut Col
 A.W. Smart R.E. Suppt. Esq. on
 special duty Cavery Delta Tanjore.
 No. 2376
 3.9.96.

In reference to your letter no
 536 d/ 14th August/96, I have the honor
 to state that the value of 3 hydrostatic
 meters said to have been received
 from England for Sadanau
 Delta System was debited to this
 Division by the Tanjore D. officer
 with the intimation that two are
 with you and one with the Suppt.
 Esq. 4th Circle.

2 The Suppt. Esq. 4th Circle reports
 in his No. 314 d/ 11th August/96
 that the one in his charge was
 handed over to you.

3. I have therefore the honor to
 request you will be good enough
 to let me know whether you can
 arrange to send to me the remaining
 meters as the one in your use cannot
 be shared till the end of the year as
 stated in your letter under reference.

/ Enclosed

A.G. Romilly
 Ec. Esq.
 for Esq.

Rd 9/9

14/9



0552
11236/96

10489

no 8-I.

this also to be
presented
no. 10-I

Remarks on the list dated 10th July 1896 of references (irrigation) received on the ~~list~~ First circle up to 31st March 1896 and remaining unanswered on the 1st July 1896.

Item 3. (no $\frac{I}{724D}$ dated 26th October 1893).— With reference to this office memo. no. 10-I para 4 and no 5. I dated 26th October 1895 and 29 June 1896 respectively, the Supt. Engineer is requested to intimate when the report called for may be expected.

2. Item 4. (no 204 dated 13 April 1894). With reference to his remarks against this item, the Supt. Engineer should report when and from whom, the current meters were received by him.

3. Item 8. (no $\frac{I}{1194D}$ dated 18 Nov. 1895).— The Supt. Engineer's attention is directed to this office no. $\frac{I}{754D}$ of 10 August 1896 and he is requested to state when the report will be submitted.

(sd) F. J. Wilson.
17/8/96.

Letter from Lt Col Geo Smart Esq
Supt. Engrs on Special duty Trans
to the Engrs. Sadaun Eastern
Division No 555 d/ 19th Sept 196

With reference to your No
1376 d/ 3rd Sept 196 I have the honor
to state that I am sending one of the
Smaller Pilot's tubes to the Engrs
South Arcot Division. I have
with me one small one and one large
which are in use and cannot be
spared.

2. I do not know why the instruments
were changed to Sadaun



! Incl Copy!

A. J. Miller
Engr. Engrs.
Sadaun Eastern

Engrs.
12/10

12/10

01221
11236/96

No. 1589 A.D.

18

FROM

J.C. Laramie Esquire M.J.C.
SUPERINTENDING ENGINEER,

FIRST CIRCLE.

Enclosures. 2 TO

THE CHIEF ENGINEER

FOR IRRIGATION.

WALTAIR,
Camp Dubaishuram

27. 10. 1896.

SIR,

I have the honour to state that two of the current meters (Pilot's tubes) purchased by Colonel Smart, R.E., Subg Engineer are intended for use in the Godavari Division. - Vide Correspondence noted in the Margin.

2 Col. Smart R.E. in the enclosed Copy of his letter No. 585 dated the 19th Sept. '96 to the Executive Engineer, Godavari Eastern D. states that the meters are in his use and cannot be spared.

3. The supply of electric current meter ordered in G.O. No. 532 I dated the 24th June '96 Communicated with your Memorandum No. I/72 G.O. dated the 31st August 96 is in addition to the two meters referred to above

CHIEF
FOR IRRIGATION.
No. 1589
No. 1589

* G.O. No. 323070 d. 17. 12. 94
G.O. No. 484 G.O. 8.2.96
G.O. No. 836 G.O. 7.2.96
G.O. No. 4209 d. 13.5.96

FROM

SUPERINTENDING ENGINEER,
FIRST CIRCLE.

TO

THE CHIEF ENGINEER

87
Vide your memo no. 19896



DATED
DESPATCHED
RECEIVED

No.

ENCLOSURES.

SUBJECT.

4. The remark against item 4 in the last unanswered Reference list, that the Current meters were received, is a mistake.

5. The value of 3 meters was debited to the Godavari Eastern Division - vide Copy of the Godavari Eastern Division officer's letter No. 2376 dated 3.9.96 to Col. Smart R.E. herewith en-
-closed and if the meters cannot be spared, the debit should ^{not} be made to this system.

I have the honor to be,

Sir,

Your Most Obedt Servt

J. C. D. [Signature]
Sofio Supg Engineer 1st Circle