M.R.O. 14—10,000—21-4-32

MADRAS RECORD OFFICE.

Government of Madras.

Revenue DEPARTMENT.

G.O. No. 1231 Press ~~Misr~~

Dated 16th September 1859.

Not to be folded or roughly handled

Proceedings of the Madras Government, Revenue Department, from 10th to 16th September 1859.

No. 29. Read the following letter from P. GRANT, Esq., Collector of Malabar; to T. PYCROFT, Esq., Chief Secretary to Government Revenue Department, Fort Saint George; dated Calicut, 31st August 1859, No. 77.

There is great difficulty experienced in procuring a site for the District Engineer's yard about to be constructed. No Government land is available, and all the proprietors are unwilling to part with their Jenmom (proprietary right) lands. Captain Bean has used his best endeavours to get a piece of land, and I have aided him, but we have failed in attaining our object.

2. Our only recourse therefore is to request the sanction of Government to take up a piece, under the provisions of Act VI. of 1857.

3. The land selected is in a good locality and not far from the Canal, by which timber and stores can be easily conveyed to the Engineer's yard. It consists of an old cocoanut garden, in which most of the trees are unproductive. Two bazars and two huts stand on it, and it measures 1 acre 10 grounds 1110¼ square feet. Its value, including land, trees, and buildings, is Rupees 589-0-3, according to the estimate of the principal authorities of the Umshom.

4. The owners refuse to give up the land, but I see no other way of getting a site for the yard except that now suggested.

No. 30. ORDER THEREON, 13th September 1859, No. 1231.

Under the provisions of Section II. of Act VI. of 1857, the Governor in Council resolves that the following declaration be made and recorded.

"Whereas certain land near the Canal at Calicut in the Malabar Collectorate consisting of an old cocoanut garden and measuring one acre ten grounds and one thousand one hundred and ten and a quarter square feet or thereabouts, is required for the purpose of an Engineer's yard; the Governor in Council, in exercise of the authority vested in him, by the provisions of Act VI. of 1857, does hereby declare the said land to be land required for a public purpose."

2. The Governor in Council also resolves under Section III. of the said Act to direct Mr. P. Grant, Collector of Malabar to take the necessary measures for the acquisition of the said land, and to adjust the claims to compensation on account of it in the manner provided by the Act.

(Signed) J. D. BOURDILLON,
Secretary to Government.

PWD

No 1231

Proceedings of the Madras Govt
Under date 13th September 1859

Read the following letter

From the Collector of Malabar.
Requesting sanction to take up under Act VI of 1857 the land required for the Dist: Engrs Yard

(Here enter 31st Aug/59 No 47)

Under the provisions of Sect II of Act VI of 1857 the Govr. in C. resolves that the following declaration be made and recorded.

"Whereas certain land near the Canal at Calicut in the Malabar Collectorate consisting of an old Cocoanut garden

and

and measuring one
acre ten rods
and one thousand
one hundred and
ten and a quarter
square feet (or thereabouts)
required for the
purpose of an Engine
Yard; the Serv: and
expense of the
Authority needed in
him, by the provisions
of Act VI. of 1857, does
hereby declare the
said land to be
land required for
a public purpose"

2. The Gov. Gen. also
resolved under Sec.

III

III of the said Act to
direct the Grant
& Collector of Malabar
to take the necessary
measures for the
acquisition of the
said land, and
to award the claims
to compensation on
account thereof in the
manner provided by
the Act.

[illegible]

[illegible]

16th Jo Collr of Malabar Dispd
10 Copies Ch. Engr. for information &
6 " Board of Rev. &c. &c. &c.

Revenue 1859 Sept.r

Pro: of Govt. 11th Septr

No. 1231.

Pro: of the Madras

Government

Dated 15th September 1859

From the Chief Engineer 9/24

October 59 C.No. 2774 in Secret

3/4 — 4 Encs. 156. 157.

Sanctioning to date

the under act VI of 1857.

portion land at Calicut

in Malabar required for

District Engineer's yard.

1829.70

L