M.R.O. 1—38,000—16-10-29.

MADRAS RECORD OFFICE.

Government of Madras.

Revenue DEPARTMENT.

G.O. No. 1652 Press Mis.

Dated 12 6 ~~19~~ 1868

Not to be folded or roughly handled

Proceedings of the Madras Government, Revenue Department,
12th June 1868.

No. 302. Read the following Proceedings of the Madras Government in the Public Works Department:—

Passing orders on the works required to place the Patta Cotta Cherroo Tank, in the Bellary District, in an efficient state. } (Here enter 9th June 1868, No. 1,813.)

No. 303. ORDER THEREON, 12th June 1868, No. 1,652.

Irrigation, No. 9.

Communicated to the Revenue Board.

(True Extract.)

(Signed) H. SEWELL,
Acting Under Secretary to Government.

To the Board of Revenue, with Proceedings Public Works Department, No. 1,813.

Exd. F. R. Bantleman.

Proceedings of the Madras Government, Public Works Department, 9th June 1868.

No. 187. Read the following letter from the Superintending Engineer, 3rd Division, to the Secretary to Government, Public Works Department, dated Camp at Ramandroog, Bellary District, 26th May 1868, No. 662 :—

With reference to paragraph 2, of G. O., No. 1,623, dated 22nd instant, I have the honor to inform you that materials, &c., at a cost of Rupees 1,952, have been collected up to 31st March last, for closing the breach, &c., to the Patta Cotta Cherroo tank, sanctioned in G. O., No. 1,419, dated 9th May 1867. A sum of Rupees 3,878, being difference between the estimate* and expenditure, has been entered in the Incomplete Statement forwarded on the 20th ultimo, this will now be reduced to Rupees 2,848, which can be met from the repair grant for this year under the head "Agricultural." A sum of Rupees 2,730, for execution of south calingulah and rebuilding of irrigation sluice, will be required, unless the money can be advanced by the Railway Department.

Rupees 5,830.

No. 188. ORDER THEREON, 9th June 1868, No. 1,813.

IRRIGATION, No. 14.

1. As under the orders contained in Proceedings No. 1,419, dated 9th May 1867, the works required to place the Patta Cotta Cherroo tank in the Bellary District in a state of efficiency have been treated as "original," the Superintending Engineer is authorized to charge the [illegible] Rupees 3,878 provided from the Reserve in Proceedings No. 1,715, dated 29th May 1868, and as only Rupees 2,848 will be required for the works during the current official year, His Excellency in Council resolves to re-credit the difference of Rupees 1,030 to the Reserve under Agricultural.

	RS.
Estimate	4,800
Expenditure in 1867-68	1,952
	2,818

Rupees 3,878
,, 2,848
Rupees 1,030

2. The works to be carried out on account of the Railway Company should be undertaken from the funds at the Superintending Engineer's disposal, and the cost recovered on the completion of the works.

(True Extract.)

Colonel, R. E.,
Secretary to Government.

To the Superintending Engineer, 3rd Division.
,, Controller Public Works Accounts.
,, Accountant General.
,, Revenue Department.
,, Consulting Engineer for Railways.

Exd. S. T. Augustin.

Revenue 1868. Dept.
Pro: of Govt. for June
No. 2054.

Proceedings of the Govt.
C. W. Dept.

Dated 9th June 1868.
Received 10th " "

No. 1813.

Do

Comm.rs to the
Revenue Board.

12th June 68

Irrigation 1869

No. 1652.

Papers on section
the works required
to place the Patta
Cotta Cherroo
tank in the Bellary
District in an
efficient state.
1652. 12 June

Do Order 2

No Copies Sent to Dept. of Rev. with Govt. Order No. 1813 Dated 12 June 1868.
3

No. 302 of 303

302 303