

*Proceedings of the Madras Government, Revenue Department,
28th March 1872.*

No. 341. Read the following Proceedings of the Board of Revenue, dated 27th March 1872, Miscellaneous No. 2,313 :—
Read the following letter from Assistant Surgeon J. L. RATTON, M.D.,
to the Inspector-General of Hospitals, Indian Medical Department,
Madras, dated 17th August 1871, No. 101-520. 2.

I HAVE the honour to inform you that the Beaume's Hydrometers, indented for and sanctioned by the Revenue Board, should be graduated from 0° to 40° for fluids heavier than water, similar to the one furnished to me by the Public Works Department.

2. This remark was not appended to the indent, as I was not at the time aware, or rather overlooked the liability to mistakes from the existence of Beaumes Hydrometers of another construction.

TRANSFERRED to the Board of Revenue.

(By Order.)

(Signed) G. BIDIE, M.B.,
Secy., Inspector-General, I.M.D.

18th March 1872.

SUBMITTED to Government in continuation of Proceedings, Miscellaneous No. 1,429, dated 23rd February 1872.

2. It may perhaps be necessary to notify the kind of Hydrometer required by telegraph.

No. 342.

ORDER THEREON, 28th March 1872, No. 538.

Separate Revenue, No. 18.
Salt.

ORDERED that a telegram be despatched to the Secretary of State to prevent any mistake.

2. Dr. Ratton will be more careful in future in making his requisitions.

(True Extract.)

(Signed) W. HUDLESTON,
Officiating Chief Secretary.

To the Board of Revenue.

Rev: 1872, Dept
No. 1088.

PROCEEDINGS OF THE BOARD
OF REVENUE.

Dated 27th March 1872.

Despatched 27th
Recd 28th

SUBJECT.

Submitting a letter
from Assistant
Surgeon Rattan
intimating the
kind of Hydrone
required by him

With order

No. 538 - 28 March 1872

No. 538.

Ordered that a telegram be despatched
to the Secy. of the Govt. of the Punjab
Assistant.

Dr. Rattan will be required
to fulfil his duties in such manner
as may be required.

14. No. 152 of Revenue Secretary's Office dated 1872

No. 341-342