M.R.O. 1—20,002—12-8-65.

(1) Number of Pages 60

(2) Date of repair 3-6-67

(3) Initials of the Referencer SJS 9/4/67

MADRAS RECORD OFFICE

GOVERNMENT OF MADRAS

Revenue DEPARTMENT

G.O. No. / B.P. No.	211	Press— / Mis.
Dated	30.5	1966/24

Not to be folded or roughly handled

CONVERSION TABLE.

Statement showing equivalents in Government Seers of 80 Tolahs of Local Measures of different Food-grains and of Salt.

Districts and Stations.	Name of Measure.	How used locally.	Assumed normal contents in Rice.	Cubic capacity of the Specimen sent.	Diameter.	Rice, 1st Sort.	Rice, 2nd Sort.	Paddy, 1st Sort (Oryza Sativa.)	Paddy, 2nd Sort (Oryza Sativa.)	Horse-gram (Dolichos Uniflorus.)	Cholum or Jowar (Holcbus Sorghum.)	Cumboo or Bajra (Penicillaria Spicata.)	Varagoo (Panicum Miliaceum.)	Ragi (Eleusine Coracana.)	Salt.	Wheat (Triticum Estivum.)	Ulundu (Phaseolus Mungo.)	Remarks.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
			TOLAHS.	INCHES.	INCHES.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	
Ganjam.																		
1. Ganjam	Tum ...	Filled to overflowing; moderately heaped.	260	207·60	6 8	3·24	3 26	2·48	2·48	3·33	3 08	2·81	2·88	2 93	3·36	2·95	3.35	
2. Purushottapur ...	Do. ...	Do. ...		209·33	5·9			2 50	2·50	3·36	3·10	2·82	2·89	2·94	3·36			
3. Sompeta	Do. ...	Do. ...		195 06	6·7					3·31	3·01	2 80	2·86	2 93	3·37			
4. Surada	Do. ...	Do. ...	280	226 63	6·4	3·50	3·62	2 69	2·69	3·57	3·30	3·02	3·09	3·16	3·63	3 17	3·52	
5. Russelkonda ...	Do. ...	Do. ...		231·83	6 0						3·34	3·04	3 10	3 17	3 61	3·18		
6. Berhampore ...	Do. ...	Do. ...		185·11	6·4					3·06	2·81	2 58	2·65	2·71	3 12	2·72	3·09	
7. Purlah Kimedy ...	Do. ...	Do. ...	240	187·71	6·4	3·00	3·02	2·31	2·31									
8. Tekkali	Do. ...	Do. ...		...	6·5													
9. Narasannapett ...	Do. ...	Do. ...		191·71	6·2			2·30	2·30	3·07	2 82	2·59	2·65	2·71	3·11	2·73	3 09	
10. Aska	Do. ...	Do. ...		217·98	6·5			2·60	2·60	3·45	3·18	2 91	2 98	3·05	3·49	3·08	3·48	
11. Itchapur	Do. ...	Do. ...	270	...	6·8	3·37	3·39	2·59	2·59	3·44	3·16	2·90	2·97			3 06	3·47	
12. Chicacole	Do. ...	Do. ...	80	64·88	4·0	0·99	1·00	0·77	0 77	1·05	0·96	0·87	0·88	0 90	1·06	0·90	1·03	
Vizagapatam.																		
1. Vizagapatam ...	Seer ...	Moderately heaped.	90	...	4·0	1·12	1·13	0·86	0·86	1·17	1·08	0·99	0·99	1·01	1·18	1·00	1·16	
2. Vizianagram ...	Do. ...	Do. ...		...	...													
3. Anakapilli	Do. ...	Do. ...	80	65·74	3·5	0·99	1 00	0·77	0 77	1 05	0·96	0·88	0·88	0·91	1·03	0·90	1 02	
4. Survasiddi	Do. ...	Do. ...		...	3·4													
5. Golconda	Do. ...	Do. ...	75	...	3 3	0·93	0·94	0·70	0·70	0 98	0·90	0·81	0·83	0·84	0·96	0·83	0·96	
6. Palconda	Tavva. ...	Do. ...		24·22	3·5			0·32	0 32	0·43	0·39		0·37	0·37	0 46	0·37	0·42	
7. Gajapatinagram ...	Do. ...	Do. ...		25·95	4·2													
8. Veeravilli	Do. ...	Do. ...	83	...	4·2	0·41	0 41	0 33	0·33	0·43	0 40	0 86	0 87	0·36	0·49	0 38	0·43	
9. Cheepurpilli ...	Do. ...	Do. ...		25·95	4·3													
10. Sattur	Do. ...	Do. ...		27·68	4 8			0·35	0·35	0·45	0·40	0·35	0 39	0 36	0 52	0·39	0 43	
11. Parvatipur	Do. ...	Do. ...		26·81	5·0			0·36	0·36	0·46					0 53	0 40		
Godavery.																		
1. Ramachendrapuram	Do. ...	Do. ...	80	63·74	3·5													
2. Nursapuram																		

Statement showing equivalents in Government Seers of 80 Tolahs of Local Measures of different Food-grains and of Salt.—(Continued.)

Districts and Stations.	Name of Measure.	How used locally.	Assumed normal contents in Rice.	Cubic capacity of the Specimen sent.	Diameter.	Rice, 1st Sort.	Rice, 2nd Sort.	Paddy, 1st Sort (Oryza Sativa.)	Paddy, 2nd Sort (Oryza Sativa.)	Horse-gram (Dolichos Uniflorus)	Cholum or Jowar (Holcilus Sorghum)	Cumboo or Bajra (Penicillaria Spicata.)	Varago (Panicum Miliaceum)	Ragi (Eleusine Coracana.)	Salt.	Wheat (Triticum Œstivum.)	Chunda (Phaseolus Mungo)	Remarks.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
			TOLAHS.	INCHES.	INCHES.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	
3. Amalapuram ...																		
4. Tanuku																		
5. Viravasaram ...																		
6. Rajahmundry ...																		
7. Pedlapuram ...																		
8. Ellore																		
9. Yernagudem ...																		
10. Cocanada																		
11. Pittapuram																		
12. Corringa																		
13. Tuni	Seer ...	Moderately heaped.	80	65·74	3·5	0 99	1 00	0·77	0 77	1·05	0·96	0·88	0·88	0·91	1·03	0 90	1 02	
14 Alamur																		
15. Sivakodu																		
16. Kottapeta																		
17. Pentapadu																		
18. Raghudevapuram .																		
19. Prattipadu																		
20. Chintalapudi ...																		
21. Polaveram																		
Kistna.																		
1. Bezwada	Measl ...	Liberally heaped.	260	202·41	6·7	3 24	3·26	2·50	2·50	3·31	3·04	2·78	2·87	2·93	3·37	2 95	3 35	
2. Gudivada	Adda ...	Do. ...	210	152 24	6 5	2 62	2·64	2 03	2 03	2 66	2 46	2·25	2·31	2 35	2 75	2·39	2 71	
3. Tenali	Manika ...	Do. ...	190	...	4·5	2·25	2 28	1·72	1 72	2·36	2·17	1·93	2·00	2 05	2 32	2 03	2 33	
4. Jaggayapeta ...	Do. ...	Do. ...		153·23	4·7			1·73	1 73		2·16				2 33	2·03	2 33	
5 Repalli	Do. ...	Do. ...	160	134·94	4·5	2·00	2·01	1·54	1·54	2·11	1 93	1·75	1·77	1 82	2 07	1·81	2·07	
6. Nandigama	Do. ...	Do. ...	140	122·83	4·1	1·74	1 75	1 33	1·33	1·83	1·63	1·54	1·54	1 58	1 61	1·56	1·81	
7. Dachipalli	Do. ...	Filled to overflowing.		115·05	4 1						1·55	...				1·44	1·63	
8. Tammerikota ...	Do. ...	Do. ...	130	112·45	4·2	1·62	1 63	1·23	1·23	1·70	1 56	1·43	1·43	1·47	1·65	1·45	1 63	
9. Narsarowpeta ...	Do. ...	Do. ...		116·78	4 3			...	...	...		...		...	...			
10. Bandar	Pada ...	Liberally heaped.		...	4 7			1·26	1·26	1·71		...	1·45	1·47	1·73	1·47	1·63	
11. Vinukonda	Padi Manika.	Filled to overflowing.	120	112 45	4·1	1·50	1·51	1·13	1·13	1·56	1 43	1·32	1·32	1·33	1·53	1·29	1·55	
12. Avinigadda	Manika ...	Liberally heaped.	106	...	4 2	1 32	1·32	1·01	1 01	1·39	1·28	1·16	1·17	1 20	1·40	1·20	1·38	
13. Mangalagiri	...	...	125	110·10	4·2	1·56	1·57	1·18	1·18	1·62	1·51	1·38	1·37	1 42	1·58	1·40	1·61	
14. Krosur	...	...	145	125·55	4·5	1·81	1·82	1·38	1·38	1·89	1·74	1·59	1·60	1 65	1 80	1·62	1·87	
15. Bapatla	...	...		129·11	4·4													
16. Guntoor	...	...	132	114·37	4 4	1·65	1 66	1·26	1·26	1·73	1·59	1·45	1·45	1 51	1·68	1·48	1·71	
17. Tirvur	...	...	155	139·51	3 5	1·03	1·03	1 46	1·46	2·03	1·83	1·71	1·70	1·76	1·93	1·72	2·00	
18. Ponnur	...	...		136·91	4 6			1·47	1·47				1·71	1·73	1·97	1 74	2·01	
19. Nuzvid	...	...	200	168·10	6·4	2 49	2 51	1·90	1·90	2·38	2·38	2·17	2·20	2 27	2 55	2·26	2·38	
Nellore.																		
1. Nellore																		
2. Gudur																		
3 Atmakur	Seer ...	Heaped ...	80	65·01	3 8	0·99	1 00	0·77	0·77	1·05	0·96	0·87	0 83	0 91	1·03	0 90	1·02	
4. Kavali																		
5. Allur																		
6. Kota																		
7. Polur																		
8. Venkatagiri	Half Seer ...	Do. ...	40	...	...	0 50	0 50	0·38	0·38	0 53	0·48	0·43	0·43	0 45	0·52	0 45	0 51	
9. Daisi																		
10. Podili																		
11. Rapur																		
12. Udayagiri																		
13. Kanigiri	Manika ...	Do. ...	140	...	4·1	1·74	1·75	1·83	1·83	1 83	1·68	1 54	1·54	1·58	1·81	1·56	1·81	
14. Kandukur																		
15. Ongole																		
16. Addanki																		
Cuddapah.																		
1. Cuddapah																		
2. Pullampett																		
3. Jamalamadugu ...																		
4. Pulivendla																		
5. Proddatur																		
6. Kadiri																		
7. Royachoti	Measure ...	Do. ...	132	...	...	1·65	1·65	1·26	1·26	1·72	1·58	1·45	1·45	1·50	2 00	1·47	1·70	
8. Veilpad																		
9. Madanapalli																		
10. Budwel																		
11. Sidhout																		
12. Camalapoor																		
13. Peelair																		
14. Chitwel																		
Bellary.																		
1. Hospet																		
2. Kudlighi																		
3. Havinhadgally ...																		
4. Alur	Seer	Liberally heaped.	86															
5. Adoni																		
6. Raidrug																		
7. Dhurmaveram ...																		
8. Hindupur																		

Districts and Stations.	Name of Measure.	How used locally.	Assumed normal contents in Rice.	Cubic capacity of the Specimen sent.	Diameter.	Rice, 1st Sort.	Rice, 2nd Sort.	Paddy, 1st Sort (Oryza Sativa.)	Paddy, 2nd Sort (Oryza Sativa.)	Horse-gram (Dolichos Uniflorus)	Cholum or Jowar (Holcilus Sorghum)	Cumboo or Bajra (Penicillaria Spicata.)	Varago (Panicum Miliaceum)	Ragi (Eleusine Coracana.)	Salt.	Wheat (Triticum Œstivum.)	Chunda (Phaseolus Mungo)	Remarks.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
			TOLAHS.	INCHES.	INCHES.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	
3. Amalapuram ...																		
4. Tanuku																		
5. Viravasaram ...																		
6. Rajahmundry ...																		
7. Pedlapuram ...																		
8. Ellore																		
9. Yernagudem ...																		
10. Cocanada																		
11. Pittapuram																		
12. Corringa																		
13. Tuni	Seer ...	Moderately heaped.	80	65·74	3·5	0 99	1 00	0·77	0 77	1·05	0·96	0·88	0·88	0·91	1·03	0 90	1 02	
14 Alamur																		
15. Sivakodu																		
16. Kottapeta																		
17. Pentapadu																		
18. Raghudevapuram .																		
19. Prattipadu																		
20. Chintalapudi ...																		
21. Polaveram																		
Kistna.																		
1. Bezwada	Measl ...	Liberally heaped.	260	202·41	6·7	3 24	3·26	2·50	2·50	3·31	3·04	2·78	2·87	2·93	3·37	2 95	3 35	
2. Gudivada	Adda ...	Do. ...	210	152 24	6 5	2 62	2·64	2 03	2 03	2 66	2 46	2·25	2·31	2 35	2 75	2·39	2 71	
3. Tenali	Manika ...	Do. ...	190	...	4·5	2·25	2 28	1·72	1 72	2·36	2·17	1·93	2·00	2 05	2 32	2 03	2 33	
4. Jaggayapeta ...	Do. ...	Do. ...		153·23	4·7			1·73	1 73		2·16				2 33	2·03	2 33	
5 Repalli	Do. ...	Do. ...	160	134·94	4·5	2·00	2·01	1·54	1·54	2·11	1 93	1·75	1·77	1 82	2 07	1·81	2·07	
6. Nandigama	Do. ...	Do. ...	140	122·83	4·1	1·74	1 75	1 33	1·33	1·83	1·63	1·54	1·54	1 58	1 61	1·56	1·81	
7. Dachipalli	Do. ...	Filled to overflowing.		115·05	4 1						1·55	...				1·44	1·63	
8. Tammerikota ...	Do. ...	Do. ...	130	112·45	4·2	1·62	1 63	1·23	1·23	1·70	1 56	1·43	1·43	1·47	1·65	1·45	1 63	
9. Narsarowpeta ...	Do. ...	Do. ...		116·78	4 3			...	...	...		...		...	...			
10. Bandar	Pada ...	Liberally heaped.		...	4 7			1·26	1·26	1·71		...	1·45	1·47	1·73	1·47	1·63	
11. Vinukonda	Padi Manika.	Filled to overflowing.	120	112 45	4·1	1·50	1·51	1·13	1·13	1·56	1 43	1·32	1·32	1·33	1·53	1·29	1·55	
12. Avinigadda	Manika ...	Liberally heaped.	106	...	4 2	1 32	1·32	1·01	1 01	1·39	1·28	1·16	1·17	1 20	1·40	1·20	1·38	
13. Mangalagiri	...	...	125	110·10	4·2	1·56	1·57	1·18	1·18	1·62	1·51	1·38	1·37	1 42	1·58	1·40	1·61	
14. Krosur	...	...	145	125·55	4·5	1·81	1·82	1·38	1·38	1·89	1·74	1·59	1·60	1 65	1 80	1·62	1·87	
15. Bapatla	...	...		129·11	4·4													
16. Guntoor	...	...	132	114·37	4 4	1·65	1 66	1·26	1·26	1·73	1·59	1·45	1·45	1 51	1·68	1·48	1·71	
17. Tirvur	...	...	155	139·51	3 5	1·03	1·03	1 46	1·46	2·03	1·83	1·71	1·70	1·76	1·93	1·72	2·00	
18. Ponnur	...	...		136·91	4 6			1·47	1·47				1·71	1·73	1·97	1 74	2·01	
19. Nuzvid	...	...	200	168·10	6·4	2 49	2 51	1·90	1·90	2·38	2·38	2·17	2·20	2 27	2 55	2·26	2·38	
Nellore.																		
1. Nellore																		
2. Gudur																		
3 Atmakur	Seer ...	Heaped ...	80	65·01	3 8	0·99	1 00	0·77	0·77	1·05	0·96	0·87	0 83	0 91	1·03	0 90	1·02	
4. Kavali																		
5. Allur																		
6. Kota																		
7. Polur																		
8. Venkatagiri	Half Seer ...	Do. ...	40	...	...	0 50	0 50	0·38	0·38	0 53	0·48	0·43	0·43	0 45	0·52	0 45	0 51	
9. Daisi																		
10. Podili																		
11. Rapur																		
12. Udayagiri																		
13. Kanigiri	Manika ...	Do. ...	140	...	4·1	1·74	1·75	1·83	1·83	1 83	1·68	1 54	1·54	1·58	1·81	1·56	1·81	
14. Kandukur																		
15. Ongole																		
16. Addanki																		
Cuddapah.																		
1. Cuddapah																		
2. Pullampett																		
3. Jamalamadugu ...																		
4. Pulivendla																		
5. Proddatur																		
6. Kadiri																		
7. Royachoti	Measure ...	Do. ...	132	...	...	1·65	1·65	1·26	1·26	1·72	1·58	1·45	1·45	1·50	2 00	1·47	1·70	
8. Veilpad																		
9. Madanapalli																		
10. Budwel																		
11. Sidhout																		
12. Camalapoor																		
13. Peelair																		
14. Chitwel																		
Bellary.																		
1. Hospet																		
2. Kudlighi																		
3. Havinhadgally ...																		
4. Alur	Seer	Liberally heaped.	86	72·66	3·6													
5. Adoni				72 66	3·6													
6. Raidrug				74·39	3·6													
7. Dhurmaveram ...				71·80	3·6													
8. Hindupur				72·66	3·6													
				72·33	3·6													
				76·98	3·6													
				75·26	3·6													

Statement showing equivalents in Government Seers of 80 Tolhas of Local Measures of different Food-grains and of Salt—(Continued.)

Districts and Stations.	Name of Measure.	How used locally.	Assumed normal contents in Rice.	Cubic capacity of the Specimen sent.	Diameter.	Rice, 1st Sort.	Rice, 2nd Sort.	Paddy, 1st Sort (Oryza Sativa.)	Paddy, 2nd Sort (Oryza Sativa.)	Horse-gram (Dolichos Uniflorus.)	Cholum or Jowar (Holcus Sorghum.)	Cumboo or Bajra (Penicillaria Spicata.)	Varugoo (Panicum Miliaceum.)	Ragi (Eleusine Coracana.)	Salt.	Wheat (Triticum Estivum.)	Uhundu (Phaseolus Mungo.)	Remarks.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
			TOLAHS.	INCHES.	INCHES.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	
9. Madaksira				72·66	8·6													
10. Royalcheravn ..				72 13	8·6					1·13	1 03	0·95	0·95	0 97	1·30	0·94	1·10	11 Stations.
11. Yenniganur				74 95	8·5													
12. Tadputri				71·80	8 65													
13. Pennakonda... ..				72·66	8·65													
14 Anantapur				72 66	8·65													
15. Bellary				71·80	8·65													
16. Harpanhalli ...	Seer	Liberally heaped.	86	77·65	8·7	1·07	1·08	0 82	0·82	1·12	1 03	0·94	0·95	0·97	1·31	0 96	1·10	11 do.
17. Gooty				68 38	3·7													
18. Kalyandrug				73·01	3·75													
19. Bukkapatnam ...				71·49	3·7													
20. Sirgappa				69·75	3·75													
21. Uravakonda... ...				71·28	3·75													
22. Kampli				71·92	3·7													
Kurnool.																		
1. Pearalli	Do. ...	Heaped ...	86	71·79	3·65	1·07	1·08	0·82	0 82	1·12	1 03	0·94	0·95	0 97	1 31	0 96	1·10	
2. Pattikonda				72·22	3·65													
3. Kurnool				95·15	4·1													
4. Ramalkota				95.15	4·1													
5. Nand kotkur. ...				95·15	3·9													
6. Nundial...	Measure ...	Do. ...	114	97 75	4 05	1·42	1·43	1·09	1 09	1·50	1·37	1·25	1 26	1·29	1·73	1·27	1·47	
7. Atmakur				98·61	3 9													
8. Kalva				95·15	4 05										1·74	1·23	1·47	
9. Sirwell				96·02	4 2	...	...	...	...	...	...	...	...	...				
10. Owk				108·13	4·0													
11. Koilkuntla	Do. ...	Do. ...	132	107 16	4·0	1 65	1·63	1·25	1·26	1·72	1 58	1·45	1·45	1 50	2·00	1·47	1·70	
12. Markapur				109·00	4·05													
13. Cumbum				112 45	4 1													
Chingleput.																		
1. Sydapet	Do. ...	Filled to overflowing.	120	106·40	4·2	1·50	1·51	1·13	1·13	1·56	1·44	1·32	1·31	1·27	1·51	1·35	1 55	
2 Ponneri...	Do. ...	Do. ...		106·40	4·2													
3. Trivellore	Do. ...	Do. ...		...	4 2													
4. Madurantakum ...	Padi ...	Do. ...	140	116 07	4·2	1·74	1 75	1·32	1·32	1·83	1 68	1·54	1·54	1 59	1·75	1 56	1·81	
5. Chingleput	Do. ...	Do. ...			4·2													
6. Conjeveram ...	Do. ...	Do. ...	150	128 02	4·3	1·87	1·88	1·42	1·42	1·96	1 81	1 65	1·66	1·71	1·88	1·68	1·95	
Madras.																		
1. Madras	Measure ...	Struck ...	117	104·5	...	1·45	1 46	1 09	1·09	1 52	1·40	1·28	1·28	1 33	1 42	1·29	1 51	
North Arcot.																		
1. Wallajahpet... ...																		
2. Velloro																		
3. Poloor																		
4. Wandewash	Do. ...	Liberally heaped.	160	...	4·5	2·00	2·01	1·54	1·54	2 11	1·93	1 75	1·77	1 82	2 30	1·81	2 07	
5. Arcot																		
6. Kalastry																		
7. Tripaty																		
8. Cangundi																		
9. Tritany...	Do. ...	Do. ...	80	...	3·8	0·99	1·00	0·77	0·77	1 05	0·96	0 87	0 88	0·91	1·15	0 90	1·02	
10. Narayanavanam ..	Do. ...	Do. ...																
11. Chittoor	Do. ...	Do. ...		...	4·5													
12. Goodiattum	Do. ...	Do. ...	150	...	4 5	1·87	1 88	1·44	1·44	1·97	1·82	1·65	1·67	1·71	2·14	1·70	1·95	
13. Chendragiri	Do. ...	Do ...		125 92	4·6													
14. Madarpak	Do. ...	Do. ...	75	...	...	0·83	0 83	0 63	0 63	0·93	0·85	0 78	0·79	0 80	1·03	0·79	0·91	
15. Palmanair	Half Measure.	Do. ...		60 22	3·75													
16. Venkatagirikota ...	Do. ...	Do. ...	75	58·92	3·8	0·94	0·96	0·71	0 71	0·98	0·91	0·82	0·83	0 84	1·09	0·84	0·96	
17. Pungenur	Do. ...	Do. ...		60·22	3·9			0 72	0·72		0·90				1 10		0·97	
South Arcot.																		
1. Trikalore				115·95	4·15													
2. Villapuram				117·61	4 2													
3. Cuddalore				117·64	4·25													
4. Trivady				113·32	4·3					1·32	1·32	1 83	1·68	1·54	1·54	1·59	1·75	1·56	1·81	
5. Virdachellum ...	Padi ...	Filled to overflowing.	140	117·64	4·3	1·74	1·73											
6. Kullakurchi... ...				115·91	4·3													
7. Trinomalay				115·95	4·3													
8. Tindivanam... ...				114·18	4·4					1·33	1·33	1·83	1·69	1·54	1·54	1 59	1·75	1·57	1·82	
9 Tripapalore				117·64	4 4													
10. Chellumbrum ...	Half Padi ...	Do. ...	70	59·69	3 7	0·87	0 87	0 66	0·66	0·92	0·84	0 77	0·77	0·79	0·88	0·78	0·90	
11. Porto-Novo	Do. ...	Do. ...		60·55	3 7													
Tanjore.																		
1. Tanjore...																		
2. Trivady																		
3. Vellam																		
4. Combaconum ...																		
5. Madharjunam ...	Patnam Padi.	Heaped ...	126	104·66	4·75	1·57	1·58	1·23	1·23	1·66	1·52	1·38	1·41	1·43	1·70	1·43	1·63	
6. Kodavasal																		
7. Muttupettah ...																		
8. Mannargudi.. ...																		
9. Nidamangalam ...																		
10. Pattukottai	Padi ...	Do. ...	135	...	5·3	1·68	1 69	1·36	1·36	1·78	1·62	1·47	1·51	1 55	1·84	1 56	1·75	

Statement showing equivalents in Government Seers of 80 Tolahs of Local Measures of different Food-grains and of Salt—(Continued.)

Districts and Stations.	Name of Measure.	How used locally.	Assumed normal contents in Rice.	Cubic capacity of the Specimen sent.	Diameter.	Rice, 1st Sort.	Rice, 2nd Sort.	Paddy, 1st Sort (Oryza Sativa.)	Paddy, 2nd Sort (Oryza Sativa.)	Horse-gram (Dolichos Uniflorus.)	Cholum or Jowar (Holcbus Sorghum.)	Cumboo or Bajra (Penicillaria Spicata.)	Varagoo (Panicum Miliaceum.)	Ragi (Eleusine Coracana.)	Salt.	Wheat (Triticum Œstivum.)	Ulundu (Phaseolus Mungo.)	Remarks.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
			TOLAHS.	INCHES.	INCHES.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S.	G. S	G. S.	G. S.	G. S.	G. S.	G. S.	
11. Kornad...																		
12. Shealli																		
13. Poraiyar																		
14. Tirumalavasal ...	Half Patnam Padi.	Heaped ...	63	53·63	3·6	0·78	0·79	0·61	0·61	0·83	0·76	0·69	0·69	0·70	0·84	0·70	0·81	
15. Negapatam																		
16. Teruvalur																		
17. Tiruvapundi																		
18. Toptorai																		
19. Ardhangi	Half Measure.	Do. ...	67½	53·73	4·0	0 84	0 84	0·65	0·65	0·88	0·81	0·73	0·75	0·76	0·93	0·76	0·87	
Trichinopoly.																		
1. Trichinopoly ...																		
2. Kulitalai	Padi ...	Liberally heaped.	116	...	4·75	1·44	1·44	1·21	1·21	1·54	1·40	1 27	1·29	1·31	1·86	1·32	1·51	
3. Perambalur... ...																		
4. Musori																		
5. Udayarpalem ...	Half P... ...	Do. ...	65	...	...	0 81	0·81	0·63	0·63	0·84	0·78	0·71	0·72	0·73	1·05	0·72	0·83	
Madura.																		
1. Madura...																		
2 Tirumungalum ...																		
3. Melur																		
4. Dindigul	Measure ...	Heaped ...	135	103·8	5·3	1·68	1 63	1 36	1·36	1·78	1·62	1·47	1·51	1·55	1·84	1·56	1·75	
5. Periakulam																		
6 Palani																		
7. Ramnad																		
Tinnevelly.																		
1. Tenkarai																		
2. Tinnevelly																		
3. Ambasamudrum...																		
4. Srivilliputtur ...																		
5. Nanguneri																		
6. Sankaranainarkovil																		
7. Tenkasi...																		
8. Sattur																		
9. Cttapidaram ...	Madras Measure.	Struck	120	107·26	4·2	1 50	1·1	1·12	1 12	1·56	1·43	1·31	1·31	1 37	1·52	1 33	1 55	
10. Kulasegarapatnam.																		
11. Vilattikolam... ...																		
12 Talamcottah ...																		
13. Tuticorin																		
14. Watrap																		
15. Virdupatti																		
16. Radapuram																		
17. Kaitar																		
Combatore.																		
1. Collegal	Measure ...	Liberally heaped.		107·26	4 0							1·56	1·48	1·43	1·47	1·93	1·45	1·68	2 Stations.
2. Erode	Do. ...	Do. ...	130	107·48	4·1	1 62	E3	1·24	1 24	1 70		1·57	1·43	1·43	1·47	1·95	1·46	1·69	2 Do.
3. Pulladam	Do. ...	Do. ...		...	...									1·45	1·48	1 97	1·47	1·69	1 Do.
4. Combatore	Do. ...	Do. ...		107·26	4 2			1·26	1·26	1·71									
5. Bhowani	Do. ...	Do. ...		107·26	4 4														
6. Sattiamungalum...	Do. ...	Do. ...	140	112·97	4·3	1·74	75	1 33	1·33	1·83	1·68	1·54	1·54	1·68	2·10	1·57	1·82	2 Do.	
7. Pollachy	Do. ...	Do. ...	145	112 45	4 3														
8. Caroor	Do. ...	Do. ...		...	4·3	1 81	82	1·38	1·38	1·89	1·74	1·59	1·59	1·65	2·16	1·68	1·88	1 Do.	
9. Dharapuram ...	Do. ...	Do. ...	160	130·02	4·4	2 00	91	1·54	1·54	2·11	1·93	1·75	1·77	1 82	2·38	1·81	2·07	2 Do.	
10. Oodumulpettah ...	Do. ...	Do. ...		...	...														
Nilgiris.																		
1. Cotacamund ...	Half Measure.	Heaped to overflowing.	64	50·17	4 1	0·80	80	0·61	0·61	0·83	0·77	0·70	0·70	0·71	0·95	0·71	0·82	
2. Coonoor	Do. ...	Do. ...		52·77	3 9													
Salem.																		
1. Ahteor	Padi	Heaped moderately.	150	...	4 4	1·87	88	1·44	1·44	1·97	1·82	1·64	1·67	1·7	2 25	1 70	1 95	
2. Salem	Do. ...	Do. ...		109·85	4 3													
3. Senkerrydroog ...	Do. ...	Do. ...	132	...	4 2	1·65	1 66	1 26	1 26	1·73	1·59	1·45	1 45	1·50	1·99	1 48	1·71	
4. Denkenikota... ...	Do. ...	Do. ...		...	4 2													
5. Oossoor...	Do. ...	Do. ...	126	...	4 25	1·57	1·58	1 20	1·20	1·65	1·52	1·39	1·39	1·43	1·69	1·42	1·63	
6. Darampuri	Do. ...	Do. ...	118	...	4 3	1·47	1·48	1·14	1·14	1·54	1·42	1 29	1·30	1·33	1·77	1·33	1·53	
7. Vaniembady ...	Manm ...	Do. ...	86	...	3·75	1·07	1·08	0 82	0 82	1 12	1 03	0·94	0·95	0 9	1 29	0 96	1·10	
8. Pennagaram... ...	Hal Manam.	Do. ...	43	...	2·8	0·53	0·53	0·40	0·40	0·55	0·51	0·46	0 48	0·8	0·62	0·47	0·55	
9. Namkul...	Maam ...	Do. ...	75	...	3 4	0·94	94	0·71	0·71	0 95	0·90	0·82	0 82	0·8	1·12	0·84	0·96	
10. Kistnagiri	Do. ...	Do. ...	72	...	3·2	0 90	91	0·68	0 68	0·94	0·86	0·78	0·79	0 8	1·03	0·80	0·93	
11. Womalore	Do. ...	Do. ...			3 45													
12. Razipur...	Do. ...	Do. ...			3 6			0·63	0·63	0·86	0·79	0·72	0·72	0 7	0·99	0·73	0·84	
13. Paramati	Do. ...	Do. ...			3·65													
14. Haroor	Do. ...	Do. ...	66	...	3·65	0·82	82	0 64	0·64	0·86	0·79	0·72	0·73	0·7	1·00	0·73	0·84	
15. Trichengode... ...	Do. ...	Do. ...			3·7													
16. Uttengiri	Do. ...	Do. ...			3 75													
17. Tripatore	Do. ...	Do. ...	63	...	3·4	0·78	0·79	0·61	0·61	0·83	0·76	0·69	0·69	0·7	0·95	0·70	0·81	
South Canara.																		
1. Mangalore					71·78	4·1												
2. Udipi					72·21	3 9												
3. Uppinangadi ...	er	Struck... ...	78		73 18	3·9	0·97	0 93	0·72	0·72	1·01	0·93	0·85	0 85	0 8	1·00	0·86	1·00	
4. Kundapur					71 13	4·5												
5. Kassergode					72 66	5 0												

Statement showing equivalents in Government Seers of 80 Tolahs of Local Measures of different Food-grains and of Salt—(Concluded.)

Districts and Stations.	Name of Measure.	How used locally.	Assumed normal contents in Rice.	Cubic capacity of the Specimen sent.	Diameter.	Rice, 1st Sorts.	Paddy, 1st Sort (Oryza Sativa.)	Paddy, 2nd Sort (Oryza Sativa.)	Horse-gram (Dolichos Uniflorus.)	Cholum or Jowar (Holcus Sorghum.)	Cumboo or Bajra (Pennisetum Spicatum.)	Varagoo (Paniçum Miliaceum.)	Ragi (Eleusine Coracana.)	Salt.	Wheat (Triticum Œstivum.)	Ulundu (Phaseolus Mungo.)	Remarks.
1	2	3	4	5	6	7	—	9	10	11	12	13	14	15	16	17	18	19
Malabar.			TOLAHS.	INCHES.	INCHES.	G. S.		G. S. 1·24 1·27 1·23	G. S. 1·24 1·27 1·23	G. S. 1·70 1·71 1·72	G. S. 1·67 1·56	G. S. 1·43 1·43 1·41	G. S. 1·43 1·45 1·45	G. S. 1·47 1·47 1·48	G. S 1·69 1·80 1·81	G. S. 1·45 1·48 1·50	G. S. 1·68 1·68 1·70	
1. Palghaut	McLeod Ser.	Liberally heaped.	130	104·67 103·8 97·75	4·3 5·0 5·35	1·62											
2. Walluvanad				100·34	5·33												
3. Koteyom				97·75	5·7												
4. Cherakal				79·58	5·7	1·14											
5. Kurumbranad				74·39	3·7	1·13											
6. Eranad	Seer	Struck ...	92														
7. Wynaad	D. ...	Liberally heaped.	90														
8. Cairut	Half-McLeod Ser.	Do. ...	65	49·21	3·8	0·81											
9. Ponani	Do. ...	Do. ...		47·43	4·25												
10. Cochin	Nali. ...	Do. ...	43	34·6	2·9	0·53											

No. 1,033.

PROCEEDINGS OF THE BOARD OF REVENUE, dated 4th May 1874.

Read again the following Proceedings of the Madras Government, dated 20th February 1874, No. 229, Revenue Department :—

ABSTRACT.—*Returns of Food-grains.*—Communicates to Revenue Board letter from Government of India, requesting to exhibit in the fortnightly — the prices in terms of the Seer of 80 Tolahs.

ORDERED that the annexed Conversion Table be printed, and that the prices of the Food-grains and Salt be in future shown in the monthly and fortnightly Statements in terms of the old Government Seer of 80 Tolahs.

(A true Extract.)

Acting Sub-Secretary.

To the Acting Secretary to Government, Revenue Department, with Conversion Table.
,, all Collectors, with Conversion Table, and G. O., 20th February 1874, No. 229.
,, the Director of Revenue Settlement, with do. do.
,, the Superintendent of Government Farms, with do. do.

Exd. J. Tulloch.

20th February 1874 to 17th.

No. 1710

Revenue 1874. Department

Board of Revenue,

MADRAS.

PROCEEDINGS, 4TH MAY 1874, No. 1,033.

Dated 26 May 1874.

Encl.

Received 27 May.

MAY.

No. 1,033.

Prices of Food-grains and Salt—ordered to be shown in future monthly and fortnightly Price-Returns in terms of old Government Seer of 80 Tolas.—Necessary Conversion Table circulated.

No. 211

Recorded

30 May 74