

(1) Number of pages 10
(2) Date of repair 20.3.79
(3) Initials of the Referencer _____

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

Revenue

DEPARTMENT

G.O. No.	2633 C	Press.
B.P. No.		Mis.
Dated	3. 9. 1877	197 .

Not to be folded or roughly handled

GOVERNMENT MADRAS.
REVENUE DEPARTMENT.

3rd September 1877-2633-C.

Famine.

Read the following paper:—

No. 29-E. Endorsement of the Secretary, Public Works Department, dated 17th August 1877, N
Copy of letter from the Officer in charge, Range, to the District Engineer, Cuddapah, dated 8th August 1877.

With reference to G.O., No. 12 W., dated 17th August 1877, forwarded with your endorsement, No. 1,078, of the 4th August, I have the honor to make the following inquiries:—

- (1). Are the coolies when working on the Department of Public Works to be paid by the Department of Public Works or the Revenue Department?
- (2). Are the present Superintendents handed over to this department, or are others to be appointed?

2. The greater part of this estimate for metalling the road. This can only be done when rain falls or where water is obtained from tanks or wells. I consider useless spreading metal on the road unless it is consolidated at once. Water is also required to consolidate the earthwork.

Falling rain, or water otherwise obtained, is advisable that there should be some other work for the coolies to fall back upon. I have communicated with the Sub-divisional officer to see whether there is any work in the neighbourhood of Jellala or Porumamilla.

No. 1,1

SUBMITTED to the Chief Engineer, Building Roads Branch, for orders.
Cuddapah, (Signed) A. JERLY, Colonel, R.E.,
18th August 1877. District Engineer.

TRANSFERRED to the Revenue Department with reference to Order in that department, No. 2,364-M, of the 23rd 77.
(Signed) FOORD, Colonel, R.E.,
Secretary to Government, P.W.D.

No. 29-F. ORDER THEREON, 3rd September 1877, No. 2633-C.

Miscellaneous

be taken over by the Range Officer if possible.
(True)

lies should be paid by the Revenue Department.
present Superintendents may be retained.

To the Public Works Department.
" Financial Department.
" Board of Revenue.

Ed. J. W. Fischer.

as made by a Revenue Officer

Not to be folded or roughly handled

F. No. 6807
 Inms. 2633^c
 2

In G.O. 23rd July In 1364 M.
 an estimate amounting to
 21230 Rs for the construction of
 a portion of the Cuddapa & Channarayana
 Road. The Col^l decided that
 the work sh^d be put under
 the Public Works Dept^t which
 was done under ~~the~~ ^{the} order issued
 in that Dept^t. With reference
 to these orders the P.W. Officer
 took instructions -

1st Whether the Coolies employed
 on the work are to be paid by
 the Gov or the Public Works
 Dept^t.

2nd Whether the Supervisors
 on the work are to be paid
 by Gov or P.W. or other
 appointed.

In the H. H. Col^l Mr. Sec^y in
 Cuddapa a system prevails
 which is described by Mr.
 Brahm as follows -

A (certain work) is entirely
 under the control of the Public
 Works Dept^t but payments
 are made by a Revenue Officer

G.O. 26th June In 1361.
 Purs^t of Mr. Brahm
 report.

Govt reply - by D.P.W.

Leave the Govt
 arranged.

Govt. of 1877
 REVENUE
 THE PUBLIC WORKS DEPARTMENT
 Secy. to Govt.
 Dated September 3rd
 Cuddapa & Channarayana Road
 SEPTEMBER
 Nos. 6807-2011
 P.W. Officer No. 1694
 Road from Channarayana and Cuddapa. - Informing
 that the coolies employed on the same should be paid
 by the Public Works Department, and that the
 Revenue Supervisors may be taken over by
 the Public Works Officer & professionally qualified.

are fully submitted by the
Public Works Dept but we
retain the right of checking
the quantity of work & value
The plan has succeeded well
& for far from being found
difficult.

The B. called attention to the
excellent results obtained in the
system of joint measurement
by the Rev. & P. W. Dept. in 1881
in G.O. 15th Feb. 1881 is usually
that when the officers' meeting
"Cooperated the system was
very successful."

In the G.O. Govt. says that the
system is entirely in accordance
with their wishes and orders.

It is for doubt this system
which the House officers wish
to know whether he is to
introduce.

The question is submitted
may best be left to the
Chf. & Dist. Superiors

If it can be arranged
or need not object -
but if not Govt order
as above that the
is the entire pay
for

Yes. Why are these
matters submitted to
Govt.

2633³⁰/₃
little in communication
It is that the District
Superior can provide other
superior and then can
be little doubt that the
Chf. can employ the Super-
intendents of the
Weather - Govt. have no data
on which to have an opinion
on such matters of detail.
To give a transfer in Justice to
W. appears calculated to
defeat the object of the transfer
of the work viz the full utilization
of the subordinate of D.T.
W. Supervising agency.

The question raised in para
2 of the House officers letter
viz the best time for the execution
of the work and the provision
of the labour of needed in the
winter months and the business
of the local authorities

Yes W.D.
2633

18.8.77

Copy of letter from the Officer in
Charge, Sidhaur Range to the District Engineer
Cuddalore, D/ 8th August 1877 No 1135.

2633
C
K

With reference to G. O. No 12 W dated 22nd
August 1877 forwarded with your memorandum
No 1078 of 25th August 1877 I have the honor to
make the following enquiries.

1. Are the coolies when working under the D.P.
W. to be paid by the D. P. W. or the Revenue
Department.

2. Are the present Superintendents to be
handed over to this Department or are others to
be appointed.

The greater part of this estimate
is for metalling the Road. This can only be
done when rain falls or when water is available
from Tanks or wells. I consider it is useless
spreading metal on the Road unless it can be
consolidated at once. Water is also required
to consolidate the earthwork below the metal.

Failing rain or water otherwise obtained,
it is advisable that there should be some
other work for the coolies to fall back upon.
I have communicated to the Sub Divisional

76807

22/10/77 (P) 2/11/77 C 25-8-77 81-9-77

Office to see whether there is any other work
in the neighborhood of Jellolap.
Ponamian flow.

N. 1162

Submitted to the Chief Engineer,
Buildings and Roads branch for orders.

C. H. [Signature] Feb. 1877

District Engineer Juddapah

Juddapah District Engineer's Office
Juddapah 13th August 1877
Despatch 16th do

Compd L.

2673c
(5)

G.O. no 483 Wd/ 27 July/77
" " 12 Wd/ 28 Aug/77

Rev.
Buildings of Roads branch
From

The District Engineer

Juddalapa

To. No. 6807

The Chief Engineer

Buildings & Roads branch

No 1162

Madras

Juddalapa

Dated 13th

Despatch 11th

August 1877

Recd

Recd 20-

Ep

Roads from Juddalapa and

junction between 2nd & 3rd mile

fur long and 63rd mile 7th fur long

Towards Coypu Sillabomb Range

Officers letter and request to contain

instructions on this

No 2325

Transferred to the

Revenue (Famine) Depart-

ment with reference to

order in that Department

No 2364 M of the 28 July 1877

Edmund Collins

Secretary to Govt

P.W.D.

17th Aug/77

N-2633

L.O. Mr. C.

The District Engineer

Public Works

Dept

2. The present top

graphical map of the

Range Office is

affixed to the

20/7/77

3 September 77

12/10/77 R 22-27 R.C.S. 1877

12/10/77 R 27-28 R.C.S. 1877